

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	41.1	33.6 - 49.2	122	49.2	43.3 - 55.2	201	-	-	18	46.1	41.6 - 50.8	341
b. Nutrition	43.0	35.2 - 51.1	120	44.3	38.3 - 50.4	198	-	-	18	44.2	39.6 - 48.9	336
c. Tobacco-use prevention	42.2	34.1 - 50.8	120	46.1	40.2 - 52.0	198	-	-	18	45.8	41.2 - 50.5	336
d. Asthma	24.3	18.4 - 31.4	119	22.0	17.4 - 27.5	198	-	-	18	23.4	19.6 - 27.6	335
e. Injury and violence prevention	39.5	32.2 - 47.2	120	41.1	35.6 - 46.8	198	-	-	18	40.8	36.5 - 45.2	336

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	30.9	24.1 - 38.7	122	27.9	23.3 - 32.9	207	-	-	17	30.3	26.4 - 34.5	346
b. Physical education and physical activity	33.3	26.4 - 40.9	122	38.7	33.7 - 44.0	207	-	-	17	37.3	33.2 - 41.6	346
c. Nutrition services and foods and beverages available at school	24.7	18.7 - 31.8	119	18.2	14.0 - 23.3	204	-	-	17	21.5	18.0 - 25.6	340
d. Health services	26.3	20.0 - 33.7	121	21.0	16.7 - 25.9	205	-	-	17	23.3	19.7 - 27.4	343
e. Mental health and social services	22.8	16.8 - 30.2	119	15.0	11.4 - 19.4	204	-	-	17	18.2	15.0 - 22.0	340
f. Healthy and safe school environment	75.8	69.1 - 81.4	123	60.5	54.7 - 66.0	206	-	-	18	67.5	63.3 - 71.4	347
g. Family and community involvement	75.1	67.9 - 81.2	123	77.4	71.9 - 82.0	208	-	-	17	77.2	73.1 - 80.8	348
h. Faculty and staff health promotion	28.0	21.6 - 35.4	120	18.4	14.3 - 23.4	204	-	-	18	22.2	18.7 - 26.2	342

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Number of minutes of physical education required in each grade	56.9	48.9 - 64.5	124	86.3	82.1 - 89.7	207	89.4	68.9 - 97.0	20	76.2	72.4 - 79.7	351
b. Rates of student participation in school meal programs	85.0	79.6 - 89.1	125	94.0	90.3 - 96.3	208	100.0	†	20	91.2	88.5 - 93.3	353
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	74.4	67.3 - 80.4	125	78.3	72.8 - 82.9	205	85.1	64.5 - 94.8	20	77.4	73.2 - 81.0	350
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	32.9	26.0 - 40.5	122	39.8	34.8 - 45.1	205	38.3	22.2 - 57.5	20	37.3	33.3 - 41.5	347

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.2	82.7 - 92.1	122	86.4	81.7 - 90.0	199	89.4	68.9 - 97.0	20	87.2	83.9 - 89.9	341

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
56.8	48.8 - 64.4	128	40.4	34.7 - 46.3	204	40.2	23.4 - 59.7	19	46.3	41.8 - 50.9	351

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	91.4	82.3 - 96.0	68	88.4	81.4 - 93.0	83	-	-	8	90.3	85.5 - 93.7	159
b. Health education teachers	90.4	84.7 - 94.2	68	78.0	69.2 - 84.8	81	-	-	8	83.6	78.4 - 87.8	157
c. Physical education teachers	88.1	81.1 - 92.8	66	95.2	89.2 - 97.9	83	-	-	8	91.6	87.4 - 94.5	157
d. Mental health or social services staff	57.3	48.4 - 65.8	65	51.4	42.7 - 59.9	83	-	-	7	52.7	46.5 - 58.8	155
e. Nutrition or food service staff	60.6	50.7 - 69.7	65	72.3	63.8 - 79.5	83	-	-	8	66.8	60.5 - 72.7	156
f. Health services staff (e.g., school nurse)	79.8	69.4 - 87.4	65	68.2	59.3 - 75.9	82	-	-	8	74.2	67.8 - 79.7	155
g. Maintenance and transportation staff	22.1	14.5 - 32.1	64	11.0	6.5 - 18.2	82	-	-	8	16.3	11.9 - 21.9	154
h. Technology staff	26.0	17.2 - 37.2	63	20.6	14.4 - 28.6	83	-	-	8	23.8	18.5 - 30.2	154
i. Library/media center staff	26.0	17.8 - 36.4	63	31.3	23.5 - 40.5	83	-	-	8	29.3	23.5 - 35.9	154
j. Student body	55.0	44.0 - 65.5	65	50.2	41.5 - 58.9	82	-	-	8	53.4	46.7 - 60.1	155
k. Parents or families of students	45.2	34.9 - 55.9	64	56.6	47.3 - 65.4	83	-	-	8	52.2	45.3 - 58.9	155
l. Community members	44.1	33.9 - 54.8	64	39.2	29.9 - 49.3	83	-	-	8	42.4	35.6 - 49.6	155

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Local health departments, agencies, or organizations	42.3	31.4 - 54.0	64	35.4	27.4 - 44.3	83	-	-	8	38.4	31.9 - 45.4	155
n. Faith-based organizations	18.3	11.2 - 28.5	64	10.2	5.7 - 17.5	83	-	-	8	14.5	10.2 - 20.2	155
o. Businesses	29.8	20.6 - 41.2	65	19.5	13.1 - 28.0	83	-	-	8	24.0	18.5 - 30.5	156
p. Local government agencies	23.3	15.1 - 34.2	64	21.1	14.6 - 29.6	83	-	-	8	23.0	17.7 - 29.5	155

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	44.9	37.2 - 52.8	128	36.4	31.0 - 42.2	210	42.3	24.7 - 62.0	20	39.8	35.4 - 44.3	358
b. Youth who participate in drop-out prevention, alternative education, or GED programs	45.2	37.8 - 52.9	127	30.4	25.6 - 35.8	206	51.0	30.1 - 71.5	20	37.0	32.9 - 41.4	353

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.6	53.2 - 67.5	127	17.8	14.2 - 22.2	208	25.8	12.0 - 47.0	20	33.5	29.9 - 37.2	355

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	66.7	59.2 - 73.5	126	53.6	47.7 - 59.4	204	40.4	26.3 - 56.3	20	57.4	53.0 - 61.7	350
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	97.8	94.3 - 99.2	126	84.1	79.3 - 87.9	206	100.0	†	20	89.9	87.0 - 92.3	352
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	73.3	65.8 - 79.8	125	55.5	49.5 - 61.3	203	68.3	51.2 - 81.5	20	62.6	58.2 - 66.9	348
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	57.0	49.2 - 64.5	124	42.9	36.8 - 49.2	202	46.7	33.8 - 60.0	20	48.1	43.5 - 52.8	346
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	60.6	52.1 - 68.4	125	45.0	39.1 - 51.1	202	23.5	12.0 - 41.0	20	49.1	44.5 - 53.8	347

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	67.9	60.2 - 74.7	122	51.4	45.3 - 57.5	197	63.5	43.2 - 79.9	20	58.0	53.4 - 62.5	339
b. Procedures to protect HIV-infected students and staff from discrimination	78.2	71.2 - 83.9	123	67.5	61.7 - 72.8	200	63.6	46.4 - 77.9	20	71.0	66.8 - 74.9	343
c. Maintaining confidentiality of HIV-infected students and staff	87.0	80.9 - 91.4	123	79.6	74.4 - 84.0	201	95.7	79.7 - 99.2	20	83.3	79.6 - 86.4	344
d. Worksite safety (i.e., universal precautions for all school staff)	86.8	80.8 - 91.2	124	81.2	76.0 - 85.6	202	89.0	67.6 - 96.9	19	83.7	80.0 - 86.9	345
e. Confidential counseling for HIV-infected students	77.0	69.3 - 83.3	124	59.5	54.1 - 64.6	200	70.2	59.1 - 79.3	20	66.4	62.3 - 70.3	344
f. Communication of the policy to students, school staff, and parents	74.6	67.4 - 80.7	122	55.3	49.5 - 61.0	198	67.9	44.9 - 84.6	20	62.9	58.5 - 67.2	340
g. Adequate training about HIV infection for school staff	73.5	65.5 - 80.1	122	64.3	58.8 - 69.5	199	68.0	47.9 - 83.0	20	67.8	63.4 - 71.8	341
h. Procedures for implementing the policy	68.7	60.6 - 75.8	123	61.0	54.8 - 66.8	198	55.3	37.1 - 72.3	20	63.3	58.6 - 67.8	341

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. A student mentoring program	86.7	80.5 - 91.2	126	77.3	72.5 - 81.5	204	70.5	52.7 - 83.7	20	80.2	76.6 - 83.4	350
b. A safe-passages to school program	30.6	23.4 - 39.0	120	23.3	18.4 - 29.0	202	19.2	7.7 - 40.4	20	25.6	21.5 - 30.0	342
c. A program to prevent bullying	88.0	82.5 - 91.9	127	94.6	91.5 - 96.6	208	89.4	68.9 - 97.0	20	91.9	89.2 - 94.0	355
d. A program to prevent dating violence	46.2	38.1 - 54.4	123	21.0	16.9 - 25.9	203	47.7	30.9 - 65.0	19	31.6	27.6 - 35.7	345
e. A youth development program	54.7	46.9 - 62.2	124	49.6	43.8 - 55.4	202	20.6	8.2 - 43.0	19	49.6	45.1 - 54.1	345

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes	88.7	83.2 - 92.5	126	58.6	53.3 - 63.8	202	68.6	58.5 - 77.2	20	70.0	66.4 - 73.4	348
b. No	8.0	5.0 - 12.6	126	30.9	26.1 - 36.2	202	25.1	13.6 - 41.7	20	22.4	19.2 - 25.9	348
c. Not applicable	3.3	1.4 - 7.6	126	10.5	7.4 - 14.7	202	6.3	1.1 - 28.4	20	7.7	5.6 - 10.5	348

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.3	92.1 - 97.3	126	93.3	89.6 - 95.7	208	95.5	80.1 - 99.1	19	94.1	91.8 - 95.9	353

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	92.9	89.0 - 95.5	197	93.7	73.1 - 98.8	13	92.9	89.2 - 95.4	210
b. Seventh grade	§	§	§	90.8	86.7 - 93.8	204	95.1	78.4 - 99.0	17	91.2	87.4 - 94.0	221
c. Eighth grade	§	§	§	90.6	86.6 - 93.5	199	95.1	78.4 - 99.0	17	91.0	87.3 - 93.7	216
d. Ninth grade	87.0	81.5 - 91.0	114	26.2	13.1 - 45.7	20	79.0	62.9 - 89.3	18	77.8	72.3 - 82.6	152
e. Tenth grade	65.8	57.8 - 73.0	110	§	§	§	46.4	35.0 - 58.3	17	62.8	55.8 - 69.3	127
f. Eleventh grade	55.4	48.1 - 62.5	111	§	§	§	43.7	29.1 - 59.5	16	53.7	47.1 - 60.2	127
g. Twelfth grade	54.5	46.9 - 61.9	110	§	§	§	43.7	29.1 - 59.5	16	52.9	46.0 - 59.7	126

*Among schools with students in that grade.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Enrollment in other courses (e.g., math or science)	48.2	39.8 - 56.8	116	66.8	61.6 - 71.7	188	30.0	16.4 - 48.4	18	57.8	53.4 - 62.1	322
b. Participation in school sports	47.2	40.0 - 54.5	116	37.0	31.2 - 43.1	188	65.2	47.0 - 79.9	18	42.4	38.0 - 46.9	322
c. Participation in other school activities (e.g., ROTC, band, or chorus)	75.5	68.7 - 81.3	116	53.9	47.9 - 59.8	188	74.3	55.7 - 87.0	18	62.9	58.5 - 67.0	322
d. Participation in community sports activities	9.2	5.3 - 15.5	115	53.0	47.0 - 59.0	186	30.4	15.9 - 50.4	18	36.0	31.9 - 40.3	319
e. Religious reasons	40.9	33.4 - 48.8	113	71.3	65.3 - 76.6	186	76.4	67.5 - 83.5	18	60.9	56.5 - 65.1	317
f. Long-term physical or medical disability	76.1	68.8 - 82.2	116	91.0	86.9 - 93.9	190	90.4	90.1 - 90.8	18	85.7	82.3 - 88.6	324
g. Cognitive disability	40.8	33.1 - 49.1	114	49.1	43.3 - 55.0	185	72.9	53.2 - 86.4	17	47.7	43.1 - 52.3	316
h. High physical fitness competency test score	15.1	10.4 - 21.6	114	8.6	5.7 - 12.6	189	0.0	†	17	10.3	7.9 - 13.5	320
i. Participation in vocational training	9.0	5.2 - 15.1	114	8.8	5.9 - 12.7	189	7.2	1.3 - 31.9	17	8.7	6.4 - 11.8	320
j. Participation in community service activities	6.4	3.3 - 12.0	115	9.3	6.2 - 13.6	189	0.0	†	17	7.7	5.5 - 10.7	321

*Among those schools that require physical education for students in any of grades 6 through 12.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

F L O R I D A

**2010 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.1	89.1 - 96.9	125	91.6	87.8 - 94.4	206	93.7	71.6 - 98.9	20	92.7	89.9 - 94.7	351

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	97.1	92.5 - 98.9	126	97.9	96.1 - 98.8	208	100.0	†	20	97.7	96.1 - 98.7	354
b. A chart describing the annual scope and sequence of instruction for physical education	89.1	83.9 - 92.8	124	89.1	85.1 - 92.1	206	74.5	60.2 - 84.9	20	88.1	85.2 - 90.6	350
c. Plans for how to assess student performance in physical education	88.5	82.7 - 92.6	126	89.5	85.5 - 92.5	208	100.0	†	20	89.8	86.9 - 92.2	354
d. A written physical education curriculum	93.3	88.8 - 96.1	126	88.9	84.8 - 92.0	208	93.7	71.6 - 98.9	20	90.8	87.9 - 93.0	354

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

F L O R I D A

**2010 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.3	66.0 - 79.5	126	80.8	75.8 - 85.0	207	66.2	55.3 - 75.6	20	77.2	73.4 - 80.7	353

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.8	57.7 - 71.3	126	67.8	62.6 - 72.6	207	70.2	46.3 - 86.5	20	66.9	62.8 - 70.8	353

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.4	91.7 - 98.5	126	95.8	92.7 - 97.6	209	87.4	65.0 - 96.3	20	95.5	93.0 - 97.1	355

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	96.3	91.5 - 98.4	123	95.7	92.6 - 97.6	207	86.9	63.7 - 96.2	19	95.4	92.9 - 97.0	349
b. Smokeless Tobacco	96.3	91.5 - 98.4	123	95.7	92.6 - 97.6	207	86.9	63.7 - 96.2	19	95.4	92.9 - 97.0	349
c. Cigars	96.3	91.5 - 98.4	123	95.3	92.1 - 97.2	207	80.3	68.0 - 88.7	19	94.7	92.4 - 96.3	349
d. Pipes	96.3	91.5 - 98.4	123	95.3	92.1 - 97.2	207	80.3	68.0 - 88.7	19	94.7	92.4 - 96.3	349

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	89.2	83.5 - 93.1	121	89.4	85.0 - 92.6	203	75.8	61.1 - 86.2	19	88.5	85.3 - 91.1	343
b. Smokeless Tobacco	89.2	83.5 - 93.1	121	88.5	83.9 - 91.8	203	75.8	61.1 - 86.2	19	87.9	84.6 - 90.6	343
c. Cigars	90.8	85.4 - 94.3	121	89.4	85.0 - 92.6	203	75.8	61.1 - 86.2	19	89.0	85.9 - 91.5	343
d. Pipes	90.8	85.4 - 94.3	121	89.4	85.0 - 92.6	203	75.8	61.1 - 86.2	19	89.0	85.9 - 91.5	343

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	93.1	87.6 - 96.2	120	90.7	87.0 - 93.4	201	75.8	61.1 - 86.2	19	90.5	87.7 - 92.8	340
b. Smokeless Tobacco	91.4	85.6 - 95.0	119	87.1	82.8 - 90.5	200	69.3	50.8 - 83.1	19	87.5	84.2 - 90.2	338
c. Cigars	93.1	87.6 - 96.2	120	90.6	87.0 - 93.3	200	75.8	61.1 - 86.2	19	90.5	87.7 - 92.7	339
d. Pipes	93.1	87.6 - 96.2	120	90.6	87.0 - 93.3	200	75.8	61.1 - 86.2	19	90.5	87.7 - 92.7	339

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.3	91.6 - 98.4	125	95.3	92.1 - 97.2	208	86.9	63.7 - 96.2	19	95.1	92.6 - 96.8	352
b. During non-school hours	86.8	80.3 - 91.4	124	80.9	76.1 - 84.9	205	82.3	59.3 - 93.7	19	83.1	79.4 - 86.2	348

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	86.5	81.0 - 90.6	124	84.3	79.6 - 88.1	207	82.4	59.5 - 93.7	19	85.0	81.5 - 87.9	350
b. During non-school hours	75.3	68.5 - 81.0	122	71.0	65.4 - 76.0	202	73.3	50.0 - 88.3	19	72.6	68.5 - 76.5	343

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	93.2	87.9 - 96.3	123	90.5	86.3 - 93.5	205	82.4	59.5 - 93.7	19	90.9	87.8 - 93.3	347
b. During non-school hours	80.3	72.7 - 86.1	122	71.7	66.1 - 76.8	201	68.8	48.5 - 83.8	19	74.6	70.3 - 78.4	342

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	96.3	91.6 - 98.4	125	95.8	92.7 - 97.6	208	86.9	63.7 - 96.2	19	95.4	92.9 - 97.0	352
b. Outside on school grounds, including parking lots and playing fields	94.5	89.3 - 97.3	125	95.2	91.9 - 97.2	207	86.9	63.7 - 96.2	19	94.5	91.8 - 96.3	351
c. On school buses or other vehicles used to transport students	95.6	90.8 - 98.0	125	95.2	92.0 - 97.2	208	86.9	63.7 - 96.2	19	94.8	92.3 - 96.6	352
d. At off-campus, school-sponsored events	95.6	90.8 - 98.0	125	92.7	88.8 - 95.3	207	86.9	63.7 - 96.2	19	93.3	90.5 - 95.4	351

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	94.8	89.9 - 97.4	125	95.1	91.8 - 97.1	204	86.9	63.7 - 96.2	19	94.5	91.9 - 96.3	348
b. Outside on school grounds, including parking lots and playing fields	87.8	82.5 - 91.7	125	84.5	79.7 - 88.3	204	86.9	63.7 - 96.2	19	85.8	82.4 - 88.7	348
c. On school buses or other vehicles used to transport students	94.8	89.9 - 97.4	125	94.0	90.4 - 96.3	204	86.9	63.7 - 96.2	19	93.9	91.1 - 95.8	348
d. At off-campus, school-sponsored events	90.9	85.7 - 94.4	123	81.6	76.7 - 85.6	204	75.8	51.3 - 90.3	19	84.5	80.9 - 87.5	346

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	94.0	88.9 - 96.9	124	94.7	91.2 - 96.8	203	86.9	63.7 - 96.2	19	94.0	91.2 - 95.9	346
b. Outside on school grounds, including parking lots and playing fields	90.3	84.2 - 94.3	124	86.2	81.6 - 89.7	199	86.9	63.7 - 96.2	19	87.7	84.3 - 90.5	342
c. On school buses or other vehicles used to transport students	93.3	88.0 - 96.3	124	93.0	89.2 - 95.6	202	86.9	63.7 - 96.2	19	92.7	89.8 - 94.9	345
d. At off-campus, school-sponsored events	83.3	76.3 - 88.6	124	67.9	62.0 - 73.2	200	66.8	46.0 - 82.6	19	73.3	69.0 - 77.2	343

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
62.3	55.1 - 68.9	121	45.7	39.9 - 51.6	200	51.2	35.8 - 66.3	19	51.9	47.5 - 56.2	340

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	97.7	93.9 - 99.1	119	97.9	95.3 - 99.1	198	100.0	†	17	98.0	96.2 - 98.9	334
b. Faculty and staff	93.2	87.9 - 96.3	117	93.9	90.2 - 96.2	197	82.1	60.5 - 93.2	17	93.0	90.1 - 95.0	331
c. Visitors	86.4	79.4 - 91.3	113	86.7	82.0 - 90.3	194	76.9	54.6 - 90.2	17	86.0	82.3 - 89.1	324

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.2	95.9 - 99.9	120	97.3	94.3 - 98.7	199	89.7	69.7 - 97.0	17	97.5	95.6 - 98.6	336

*Among those schools that have adopted a policy prohibiting tobacco use.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	61.0	53.2 - 68.3	115	54.8	49.6 - 59.9	179	71.6	45.2 - 88.6	15	58.0	53.7 - 62.2	309
b. Principal	18.2	13.2 - 24.6	115	27.3	22.3 - 33.0	179	19.9	7.4 - 43.7	15	23.6	19.9 - 27.7	309
c. Assistant principal	16.3	11.6 - 22.5	115	10.6	7.6 - 14.7	179	0.0	†	15	12.2	9.6 - 15.3	309
d. Other school administrator	2.8	1.1 - 7.2	115	3.5	1.7 - 6.8	179	0.0	†	15	3.0	1.7 - 5.2	309
e. Other school faculty or staff member	1.7	0.5 - 5.3	115	3.8	2.0 - 7.0	179	8.4	1.4 - 36.6	15	3.3	1.9 - 5.5	309

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Zero tolerance	86.7	80.4 - 91.2	126	88.6	83.9 - 92.0	204	88.7	67.0 - 96.8	19	87.9	84.4 - 90.7	349
b. Effect or severity of the violation	58.9	50.6 - 66.7	116	54.7	48.8 - 60.6	194	63.6	44.8 - 79.0	19	56.8	52.1 - 61.3	329
c. Grade level of student	21.4	15.4 - 29.0	115	27.5	22.7 - 33.0	193	31.8	21.8 - 43.8	19	25.7	22.0 - 29.8	327
d. Repeat offender status	73.7	66.3 - 80.0	116	69.1	64.1 - 73.8	194	80.8	65.0 - 90.5	20	71.5	67.6 - 75.2	330

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.0	†	127	0.0	†	208	0.0	†	20	0.0	†	355
b. Referred to a school counselor	7.9	4.8 - 12.5	125	5.2	3.1 - 8.8	204	4.6	0.8 - 21.6	19	6.1	4.3 - 8.7	348
c. Referred to a school administrator	0.0	†	126	0.5	0.1 - 2.8	206	0.0	†	20	0.3	0.1 - 1.7	352
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	10.1	6.5 - 15.3	126	18.3	14.1 - 23.3	199	8.6	2.5 - 25.4	20	14.7	11.8 - 18.1	345
e. Required to participate in an assistance, education, or cessation program	34.1	27.7 - 41.1	126	34.9	29.8 - 40.3	200	10.6	2.9 - 31.5	20	33.0	29.2 - 37.1	346
f. Referred to legal authorities	15.6	10.8 - 22.1	124	20.1	16.0 - 24.9	202	4.6	0.8 - 21.5	19	17.5	14.5 - 21.1	345
g. Placed in detention	26.8	20.3 - 34.5	123	22.8	18.1 - 28.3	205	25.4	11.0 - 48.6	20	24.4	20.5 - 28.7	348
h. Not allowed to participate in extra-curricular activities or interscholastic sports	25.4	19.3 - 32.7	124	25.7	20.8 - 31.3	196	16.9	5.9 - 39.6	20	25.0	21.2 - 29.2	340
i. Given in-school suspension	22.7	17.0 - 29.7	125	17.1	13.2 - 22.0	202	25.5	12.6 - 44.9	20	19.7	16.3 - 23.5	347
j. Suspended from school	9.5	6.4 - 14.0	125	8.4	5.6 - 12.5	205	4.3	0.8 - 20.9	20	8.5	6.4 - 11.3	350
k. Expelled from school	60.6	54.0 - 66.9	127	63.9	57.5 - 69.8	201	55.4	44.8 - 65.6	20	62.2	57.8 - 66.4	348
l. Reassigned to an alternative school	53.1	45.7 - 60.3	125	48.7	43.0 - 54.4	202	49.1	34.7 - 63.7	20	50.3	46.0 - 54.6	347

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.7	0.1 - 3.9	127	0.0	†	208	0.0	†	20	0.3	0.0 - 1.4	355
b. Referred to a school counselor	16.4	11.3 - 23.1	125	9.7	6.9 - 13.5	204	24.2	14.8 - 36.9	19	12.9	10.3 - 16.2	348
c. Referred to a school administrator	0.8	0.1 - 3.9	126	1.0	0.3 - 3.2	206	0.0	†	20	0.9	0.3 - 2.2	352
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	21.8	16.4 - 28.5	126	18.9	14.5 - 24.2	199	34.1	21.2 - 49.9	20	20.9	17.5 - 24.9	345
e. Required to participate in an assistance, education, or cessation program	18.6	13.7 - 24.8	126	20.0	15.8 - 25.0	200	34.2	16.8 - 57.3	20	20.4	17.1 - 24.3	346
f. Referred to legal authorities	19.8	14.2 - 26.8	124	14.5	10.9 - 18.9	202	13.5	7.5 - 22.9	19	16.3	13.3 - 19.8	345
g. Placed in detention	9.8	6.4 - 14.6	123	11.0	7.7 - 15.4	205	6.3	1.1 - 28.4	20	10.2	7.8 - 13.3	348
h. Not allowed to participate in extra-curricular activities or interscholastic sports	24.4	18.6 - 31.4	124	16.8	13.1 - 21.4	196	29.7	15.2 - 50.0	20	20.4	17.1 - 24.2	340
i. Given in-school suspension	7.0	3.8 - 12.6	125	10.8	7.9 - 14.5	202	14.9	5.1 - 36.0	20	9.7	7.4 - 12.6	347
j. Suspended from school	12.8	8.3 - 19.1	125	12.0	8.7 - 16.4	205	23.5	12.0 - 41.0	20	13.0	10.2 - 16.4	350
k. Expelled from school	30.9	24.8 - 37.9	127	21.9	17.0 - 27.9	201	34.0	19.9 - 51.8	20	26.0	22.1 - 30.3	348
l. Reassigned to an alternative school	37.5	30.4 - 45.2	125	33.1	27.6 - 39.2	202	12.9	7.2 - 21.9	20	33.4	29.2 - 37.8	347

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	4.0	1.9 - 8.4	127	0.0	†	208	0.0	†	20	1.4	0.7 - 3.0	355
b. Referred to a school counselor	45.6	38.0 - 53.5	125	45.8	39.9 - 51.8	204	46.7	31.5 - 62.5	19	45.8	41.3 - 50.4	348
c. Referred to a school administrator	4.8	2.4 - 9.4	126	2.4	1.1 - 5.0	206	4.3	0.8 - 20.3	20	3.3	2.1 - 5.4	352
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	34.5	27.0 - 43.0	126	25.2	20.9 - 30.2	199	44.4	29.2 - 60.7	20	29.8	25.9 - 34.1	345
e. Required to participate in an assistance, education, or cessation program	29.6	22.6 - 37.8	126	20.4	16.0 - 25.6	200	42.3	23.9 - 63.0	20	25.2	21.3 - 29.5	346
f. Referred to legal authorities	32.7	25.9 - 40.4	124	32.1	27.0 - 37.7	202	61.8	45.1 - 76.1	19	34.2	30.1 - 38.5	345
g. Placed in detention	37.1	30.2 - 44.5	123	41.3	36.0 - 46.9	205	44.8	23.0 - 68.7	20	40.1	35.8 - 44.5	348
h. Not allowed to participate in extra-curricular activities or interscholastic sports	36.5	28.9 - 44.9	124	36.9	31.9 - 42.1	196	42.8	29.1 - 57.7	20	37.1	33.0 - 41.5	340
i. Given in-school suspension	45.9	38.3 - 53.6	125	51.3	45.6 - 57.0	202	51.0	29.7 - 72.0	20	49.4	44.8 - 53.9	347
j. Suspended from school	47.8	40.7 - 55.0	125	45.6	39.9 - 51.4	205	38.5	23.2 - 56.4	20	45.9	41.6 - 50.3	350
k. Expelled from school	4.5	3.0 - 6.6	127	9.4	6.4 - 13.7	201	10.6	3.0 - 31.1	20	7.7	5.7 - 10.4	348
l. Reassigned to an alternative school	7.9	5.1 - 12.0	125	11.4	8.2 - 15.8	202	38.0	23.4 - 55.2	20	11.9	9.5 - 14.9	347

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	95.2	90.7 - 97.6	127	100.0	†	208	100.0	†	20	98.3	96.7 - 99.2	355
b. Referred to a school counselor	30.1	23.1 - 38.2	125	39.3	33.6 - 45.3	204	24.6	10.6 - 47.3	19	35.1	30.8 - 39.8	348
c. Referred to a school administrator	94.5	89.7 - 97.1	126	96.1	93.0 - 97.8	206	95.7	79.7 - 99.2	20	95.5	93.2 - 97.0	352
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	33.5	26.4 - 41.5	126	37.6	32.1 - 43.5	199	13.0	4.7 - 31.0	20	34.5	30.3 - 39.0	345
e. Required to participate in an assistance, education, or cessation program	17.6	12.3 - 24.6	126	24.7	19.9 - 30.2	200	13.0	4.7 - 31.0	20	21.4	17.9 - 25.4	346
f. Referred to legal authorities	31.8	25.0 - 39.5	124	33.3	28.1 - 39.0	202	20.2	8.4 - 41.2	19	32.0	27.9 - 36.3	345
g. Placed in detention	26.3	20.1 - 33.6	123	24.8	20.7 - 29.5	205	23.5	10.1 - 45.7	20	25.3	21.8 - 29.2	348
h. Not allowed to participate in extra-curricular activities or interscholastic sports	13.6	9.1 - 19.7	124	20.6	16.6 - 25.2	196	10.6	3.0 - 31.1	20	17.4	14.4 - 20.8	340
i. Given in-school suspension	24.4	18.5 - 31.4	125	20.8	16.5 - 25.9	202	8.6	2.5 - 25.4	20	21.3	17.9 - 25.1	347
j. Suspended from school	29.9	23.1 - 37.8	125	33.9	28.9 - 39.3	205	33.7	18.6 - 53.2	20	32.5	28.5 - 36.8	350
k. Expelled from school	4.0	1.9 - 8.3	127	4.7	2.7 - 8.2	201	0.0	†	20	4.2	2.7 - 6.5	348
l. Reassigned to an alternative school	1.5	0.5 - 4.8	125	6.8	4.4 - 10.2	202	0.0	†	20	4.5	3.0 - 6.6	347

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
79.0	72.2 - 84.5	123	69.1	63.3 - 74.3	204	67.9	44.8 - 84.6	20	72.5	68.2 - 76.4	347

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	56.3	48.9 - 63.3	126	50.8	45.0 - 56.5	209	78.5	63.7 - 88.4	20	54.5	50.2 - 58.7	355
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	61.8	54.3 - 68.8	127	57.6	51.4 - 63.6	209	74.6	51.5 - 89.0	20	60.2	55.5 - 64.7	356

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	26.9	21.1 - 33.6	126	27.1	22.2 - 32.7	209	32.2	19.6 - 48.1	20	27.4	23.7 - 31.4	355
b. Students	31.2	24.7 - 38.7	126	26.8	21.6 - 32.8	209	47.1	30.2 - 64.6	20	29.7	25.6 - 34.1	355

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	43.9	35.7 - 52.5	127	37.6	32.4 - 43.1	209	46.7	31.1 - 62.9	20	40.4	36.0 - 44.9	356
b. Students	47.6	40.2 - 55.1	128	35.1	29.8 - 40.8	205	44.7	28.2 - 62.4	20	40.2	36.0 - 44.6	353

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	2.3	0.9 - 5.9	123	3.0	1.5 - 5.9	205	0.0	†	20	2.6	1.5 - 4.5	348
b. Never	1.5	0.5 - 4.9	123	2.9	1.4 - 5.6	205	0.0	†	20	2.2	1.2 - 4.0	348
c. Rarely	7.9	4.6 - 13.3	123	14.5	11.0 - 18.8	205	4.4	0.8 - 20.7	20	11.5	9.0 - 14.6	348
d. Sometimes	44.9	37.4 - 52.6	123	50.6	45.1 - 56.1	205	61.5	42.8 - 77.4	20	49.3	45.0 - 53.7	348
e. Always or almost always	43.4	36.2 - 50.8	123	29.1	24.2 - 34.5	205	34.1	19.9 - 51.8	20	34.4	30.4 - 38.6	348

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.8	87.5 - 95.9	122	61.8	55.9 - 67.3	203	68.3	50.4 - 82.0	20	73.0	69.1 - 76.7	345

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	37.6	31.4 - 44.3	120	12.5	9.1 - 16.8	203	14.9	5.2 - 35.5	20	21.4	18.2 - 24.9	343
b. Other kinds of candy	46.9	40.0 - 54.0	120	20.5	16.1 - 25.7	202	25.4	11.2 - 47.9	20	30.0	26.2 - 34.1	342
c. Salty snacks that are not low in fat (e.g., regular potato chips)	50.6	44.1 - 56.9	120	32.3	27.2 - 37.7	202	32.0	19.4 - 47.9	20	38.6	34.7 - 42.6	342
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	57.2	49.5 - 64.5	120	36.3	30.8 - 42.1	202	19.2	7.7 - 40.3	20	42.4	38.1 - 46.8	342
e. Ice cream or frozen yogurt that is not low in fat	40.7	33.8 - 48.1	119	24.6	19.6 - 30.3	203	32.0	19.4 - 47.9	20	30.7	26.7 - 34.9	342
f. 2% or whole milk (plain or flavored)	57.6	49.5 - 65.3	119	35.2	29.4 - 41.5	202	42.7	23.0 - 65.0	20	43.4	38.7 - 48.2	341
g. Water ices or frozen slushes that do not contain juice	34.3	28.3 - 40.9	120	20.0	15.6 - 25.3	203	25.1	11.3 - 47.0	19	25.3	21.7 - 29.3	342
h. Soda pop or fruit drinks that are not 100% juice	57.3	50.4 - 64.0	121	24.8	20.2 - 29.9	202	44.7	25.7 - 65.4	20	37.4	33.5 - 41.5	343
i. Sports drinks (e.g., Gatorade)	85.0	78.9 - 89.7	121	43.3	37.4 - 49.5	203	53.3	34.5 - 71.3	20	58.5	54.2 - 62.7	344
j. Foods or beverages containing caffeine	53.7	46.6 - 60.7	120	14.4	11.0 - 18.7	201	29.8	13.7 - 53.2	20	29.2	25.7 - 32.9	341
k. Fruits (not fruit juice)	53.2	45.8 - 60.4	120	31.4	25.8 - 37.6	203	32.2	15.4 - 55.2	20	39.0	34.6 - 43.7	343
l. Non-fried vegetables (not vegetable juice)	48.8	42.2 - 55.5	120	22.7	18.2 - 27.9	201	32.2	15.4 - 55.2	20	32.4	28.6 - 36.5	341

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
58.3	50.1 - 66.0	120	42.5	36.9 - 48.2	197	34.1	18.9 - 53.4	20	47.5	43.0 - 52.0	337

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	15.9	11.1 - 22.1	120	7.5	4.8 - 11.5	197	0.0	†	19	10.0	7.6 - 13.1	336
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	58.2	51.2 - 64.8	120	47.7	41.6 - 54.0	201	54.4	35.0 - 72.5	19	51.8	47.2 - 56.3	340
c. Provided information to students or families on the nutrition and caloric content of foods available	47.7	41.0 - 54.6	120	51.0	44.8 - 57.1	200	43.4	25.2 - 63.6	19	49.4	44.8 - 53.9	339
d. Conducted taste tests to determine food preferences for nutritious items	38.4	31.2 - 46.1	120	27.1	22.1 - 32.7	202	20.5	8.8 - 40.7	19	30.6	26.5 - 35.0	341
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	29.9	22.8 - 38.0	119	25.6	21.0 - 30.8	199	45.5	30.0 - 62.0	19	28.3	24.5 - 32.6	337

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
5.4	2.9 - 10.0	121	1.4	0.5 - 3.6	202	0.0	†	19	2.7	1.6 - 4.6	342

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	63.5	55.1 - 71.2	121	68.3	62.9 - 73.3	199	56.9	33.8 - 77.3	19	65.9	61.4 - 70.2	339
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	45.5	37.6 - 53.6	122	62.2	56.4 - 67.6	198	43.1	23.9 - 64.7	19	55.0	50.4 - 59.6	339
c. On school buses or other vehicles used to transport students	76.5	68.7 - 82.7	120	72.0	66.5 - 76.9	198	-	-	18	73.1	68.8 - 77.1	336
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	55.1	47.6 - 62.4	120	63.6	57.8 - 69.1	199	54.5	42.0 - 66.3	19	60.1	55.7 - 64.3	338

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
46.4	39.4 - 53.6	127	42.2	36.7 - 47.8	210	45.5	30.1 - 61.8	19	43.9	39.7 - 48.1	356

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school has no students with known asthma.	2.9	1.1 - 7.4	126	1.1	0.3 - 3.5	205	0.0	†	19	1.7	0.8 - 3.5	350
b. All students with known asthma have an asthma action plan on file.	63.8	57.1 - 70.1	126	64.2	58.1 - 69.8	205	82.0	60.8 - 93.1	19	65.1	60.8 - 69.2	350
c. Most students with known asthma have an asthma action plan on file.	19.2	14.5 - 25.0	126	18.8	14.7 - 23.8	205	11.3	3.5 - 30.7	19	18.5	15.4 - 22.0	350
d. Some students with known asthma have an asthma action plan on file.	12.3	8.8 - 16.9	126	11.4	8.2 - 15.8	205	6.7	1.2 - 29.2	19	11.4	9.0 - 14.4	350
e. No students with known asthma have an asthma action plan on file.	1.8	0.5 - 5.8	126	4.5	2.6 - 7.8	205	0.0	†	19	3.3	2.0 - 5.4	350

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not identify students with poorly controlled asthma.	17.9	12.5 - 24.9	127	17.6	13.3 - 22.8	206	21.1	20.5 - 21.9	20	17.9	14.7 - 21.7	353
b. Frequent absences from school	32.0	25.6 - 39.2	128	36.7	31.6 - 42.0	209	32.2	17.1 - 52.2	20	34.7	30.8 - 38.9	357
c. Frequent visits to the school health office due to asthma	59.1	51.2 - 66.5	128	65.2	59.0 - 70.9	207	62.0	54.5 - 69.0	20	62.8	58.3 - 67.1	355
d. Frequent asthma symptoms at school	50.5	43.5 - 57.5	128	53.3	47.3 - 59.1	208	42.7	34.4 - 51.4	20	51.6	47.3 - 55.9	356
e. Frequent non-participation in physical education class due to asthma	32.9	26.7 - 39.8	127	42.0	36.1 - 48.2	207	27.8	14.4 - 46.9	20	37.9	33.6 - 42.4	354
f. Students sent home early due to asthma	39.3	32.2 - 46.8	127	47.3	41.6 - 53.0	207	34.2	17.7 - 55.6	20	43.6	39.3 - 48.1	354
g. Calls from school to 911, or other local emergency numbers, due to asthma	35.5	29.2 - 42.3	127	30.6	25.6 - 36.0	209	21.7	11.5 - 37.1	20	31.7	28.0 - 35.8	356

FLORIDA
2010 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	50.8	43.0 - 58.6	119	41.2	35.2 - 47.4	201	50.1	28.3 - 71.9	19	45.1	40.4 - 49.9	339
b. Ensuring an appropriate written asthma action plan is obtained	77.3	71.0 - 82.6	121	81.3	76.5 - 85.3	204	82.0	60.1 - 93.2	19	80.0	76.3 - 83.2	344
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	74.2	67.1 - 80.3	121	83.1	78.1 - 87.1	202	77.4	55.2 - 90.4	19	79.6	75.7 - 83.1	342
d. Offering asthma education for students with asthma	47.7	39.8 - 55.7	120	41.8	36.0 - 47.8	200	43.5	27.1 - 61.5	19	43.9	39.4 - 48.6	339
e. Minimizing asthma triggers in the school environment	65.9	58.4 - 72.7	121	68.4	62.5 - 73.8	203	77.4	55.2 - 90.4	19	68.1	63.7 - 72.3	343
f. Addressing social and emotional issues related to asthma	50.1	42.3 - 58.0	120	45.6	39.7 - 51.7	200	68.2	45.5 - 84.6	19	48.6	44.0 - 53.3	339
g. Providing additional psychosocial counseling or support services as needed	56.2	48.1 - 63.9	120	47.3	41.3 - 53.4	201	41.0	22.0 - 63.1	19	50.0	45.3 - 54.7	340
h. Ensuring access to safe, enjoyable physical education and activity opportunities	88.8	82.5 - 93.0	121	91.9	87.8 - 94.7	202	88.7	66.9 - 96.8	19	90.6	87.4 - 93.1	342
i. Ensuring access to preventive medications before physical activity	80.8	75.6 - 85.2	120	87.1	82.9 - 90.4	202	88.7	66.9 - 96.8	19	85.0	81.9 - 87.7	341

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. More than once per year	3.0	1.7 - 5.5	124	1.9	0.8 - 4.3	209	0.0	†	19	2.2	1.3 - 3.6	352
b. Once per year	34.7	28.2 - 41.9	124	35.7	30.4 - 41.5	209	13.8	5.0 - 33.0	19	34.1	30.1 - 38.3	352
c. Less than once per year	8.6	5.2 - 13.8	124	9.9	6.9 - 13.9	209	40.6	27.6 - 55.1	19	11.3	8.9 - 14.2	352
d. No such requirement	53.7	46.8 - 60.4	124	52.5	47.3 - 57.7	209	45.5	30.0 - 62.0	19	52.5	48.5 - 56.5	352

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.2	66.3 - 79.1	124	73.0	67.6 - 77.8	209	79.5	62.5 - 90.0	19	73.4	69.4 - 77.1	352

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	96.8	91.8 - 98.8	89	89.8	84.4 - 93.4	153	74.3	48.5 - 89.9	15	91.1	87.4 - 93.8	257
b. Parents and families	93.5	87.5 - 96.8	88	95.4	91.4 - 97.6	151	74.3	48.5 - 89.9	15	93.4	90.1 - 95.6	254

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.
N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	18.1	11.9 - 26.7	81	20.8	16.2 - 26.2	139	27.4	11.0 - 53.5	14	20.3	16.5 - 24.8	234
b. Principal	12.7	7.5 - 20.8	81	14.5	10.3 - 20.1	139	24.0	8.7 - 51.2	14	14.5	11.0 - 19.0	234
c. Assistant principal	4.0	1.5 - 10.3	81	1.3	0.4 - 4.3	139	0.0	†	14	2.2	1.0 - 4.6	234
d. School nurse	55.4	45.8 - 64.6	81	52.8	45.8 - 59.6	139	48.6	22.7 - 75.3	14	53.4	47.8 - 58.9	234
e. Other school faculty or staff member	9.7	5.1 - 17.7	81	10.6	7.2 - 15.5	139	0.0	†	14	9.6	6.8 - 13.3	234

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	19.5	14.5 - 25.7	126	9.4	6.5 - 13.4	207	33.8	15.6 - 58.5	20	14.5	11.6 - 18.0	353
b. Tobacco-use prevention	23.3	17.7 - 29.9	125	19.0	14.6 - 24.3	208	31.8	14.8 - 55.7	20	21.3	17.8 - 25.4	353
c. Physical activity	26.2	20.4 - 32.8	125	30.4	25.1 - 36.3	208	57.3	33.0 - 78.5	20	30.7	26.6 - 35.1	353
d. Nutrition and healthy eating	31.4	24.9 - 38.7	125	30.1	24.7 - 36.1	208	40.4	20.2 - 64.4	20	31.2	27.0 - 35.8	353
e. Asthma	16.3	11.6 - 22.4	124	10.8	7.7 - 15.0	208	10.6	3.0 - 31.1	20	12.7	10.0 - 15.9	352

FLORIDA

2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	31.9	25.6 - 39.0	126	20.8	16.3 - 26.1	209	44.4	27.3 - 63.1	20	26.2	22.5 - 30.3	355
b. Tobacco-use prevention	33.5	27.1 - 40.5	126	31.4	26.2 - 37.1	208	57.3	37.9 - 74.7	20	33.8	29.8 - 38.1	354
c. Physical activity	31.7	25.4 - 38.6	126	33.2	27.8 - 39.2	208	59.2	37.9 - 77.6	20	34.3	30.2 - 38.8	354
d. Nutrition and healthy eating	36.9	30.0 - 44.4	126	34.6	29.0 - 40.5	208	42.4	24.5 - 62.4	20	35.9	31.6 - 40.4	354
e. Asthma	22.8	17.8 - 28.7	126	15.6	11.9 - 20.3	208	16.9	5.9 - 39.6	20	18.2	15.2 - 21.7	354