

**THE FOLLOWING CHANGES ARE FOR
FISCAL YEAR
1415**

SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT - REJECT RULES

NEW EDIT FOR 1415:

1C. If Incident, Type code is equal to HOM, then Victims of Homicide code must not be Zall Zs. -record rejected-

EXAMPLE

The first record listed below would be loaded to the data base assuming no other reject rule would cause its rejection. The second record would be rejected because the Incident, Type is HOM and Victims of Homicide code is all Zs.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Victims of Homicide
01	0271	AS000001	HOM	<u>EZZZ</u>
* 01	0271	SH000003	HOM	<u>ZZZZ</u>

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Victims of Homicide code and resubmit the record.

SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT - REJECT RULES

NEW EDIT FOR 1415:

➔ 32. Victims of Homicide code must be E, F, O, S, or Z. -record rejected-

Note: Four possible codes may be selected. If less than four codes are selected, Z-fill the remaining fields. Each code must be unique other than Z.

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Victims of Homicide code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Victims of Homicide
01	0271	00000AS1	EFOS
01	0271	00000FA2	EFZZ
* 01	0271	00000WP3	RZZZ

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Victims of Homicide code and resubmit the record.