

**OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX**

| Section | K-12 | College | Ancillary |
|--|-------------|-------------------------|-------------------------|
| 423.1 Scope: Public educational facilities | X | X | X |
| 423.2 Public schools and community colleges general requirements | X | X | X |
| 423.2.1 Owner | X | X | X |
| 423.2.2 Exemption from local requirements | X | X | X |
| 423.2 Code enforcement | X | X | X |
| 423.3.1 School boards and community college boards | X | X | X |
| 423.3.2 Owner review and inspection | X | X | X |
| 423.3.3 Local government review and inspection | X | X | X |
| 423.3.4 Other regulatory agencies | X | X | X |
| 423.3.5 Day labor projects | X | X | X |
| 423.3.6 Routine maintenance | X | X | X |
| 423.3.7 Certificate of occupancy | X | X | X |
| 423.3.8 Reuse of prototype plans | X | X | X |
| 423.4 Reference documents | X | X | X |
| 423.4.1 Rule 6-2 | X | X | X |
| 423.4.2 FEMA | X | X | X |
| 423.4.3 Florida statutes and state rules | X | X | X |
| 423.4.4 Accessibility requirements for children's environments | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.4.5 Handbook for public playground safety | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.4.6 ANSI Z53.1 | X | X | X |
| 423.4.7 ASCE 7 | X | X | X |
| 423.4.8 Life Cycle Cost Guidelines for Materials and Buildings for Florida's Public Educational Facilities | X | X | X |
| 423.5 Definitions | X | X | X |
| 423.5.1 Assembly | X | X | X |
| 423.5.2 Board | X | X | X |
| 423.5.3 Boiler | X | X | X |
| 423.5.4 Certificate of occupancy | X | X | X |
| 423.5.5 Courtyard | X | X | N/A |
| 423.5.5.1 Exterior courtyard | X | X | N/A |
| 423.5.5.2 Enclosed courtyard | X | X | N/A |
| 423.5.5.3 Roofed courtyard | X | X | N/A |
| 423.5.6 Facility | X | X | X |
| 423.5.6.1 Ancillary facility | N/A | N/A | X |
| 423.5.6.2 Ancillary plant | N/A | N/A | X |
| 423.5.6.3 Auxiliary facility | X | X | N/A |
| 423.5.6.4 Educational facility | X | X | N/A |

| Section | K-12 | College | Ancillary |
|--|-------------|----------------|-------------------------|
| 423.5.6.5 Educational plant | X | X | N/A |
| 423.5.6.6 Existing facility | X | X | X |
| 423.5.6.7 Leased facility | X | X | X |
| 423.5.6.8 Permanent facility | X | X | X |
| 423.5.6.9 Relocatable/portable facility | X | X | X |
| 423.5.6.10 Modular facility | X | X | X |
| 423.5.7 Maintenance and repair | X | X | X |
| 423.5.8 New construction | X | X | X |
| 423.5.9 Open plan building | X | X | X |
| 423.5.10 Open plan instructional space | X | X | N/A |
| 423.5.11 Owner | X | X | X |
| 423.5.12 Permit | X | X | X |
| 423.5.13 Remodeling | X | X | X |
| 423.5.14 Renovation | X | X | X |
| 423.5.15 Separate atmosphere | X | X | X |
| 423.5.16 Separate building | X | X | X |
| 423.5.17 Student-occupied space | X | X | N/A |
| 423.6 Administration of public education projects | X | X | X |
| 423.6.1 Occupancy during construction | X | X | X |
| 423.6.2 Contractor toxic substance safety procedure | X | X | X |
| 423.6.3 Flammable or explosive substances | X | X | X |
| 423.7 Life safety | X | X | X |
| 423.7.1 Separate exits | X | X | X |
| 423.7.2 Exit access | X | X | X |
| 423.7.3 Location of fire extinguishers and blankets | X | X | N/A |
| 423.7.4 Common fire alarm | X | X | Footnote ⁽²⁾ |
| 423.7.5 Fire alarm sending stations | X | X | X |
| 423.7.6 Automatic shut off | X | X | N/A |
| 423.7.6.1 Kitchen gas supplies | X | X | X |
| 423.7.6.2 Emergency power | X | X | X |
| 423.7.7 Unoccupied rooms and concealed spaces | X | X | X |
| 423.7.7.1 Fully sprinklered buildings | X | X | X |
| 423.7.8 Boiler rooms | X | X | X |
| 423.8 General requirements for new construction, additions, renovation, and remodeling | X | X | X |
| 423.8.1 Codes and standards | X | X | X |
| 423.8.1.1 Educational occupancy | X | X | N/A |
| 423.8.1.2 Business occupancy | N/A | X | X |

**OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX**

| Section | K-12 | College | Ancillary |
|---|-------------|----------------|------------------|
| 423.8.1.3 Ancillary facility | N/A | N/A | X |
| 423.8.2 Space standards | X | X | X |
| 423.8.3 Construction types | X | X | X |
| 423.8.3.1 Noncombustible Type I, II or IV | X | X | X |
| 423.8.3.1.1 Interior nonload-bearing wood studs | X | X | X |
| 423.8.3.2 Type I | X | X | X |
| 423.8.3.3 Type IV | X | X | X |
| 423.8.3.4 Exceptions to types of construction | X | X | X |
| 423.8.4 Standards for remodeling and/or renovation | X | X | X |
| 423.8.5 Leased facilities | X | X | X |
| 423.8.6 Asbestos prohibited | X | X | X |
| 423.8.7 Life cycle cost guidelines for materials and building systems | X | X | X |
| 423.8.8 Safe school design | X | X | N/A |
| 423. 8.8.1 Natural access and control | X | X | N/A |
| 423. 8.8.2 Natural surveillance | X | X | N/A |
| 423. 8.8.3 Territorial integrity | X | X | N/A |
| 423. 8.8.4 Audio and motion detection systems | X | X | N/A |
| 423. 8.8.5 Design | X | X | N/A |
| 423. 8.8.6 Exterior stairs, balconies, ramps, etc | X | X | N/A |
| 423. 8.8.7 Open areas | X | X | N/A |
| 423.9 Structural design | X | X | X |
| 423.9.1 Load importance factor | X | X | X |
| 423.10 Site requirements | X | X | X |
| 423.10.1 Fencing | X | X | X |
| 423.10.1.1 Required locations | X | N/A | N/A |
| 423.10.1.1.1 Kindergarten through grade 12 | X | N/A | N/A |
| 423.10.1.1.2 Kindergarten through grade 5 | X | N/A | N/A |
| 423.10.1.1.3 Kindergarten through grade 12 | X | N/A | N/A |
| 423.10.2 Walks, roads, drives, and parking areas | X | X | X |
| 423.10.2.1 Covered walks | X | N/A | N/A |
| 423.10.2.2 Accessible walks and bridges | X | X | X |
| 423.10.2.3 Drainage | X | X | X |
| 423.10.2.4 Vertical drops | X | X | X |
| 423.10.2.5 Roads and streets | X | X | X |
| 423.10.2.6 Bus drives | X | X | X |
| 423.10.2.7 Vehicle parking areas | X | X | X |

| Section | K-12 | College | Ancillary |
|---|-------------|-------------------------|-------------------------|
| 423.10.2.8 Minimum parking requirements | X | X | X |
| 423.10.2.8.1 Faculty and staff | X | X | X |
| 423.10.2.8.2 Visitors | X | X | N/A |
| 423.10.2.8.3 Community clinics | X | X | X |
| 423.10.2.8.4 High schools | X | N/A | N/A |
| 423.10.2.8.5 Vocational schools | X | Footnote ⁽³⁾ | N/A |
| 423.10.2.8.6 Community colleges | N/A | X | N/A |
| 423.10.2.8.7 Accessible parking | X | X | X |
| 423.10.3 Site lighting required | X | X | X |
| 423.10.3.1 Auto, bus, and service drives | X | X | X |
| 423.10.3.2 Parking areas | X | X | X |
| 423.10.3.3 Building perimeter | X | X | X |
| 423.10.3.4 Covered and connector walks | X | X | X |
| 423.10.3.5 Lighting for parking areas | X | X | X |
| 423.10.3.5.1 Parking areas | X | X | X |
| 423.10.3.5.2 Covered and connector walks | X | X | X |
| 423.10.3.5.3 Entrances/exits | X | X | X |
| 423.10.3.6 Building exterior | X | X | X |
| 423.10.3.6.1 Entrances | X | X | X |
| 423.10.3.6.2 Building surrounds | X | X | X |
| 423.10.3.7 Shielding | X | X | X |
| 423.10.4 Building setbacks | X | X | X |
| 423.10.5 School board playgrounds, equipment, and athletic fields | X | X | N/A |
| 423.10.5.1 Kindergarten play areas | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.10.5.2 Playgrounds and equipment | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.10.5.3 Direct access from the school buildings | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.10.5.4 Related facilities | X | X | N/A |
| 423.10.6 Exterior signage | X | X | X |
| 423.10.6.1 Site signage | X | X | X |
| 423.10.6.2 Accessible route | X | X | X |
| 423.10.7 Landscaping | X | X | X |
| 423.10.8 Transmission line right-of-way | X | X | X |
| 423.10.9 School site master plan | X | X | N/A |
| 423.11 Wood: fire-retardant treated wood (FRTW) | X | X | N/A |
| 423.11.1 Fire-retardant treated wood | X | X | N/A |
| 423.11.2 Inspection access panels | X | X | N/A |
| 423.11.3 Evidence of compliance | X | X | N/A |
| 423.12 Roofing | X | X | X |
| 423.12.1 Class A materials | X | X | X |
| 423.12.2 Insulation and moisture protection | X | X | X |

**OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX**

| Section | K-12 | College | Ancillary |
|--|-------------|----------------|------------------|
| 423.12.3 Phased installation prohibited | X | X | X |
| 423.12.4 Manufacturer's one-year inspection | X | X | X |
| 423.13 Doors and windows | X | X | X |
| 423.13.1 Doors | X | X | N/A |
| 423.13.1.1 Door swing | X | X | X |
| 423.13.1.2 Obstruct or conceal an exit | X | X | X |
| 423.13.2 Recessed | X | X | X |
| 423.13.3 Special function doors | X | X | X |
| 423.13.4 Overhead and sliding security grilles | X | X | X |
| 423.13.5 Gates | X | X | X |
| 423.13.6 Hardware | X | X | X |
| 423.13.7 Safety glazing: Panels and storefronts | X | X | X |
| 423.13.7.1 Glazing in hazardous locations | X | X | X |
| 423.13.7.2 Large glass panels | X | X | X |
| 423.13.8 Windows | X | X | X |
| 423.13.8.1 Natural light and ventilation | X | N/A | N/A |
| 423.13.8.2 Projecting and awning windows | X | X | X |
| 423.13.8.3 Security/storm screens and grills | X | X | N/A |
| 423.14 Special safety requirements | X | X | X |
| 423.14.1 Master control switch | X | X | N/A |
| 423.14.2 Interior signage | X | X | X |
| 423.14.2.1 Emergency rescue openings | X | N/A | N/A |
| 423.14.2.2 Maximum capacity sign | X | X | X |
| 423.14.2.3 Room name, number sign | X | X | X |
| 423.14.2.4 Evacuation sign | X | X | X |
| 423.14.2.5 Accessibility signage | X | X | X |
| 423.14.2.6 Hazardous work & storage areas | X | X | X |
| 423.14.3 Other potential hazards | X | X | X |
| 423.14.4 Storage shelving | X | X | X |
| 423.14.5 Vertical platform lifts and inclined wheelchair lifts | X | X | X |
| 423.14.5.1 Not reduce width of egress | X | X | X |
| 423.14.5.2 Shielding devices | X | X | X |
| 423.14.5.3 Key operated | X | X | X |
| 423.14.5.4 Inclined wheel chair lifts | X | X | X |
| 423.14.5.4.1 Sensing | X | X | X |
| 423.14.5.4.2 Guide rails | X | X | X |
| 423.14.6 Color code machinery | X | X | X |
| 423.14.7 Anchor equipment | X | X | X |
| 423.14.8 Interior finishes | X | X | X |
| 423.14.8.1 Floors | X | X | X |

| Section | K-12 | College | Ancillary |
|---|-------------|----------------|------------------|
| 423.14.8.2 Walls | X | X | X |
| 423.14.8.3 Ceilings | X | X | X |
| 423.15 Mechanical | X | X | X |
| 423.15.1 Gas and fluid piping | X | X | X |
| 423.15.1.1 Flammable liquid/gases | X | X | X |
| 423.15.1.2 Piping systems | X | X | X |
| 423.15.1.3 Main supply valve | X | X | X |
| 423.15.2 Return air | X | X | X |
| 423.15.3 Residential equipment | X | X | X |
| 423.15.4 Toilet room venting | X | X | X |
| 423.15.5 Chemistry laboratories and science classrooms | X | X | N/A |
| 423.15.6 Ventilation air make-up for HVAC Systems | X | X | N/A |
| 423.16 Plumbing | X | X | X |
| 423.16.1 Standards | X | X | X |
| 423.16.1.1 Assemblies occupancies | X | X | X |
| 423.16.1.2 Location | X | X | N/A |
| 423.16.2 Teacher toilets | X | N/A | N/A |
| 423.16.3 Public shelter | X | X | X |
| 423.16.4 Urinals | X | X | X |
| 423.16.5 Floor drains and hose bibs | X | X | X |
| 423.16.6 Shielding devices | X | X | X |
| 423.16.7 Hot water | X | X | X |
| 423.16.8 Delayed closing valves | X | X | X |
| 423.16.9 Shower facilities | X | X | N/A |
| 423.16.9.1 Floor finish | X | X | N/A |
| 423.16.9.2 Floor draining | X | X | N/A |
| 423.16.9.3 Water temperature | X | X | N/A |
| 423.16.9.4 Master control valve | X | X | N/A |
| 423.16.9.5 Shower heads | X | X | N/A |
| 423.16.10 Kitchens | X | X | X |
| 423.16.10.1 Toilet rooms | X | X | X |
| 423.16.10.2 Floor drains | X | X | X |
| 423.16.11 Dousing shower and eye wash | X | X | N/A |
| 423.16.12 Floor drains and plumbing fixtures in equipment room. | X | X | X |
| 423.17 Electrical | X | X | X |
| 423.17.1 Emergency lighting | X | X | X |
| 423.17.2 Electrical rooms and closets | X | X | N/A |
| 423.17.3 Space capacity | X | X | X |
| 423.17.4 Emergency shutoff switches | X | X | N/A |
| 423.17.5 Emergency disconnect | X | X | N/A |

**OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX**

| Section | K-12 | College | Ancillary |
|--|-------------|----------------|-------------------------|
| 423.17.6 Sauna and steam rooms | X | X | N/A |
| 423.17.7 Lightning | X | X | X |
| 423.17.8 Ground fault interrupter (GFI) receptacles | X | X | X |
| 423.18 Assembly occupancies in public educational facilities | X | X | N/A |
| 423.18.1 Occupancy capacity | X | X | N/A |
| 423.18.1.1 Auditorium | X | X | N/A |
| 423.18.1.2 Gymnasium/gymnasium with stage | X | X | N/A |
| 423.18.1.3 Dining rooms/cafetorium with stage/multipurpose room | X | X | N/A |
| 423.18.1.4 Classrooms and labs | X | X | N/A |
| 423.18.1.5 Stadiums | X | X | N/A |
| 423.18.1.6 Media centers | X | X | N/A |
| 423.18.1.7 Closed circuit television production, distribution, and control | X | X | N/A |
| 423.18.1.8 Interior courtyards | X | X | N/A |
| 423.19 Shade and green houses | X | X | N/A |
| 423.19.1 General | X | X | N/A |
| 423.19.2 Unrestricted exiting | X | X | N/A |
| 423.19.3 Required doors | X | X | N/A |
| 423.19.4 Accessibility | X | X | N/A |
| 423.19.5 Shade cloth | X | X | N/A |
| 423.19.6 Fire extinguisher | X | X | N/A |
| 423.19.7 Fire alarm | X | X | N/A |
| 423.19.8 Space heaters | X | X | N/A |
| 423.20 Storage | X | X | X |
| 423.20.1 General storage | X | X | X |
| 423.20.2 Custodial work areas and storage | X | X | X |
| 423.20.3 Custodial closets and storage | X | X | X |
| 423.20.4 Chemical and hazardous materials storage | X | X | X |
| 423.20.4.1 Chemical storage | X | X | X |
| 423.20.4.2 Hazardous materials storage | X | X | X |
| 423.21 Child care/day care/pre-kindergarten facilities | X | X | Footnote ⁽¹⁾ |
| 423.21.1 Located on school board property | X | X | Footnote ⁽¹⁾ |
| 423.21.2 Toilet facilities | X | X | Footnote ⁽¹⁾ |
| 423.21.3 Bathing area | X | X | Footnote ⁽¹⁾ |
| 423.21.4 Toilet facilities finishes | X | X | Footnote ⁽¹⁾ |
| 423.21.5 Drinking fountains | X | X | Footnote ⁽¹⁾ |
| 423.21.6 Hand washing facilities | X | X | Footnote ⁽¹⁾ |

| Section | K-12 | College | Ancillary |
|---|-------------|-------------------------|-------------------------|
| 423.21.7 Residential-type kitchen | X | X | Footnote ⁽¹⁾ |
| 423.21.8 Sleeping areas | X | X | Footnote ⁽¹⁾ |
| 423.21.9 Prohibited storage | X | X | Footnote ⁽¹⁾ |
| 423.21.10 Outdoor play areas | X | X | Footnote ⁽¹⁾ |
| 423.21.11 Play area shade | X | X | Footnote ⁽¹⁾ |
| 423.21.12 Play equipment | X | X | Footnote ⁽¹⁾ |
| 423.21.13 Grounds | X | X | Footnote ⁽¹⁾ |
| 423.22 Clinics | X | Footnote ⁽³⁾ | N/A |
| 423.22.1 Clinic general | X | Footnote ⁽³⁾ | N/A |
| 423.22.2 Include locked storage, toilet room, etc | X | Footnote ⁽³⁾ | N/A |
| 423.22.3 Sanitary facilities | X | Footnote ⁽³⁾ | N/A |
| 423.22.3.1 Elementary school clinics | X | Footnote ⁽³⁾ | N/A |
| 423.22.3.2 Secondary & VTC school clinics | X | Footnote ⁽³⁾ | N/A |
| 423.22.3.3 Include hot & cold water | X | Footnote ⁽³⁾ | N/A |
| 423.22.3.4 Toilet exhaust fans | X | Footnote ⁽³⁾ | N/A |
| 423.22.3.5 Working counter top | X | Footnote ⁽³⁾ | N/A |
| 423.22.4 Bed areas | X | Footnote ⁽³⁾ | N/A |
| 423.22.4.1 Up to 500 students | X | Footnote ⁽³⁾ | N/A |
| 423.22.4.2 501-1,000 students | X | Footnote ⁽³⁾ | N/A |
| 423.22.4.3 1,001-2,000 students | X | Footnote ⁽³⁾ | N/A |
| 423.22.4.4 Over 2000 | X | Footnote ⁽³⁾ | N/A |
| 423.22.5 Full-service school health clinics | X | X | N/A |
| 423.22.5.1 Location | X | X | N/A |
| 423.22.5.2 Parking | X | X | N/A |
| 423.22.5.3 Sanitary facilities | X | X | N/A |
| 423.22.5.3.1 Toilet rooms | X | X | N/A |
| 423.22.5.3.2 Hot & cold water | X | X | N/A |
| 423.22.5.3.3 Exhaust fans | X | X | N/A |
| 423.22.5.3.4 Nurses' station | X | X | N/A |
| 423.22.5.4 Storage rooms | X | X | N/A |
| 423.22.5.5 Data outlets | X | X | N/A |
| 423.23 Kilns | X | X | N/A |
| 423.24 Open plan schools | X | X | N/A |
| 423.25 Public shelter design criteria | X | X | X |
| 423.25.1 New facilities | X | X | X |
| 423.25.1.1 Enhanced hurricane protection areas | X | X | X |
| 423.25.1.1.1 Application | X | X | X |
| 423.25.1.2 Serve primary function of building | X | X | X |
| 423.25.2 Site | X | X | X |
| 423.25.2.1 Emergency access | X | X | X |
| 423.25.2.2 Landscaping | X | X | X |

**OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX**

| Section | K-12 | College | Ancillary |
|--|-------------|-------------------------|------------------|
| 423.25.2.3 Parking | X | X | X |
| 423.25.2.4 Signage | X | X | X |
| 423.25.3 Design | X | X | X |
| 423.25.3.1 Excluded spaces | X | X | X |
| 423.25.3.2 Capacity | X | X | X |
| 423.25.3.3 Toilets | X | X | X |
| 423.25.3.3.1 Support systems | X | X | X |
| 423.25.3.3.2 Plumbing and valve systems | X | X | X |
| 423.25.3.4 Food service | X | X | X |
| 423.25.3.5 Manager's office | X | X | X |
| 423.25.4 Structural standard for wind loads | X | X | X |
| 423.25.4.1 Missile impact criteria | X | X | X |
| 423.25.4.1.1 Missile impact criteria | X | X | X |
| 423.25.4.1.2 Cyclic loading | X | X | X |
| 423.25.4.2 Roofs | X | X | X |
| 423.25.4.2.1 Light weight concrete | X | X | X |
| 423.25.4.2.2 Roof openings | X | X | X |
| 423.25.4.2.3 Roof coverings | X | X | X |
| 423.25.4.2.4 Roof slope and drainage | X | X | X |
| 423.25.4.2.5 Roof Parapets | X | X | X |
| 423.25.4.3 Windows | X | X | X |
| 423.25.4.3.1 Permanent protective systems | X | X | X |
| 423.25.4.3.2 Mechanical ventilation | X | X | X |
| 423.25.4.4 Doors | X | X | X |
| 423.25.4.5 Exterior envelope | X | X | X |
| 423.25.4.5.1 HVAC equipment | X | X | X |
| 423.25.4.5.2 HVAC roof curb | X | X | X |
| 423.25.4.6 Foundation and floor slabs | X | X | X |
| 423.25.5 Electrical and standby emergency power system | X | X | X |
| 423.25.5.1 EHPA lighting | X | X | X |
| 423.25.5.2 Optional standby circuits | X | X | X |
| 423.25.5.3 Receptacle outlets | X | X | X |
| 423.25.6 Inspections | X | X | X |
| 423.25.6.1 Inspection during construction process | X | X | X |
| 423.25.6.2 Inspection of emergency electrical system | X | X | X |
| 423.25.6.3 5-year inspection & recertification | X | X | X |
| 423.25.6.4 Annual inspections and maintenance | X | X | X |
| 423.26 Time-out rooms | X | Footnote ⁽⁴⁾ | N/A |

| Section | K-12 | College | Ancillary |
|---|-------------|-------------------------|------------------|
| 423.26.1 Locking of time-out rooms | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2 Electromagnetic locking device | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2.1 Engagement of lock | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2.2 Activation device | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2.3 Interface relay | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2.4 Automatic disengagement | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.2.5 Timers prohibited | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.3 Door requirements | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.3.1 Swing out | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.3.2 Vision panel | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.3.3 Door frame and jamb | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.4 Finishes | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.5 Minimum size | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.6 Lighting | X | Footnote ⁽⁴⁾ | N/A |
| 423.26.7 HVAC required | X | Footnote ⁽⁴⁾ | N/A |
| 423.27 New relocatable buildings | X | X | X |
| 423.27.1 Relocatables | X | X | X |
| 423.27.1.1 Shelter | X | X | X |
| 423.27.2 Design, plan, approval, construction | X | X | X |
| 423.27.2.1 District-wide foundation plans | X | X | X |
| 423.27.2.2 DOT requirements | X | X | X |
| 423.27.2.3 Inventory/construction date signage | X | X | X |
| 423.27.3 Construction type | X | X | X |
| 423.27.4 Accessibility | X | X | X |
| 423.27.5 Site standards/site plan | X | X | X |
| 423.27.5.1 Floodplain | X | X | X |
| 423.27.5.2 Covered walks and technology | X | N/A | N/A |
| 423.27.5.3 Separation of units | X | X | X |
| 423.27.6 Structure | X | X | X |
| 423.27.7 Fire-retardant treated wood (FRTW) | X | X | X |
| 423.27.8 Doors | X | X | X |
| 423.27.8.1 Classroom locksets | X | X | N/A |
| 423.27.8.2 Roofed platform | X | X | X |
| 423.27.9 Operable windows | X | N/A | N/A |
| 423.27.9.1 Rescue | X | N/A | N/A |
| 423.27.10 Finishes | X | X | X |
| 423.27.10.1 Interior walls and ceilings | X | X | N/A |
| 423.27.10.2 Floors | X | X | N/A |
| 423.27.10.3 Toilet rooms, showers, and bathing facilities | X | X | X |

OFFICE OF EDUCATIONAL FACILITIES
FLORIDA BUILDING CODE – SECTION 423 APPLICATION MATRIX

| Section | K-12 | College | Ancillary |
|---|-------------|-------------------------|-------------------------|
| 423.27.10.3.1 Floors and walls | X | X | X |
| 423.27.10.3.2 Ceilings | X | N/A | N/A |
| 423.27.11 Fire extinguishers | X | X | N/A |
| 423.27.12 Document storage | X | X | X |
| 423.27.13 Time-out rooms | X | Footnote ⁽⁴⁾ | N/A |
| 423.27.14 Child care/day care units | X | Footnote ⁽¹⁾ | Footnote ⁽¹⁾ |
| 423.27.14.1 Residential kitchens | X | X | N/A |
| 423.27.15 Illumination required | X | X | N/A |
| 423.27.15.1 Emergency lighting | X | X | N/A |
| 423.27.15.2 Exterior lighting | X | X | X |
| 423.27.15.3 Exit lighting | X | X | X |
| 423.27.16 Air conditioning, heating and ventilation | X | X | X |
| 423.27.17 Technology | X | X | N/A |
| 423.27.18 Fire safety requirements | X | X | N/A |
| 423.27.19 Inspection of units during construction | X | X | X |
| 423.27.20 Inspection of units prior to occupancy | X | X | X |

- (1) If Daycare Program exists
- (2) Where required by NFPA
- (3) If Vocational Program is present
- (4) If included in program