

Access Points to
Benchmarks for Excellent
Student Thinking (B.E.S.T.)
Standards –
Mathematics, 2021

Mathematics (B.E.S.T. - Effective starting 2022-2023) Standards with Access Points Grades 3-12

GRADE: K

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Develop an understanding for counting using objects in a set.	
BENCHMARK CODE	BENCHMARK
MA.K.NSO.1.1	<p>Given a group of up to 20 objects, count the number of objects in that group and represent the number of objects with a written numeral. State the number of objects in a rearrangement of that group without recounting.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on developing an understanding of cardinality and one-to-one correspondence.</p> <p><i>Clarification 2:</i> Instruction includes counting objects and pictures presented in a line, rectangular array, circle or scattered arrangement. Objects presented in a scattered arrangement are limited to 10.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is not to write the number in word form.</p>
MA.K.NSO.1.2	<p>Given a number from 0 to 20, count out that many objects.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes giving a number verbally or with a written numeral.</p>
MA.K.NSO.1.3	<p>Identify positions of objects within a sequence using the words “first,” “second,” “third,” “fourth” or “fifth.”</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the understanding that rearranging a group of objects does not change the total number of objects but may change the order of an object in that group.</p>
MA.K.NSO.1.4	<p>Compare the number of objects from 0 to 20 in two groups using the terms less than, equal to or greater than.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on matching, counting and the connection to addition and subtraction</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to use the relational symbols =, > or <.</p>
Standard 2: Recite number names sequentially within 100 and develop an understanding for place value.	
BENCHMARK CODE	BENCHMARK

MA.K.NSO.2.1	<p>Recite the number names to 100 by ones and by tens. Starting at a given number, count forward within 100 and backward within 20.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When counting forward by ones, students are to say the number names in the standard order and understand that each successive number refers to a quantity that is one larger. When counting backward, students are to understand that each succeeding number in the count sequence refers to a quantity that is one less.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to recognize and count to 100 by the end of Kindergarten.</p>
MA.K.NSO.2.2	<p>Represent whole numbers from 10 to 20, using a unit of ten and a group of ones, with objects, drawings and expressions or equations.</p> <p><u>Examples:</u> The number 13 can be represented as the verbal expression “ten ones and three ones” or as “1 ten and 3 ones”.</p>
MA.K.NSO.2.3	<p>Locate, order and compare numbers from 0 to 20 using the number line and terms less than, equal to or greater than.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to use the relational symbols =, > or <. <i>Clarification 2:</i> When comparing numbers from 0 to 20, both numbers are plotted on the same number line. <i>Clarification 3:</i> When locating numbers on the number line, the expectation includes filling in a missing number by counting from left to right on the number line.</p>

Standard 3: Develop an understanding of addition and subtraction operations with one-digit whole numbers.

BENCHMARK CODE	BENCHMARK
MA.K.NSO.3.1	<p>Explore addition of two whole numbers from 0 to 10, and related subtraction facts.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes objects, fingers, drawings, number lines and equations.</p> <p><i>Clarification 2:</i> Instruction focuses on the connection that addition is “putting together” or “counting on” and that subtraction is “taking apart” or “taking from.” Refer to Situations Involving Operations with Numbers (Appendix A).</p> <p><i>Clarification 3:</i> Within this benchmark, it is the expectation that one problem can be represented in multiple ways and understanding how the different representations are related to each other.</p>
MA.K.NSO.3.2	<p>Add two one-digit whole numbers with sums from 0 to 10 and subtract using related facts with procedural reliability.</p> <p><u>Examples:</u> <i>Example:</i> The sum $2+7$ can be found by counting on, using fingers or by “jumps” on the number line.</p> <p><i>Example:</i> The numbers 3, 5 and 8 make a fact family (number bonds). It can be represented as 5 and 3 make 8; 3 and 5 make 8; 8 take away 5 is 3; and 8 take away 3 is 5.</p>

	<p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
--	--

Strand: ALGEBRAIC REASONING

Standard 1: Represent and solve addition problems with sums between 0 and 10 and subtraction problems using related facts.

BENCHMARK CODE	BENCHMARK
MA.K.AR.1.1	<p>For any number from 1 to 9, find the number that makes 10 when added to the given number.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes creating a ten using manipulatives, number lines, models and drawings.</p>
MA.K.AR.1.2	<p>Given a number from 0 to 10, find the different ways it can be represented as the sum of two numbers.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the exploration of finding possible pairs to make a sum using manipulatives, objects, drawings and expressions; and understanding how the different representations are related to each other.</p>
MA.K.AR.1.3	<p>Solve addition and subtraction real-world problems using objects, drawings or equations to represent the problem.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes understanding the context of the problem, as well as the quantities within the problem. <i>Clarification 2:</i> Students are not expected to independently read word problems. <i>Clarification 3:</i> Addition and subtraction are limited to sums within 10 and related subtraction facts. Refer to Situations Involving Operations with Numbers (Appendix A).</p>

Standard 2: Develop an understanding of the equal sign.

BENCHMARK CODE	BENCHMARK
MA.K.AR.2.1	<p>Explain why addition or subtraction equations are true using objects or drawings.</p> <p><i>Examples:</i> The equation $7=9-2$ can be represented with cupcakes to show that it is true by crossing out two of the nine cupcakes.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the understanding of the equal sign. <i>Clarification 2:</i> Problem types are limited to an equation with two or three terms. The sum or difference can be on either side of the equal sign. <i>Clarification 3:</i> Addition and subtraction are limited to sums within 20 and related subtraction facts.</p>

Strand: MEASUREMENT

Standard 1: Identify and compare measurable attributes of objects.

BENCHMARK CODE	BENCHMARK
----------------	-----------

MA.K.M.1.1	Identify the attributes of a single object that can be measured such as length, volume or weight. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, measuring is not required.
MA.K.M.1.2	Directly compare two objects that have an attribute which can be measured in common. Express the comparison using language to describe the difference. <i>Clarifications:</i> <i>Clarification 1:</i> To directly compare length, objects are placed next to each other with one end of each object lined up to determine which one is longer. <i>Clarification 2:</i> Language to compare length includes short, shorter, long, longer, tall, taller, high or higher. Language to compare volume includes has more, has less, holds more, holds less, more full, less full, full, empty, takes up more space or takes up less space. Language to compare weight includes heavy, heavier, light, lighter, weighs more or weighs less.
MA.K.M.1.3	Express the length of an object, up to 20 units long, as a whole number of lengths by laying non-standard objects end to end with no gaps or overlaps. <i>Clarifications:</i> <i>Clarification 1:</i> Non-standard units of measurement are units that are not typically used, such as paper clips or colored tiles. To measure with non-standard units, students lay multiple copies of the same object end to end with no gaps or overlaps. The length is shown by the number of objects needed.

Strand: GEOMETRIC REASONING

Standard 1: Identify, compare and compose two- and three-dimensional figures.

BENCHMARK CODE	BENCHMARK
MA.K.GR.1.1	Identify two- and three-dimensional figures regardless of their size or orientation. Figures are limited to circles, triangles, rectangles, squares, spheres, cubes, cones and cylinders. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes a wide variety of circles, triangles, rectangles, squares, spheres, cubes, cones and cylinders. <i>Clarification 2:</i> Instruction includes a variety of non-examples that lack one or more defining attributes. <i>Clarification 3:</i> Two-dimensional figures can be either filled, outlined or both.
MA.K.GR.1.2	Compare two-dimensional figures based on their similarities, differences and positions. Sort two-dimensional figures based on their similarities and differences. Figures are limited to circles, triangles, rectangles and squares. <i>Examples:</i> A triangle can be compared to a rectangle by stating that they both have straight sides, but a triangle has 3 sides and vertices, and a rectangle has 4 sides and vertices. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes exploring figures in a variety of sizes and orientations. <i>Clarification 2:</i> Instruction focuses on using informal language to describe relative positions and the similarities or differences between figures when comparing and sorting.
MA.K.GR.1.3	Compare three-dimensional figures based on their similarities, differences and positions. Sort three-dimensional figures based on their similarities and differences. Figures are limited to spheres, cubes, cones and cylinders.

	<p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes exploring figures in a variety of sizes and orientations.</p> <p><i>Clarification 2:</i> Instruction focuses on using informal language to describe relative positions and the similarities or differences between figures when comparing and sorting.</p>
MA.K.GR.1.4	Find real-world objects that can be modeled by a given two- or three-dimensional figure. Figures are limited to circles, triangles, rectangles, squares, spheres, cubes, cones and cylinders.
MA.K.GR.1.5	<p>Combine two-dimensional figures to form a given composite figure. Figures used to form a composite shape are limited to triangles, rectangles and squares.</p> <p><u>Examples:</u> Two triangles can be used to form a given rectangle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> This benchmark is intended to develop the understanding of spatial relationships.</p>

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Develop an understanding for collecting, representing and comparing data.

BENCHMARK CODE	BENCHMARK
MA.K.DP.1.1	<p>Collect and sort objects into categories and compare the categories by counting the objects in each category. Report the results verbally, with a written numeral or with drawings.</p> <p><u>Examples:</u> A bag containing 10 circles, triangles and rectangles can be sorted by shape and then each category can be counted and compared.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on supporting work in counting.</p> <p><i>Clarification 2:</i> Instruction includes geometric figures that can be categorized using their defining attributes.</p> <p><i>Clarification 3:</i> Within this benchmark, it is not the expectation for students to construct formal representations or graphs on their own.</p>

GRADE: 1

Strand: NUMBER SENSE AND OPERATIONS

Standard 1: Extend counting sequences and understand the place value of two-digit numbers.

BENCHMARK CODE	BENCHMARK
MA.1.NSO.1.1	<p>Starting at a given number, count forward and backwards within 120 by ones. Skip count by 2s to 20 and by 5s to 100.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection to addition as “counting on” and subtraction as “counting back”.</p>

	<p><i>Clarification 2:</i> Instruction also focuses on the recognition of patterns within skip counting which helps build a foundation for multiplication in later grades.</p> <p><i>Clarification 3:</i> Instruction includes recognizing counting sequences using visual charts, such as a 120 chart, to emphasize base 10 place value.</p>
MA.1.NSO.1.2	<p>Read numbers from 0 to 100 written in standard form, expanded form and word form. Write numbers from 0 to 100 using standard form and expanded form.</p> <p><i>Examples:</i> The number seventy-five written in standard form is 75 and in expanded form is $70 + 5$.</p>
MA.1.NSO.1.3	<p>Compose and decompose two-digit numbers in multiple ways using tens and ones. Demonstrate each composition or decomposition with objects, drawings and expressions or equations.</p> <p><i>Examples:</i> The number 37 can be expressed as 3 tens + 7 ones, 2 tens+17 ones or as 37 ones.</p>
MA.1.NSO.1.4	<p>Plot, order and compare whole numbers up to 100.</p> <p><i>Examples:</i> The numbers 72, 35 and 58 can be arranged in ascending order as 35, 58 and 72.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> When comparing numbers, instruction includes using a number line and using place values of the tens and ones digits.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to use terms (e.g., less than, greater than, between or equal to) and symbols (<, > or =).</p>

Standard 2: Develop an understanding of addition and subtraction operations with one- and two-digit numbers.

BENCHMARK CODE	BENCHMARK
MA.1.NSO.2.1	Recall addition facts with sums to 10 and related subtraction facts with automaticity.
MA.1.NSO.2.2	<p>Add two whole numbers with sums from 0 to 20, and subtract using related facts with procedural reliability.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably.</p> <p><i>Clarification 2:</i> Instruction includes situations involving adding to, putting together, comparing and taking from.</p>
MA.1.NSO.2.3	<p>Identify the number that is one more, one less, ten more and ten less than a given two-digit number.</p> <p><i>Examples:</i> <i>Example:</i> One less than 40 is 39.</p> <p><i>Example:</i> Ten more than 23 is 33.</p>
MA.1.NSO.2.4	<p>Explore the addition of a two-digit number and a one-digit number with sums to 100.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on combining ones and tens and composing new tens from ones, when needed.</p> <p><i>Clarification 2:</i> Instruction includes the use of manipulatives, number lines, drawings or models.</p>

MA.1.NSO.2.5	<p>Explore subtraction of a one-digit number from a two-digit number.</p> <p><u>Examples:</u> Finding $37-6$ is the same as asking “What number added to 6 makes 37?”</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on utilizing the number line as a tool for subtraction through “counting on” or “counting back”. The process of counting on highlights subtraction as a missing addend problem.</p> <p><i>Clarification 2:</i> Instruction includes the use of manipulatives, drawings or equations to decompose tens and regroup ones, when needed.</p>
--------------	---

Strand: ALGEBRAIC REASONING

Standard 1: Solve addition problems with sums between 0 and 20 and subtraction problems using related facts.

BENCHMARK CODE	BENCHMARK
MA.1.AR.1.1	<p>Apply properties of addition to find a sum of three or more whole numbers.</p> <p><u>Examples:</u> $8+7+2$ is equivalent to $7+8+2$ which is equivalent to $7+10$ which equals 17.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to apply the associative and commutative properties of addition. It is not the expectation to name the properties or use parentheses. Refer to Properties of Operations, Equality and Inequality (Appendix D).</p> <p><i>Clarification 2:</i> Instruction includes emphasis on using the properties to make a ten when adding three or more numbers.</p> <p><i>Clarification 3:</i> Addition is limited to sums within 20.</p>
MA.1.AR.1.2	<p>Solve addition and subtraction real-world problems using objects, drawings or equations to represent the problem.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes understanding the context of the problem, as well as the quantities within the problem. <i>Clarification 2:</i> Students are not expected to independently read word problems. <i>Clarification 3:</i> Addition and subtraction are limited to sums within 20 and related subtraction facts. Refer to Situations Involving Operations with Numbers (Appendix A).</p>

Standard 2: Develop an understanding of the relationship between addition and subtraction.

BENCHMARK CODE	BENCHMARK
MA.1.AR.2.1	<p>Restate a subtraction problem as a missing addend problem using the relationship between addition and subtraction.</p> <p><u>Examples:</u> <i>Example:</i> The equation $12-7=?$ can be restated as $7+?=12$ to determine the difference is 5.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Addition and subtraction are limited to sums within 20 and related subtraction facts.</p>

<p>MA.1.AR.2.2</p>	<p>Determine and explain if equations involving addition or subtraction are true or false.</p> <p><u>Examples:</u> Given the following equations, $8=8$, $9-1=7$, $5+2=2+5$ and $1=9-8$, $9-1=7$ can be determined to be false.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on understanding of the equal sign. <i>Clarification 2:</i> Problem types are limited to an equation with no more than four terms. The sum or difference can be on either side of the equal sign. <i>Clarification 3:</i> Addition and subtraction are limited to sums within 20 and related subtraction facts.</p>
<p>MA.1.AR.2.3</p>	<p>Determine the unknown whole number in an addition or subtraction equation, relating three whole numbers, with the unknown in any position.</p> <p><u>Examples:</u> <i>Example:</i> $9+?=12$</p> <p><i>Example:</i></p> <p><i>Example:</i> $?-4=8$</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction begins the development of algebraic thinking skills where the symbolic representation of the unknown uses any symbol other than a letter.</p> <p><i>Clarification 2:</i> Problems include the unknown on either side of the equal sign.</p> <p><i>Clarification 3:</i> Addition and subtraction are limited to sums within 20 and related subtraction facts. Refer to Situations Involving Operations with Numbers (Appendix A).</p>

Strand: MEASUREMENT

Standard 1: Compare and measure the length of objects.

BENCHMARK CODE	BENCHMARK
<p>MA.1.M.1.1</p>	<p>Estimate the length of an object to the nearest inch. Measure the length of an object to the nearest inch or centimeter.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes measuring from the zero point of the ruler. The markings on the ruler indicate the unit of length by marking equal distances with no gaps or overlaps.</p> <p><i>Clarification 2:</i> When estimating length, the expectation is to give a reasonable number of inches for the length of a given object.</p>
<p>MA.1.M.1.2</p>	<p>Compare and order the length of up to three objects using direct and indirect comparison.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When directly comparing objects, the objects can be placed side by side or they can be separately measured in the same units and the measurements can be compared.</p> <p><i>Clarification 2:</i> Two objects can be compared indirectly by directly comparing them to a third object.</p>

Standard 2: Tell time and identify the value of coins and combinations of coins and dollar bills.

BENCHMARK CODE	BENCHMARK
MA.1.M.2.1	Using analog and digital clocks, tell and write time in hours and half-hours. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is not to understand military time or to use a.m. or p.m. <i>Clarification 2:</i> Instruction includes the connection to partitioning circles into halves and to semi-circles.
MA.1.M.2.2	Identify pennies, nickels, dimes and quarters, and express their values using the ¢ symbol. State how many of each coin equal a dollar. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the recognition of both sides of a coin. <i>Clarification 2:</i> Within this benchmark, the expectation is not to use decimal values.
MA.1.M.2.3	Find the value of combinations of pennies, nickels and dimes up to one dollar, and the value of combinations of one, five and ten dollar bills up to \$100. Use the ¢ and \$ symbols appropriately. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the identification of a one, five and ten-dollar bill and the computation of the value of combinations of pennies, nickels and dimes or one, five and ten dollar bills. <i>Clarification 2:</i> Instruction focuses on the connection to place value and skip counting. <i>Clarification 3:</i> Within this benchmark, the expectation is not to use decimal values or to find the value of a combination of coins and dollars.

Strand: FRACTIONS

Standard 1: Develop an understanding of fractions by partitioning shapes into halves and fourths.

BENCHMARK CODE	BENCHMARK
MA.1.FR.1.1	Partition circles and rectangles into two and four equal-sized parts. Name the parts of the whole using appropriate language including halves or fourths. <i>Clarifications:</i> <i>Clarification 1:</i> This benchmark does not require writing the equal sized parts as a fraction with a numerator and denominator.

Strand: GEOMETRIC REASONING

Standard 1: Identify and analyze two- and three-dimensional figures based on their defining attributes.

BENCHMARK CODE	BENCHMARK
MA.1.GR.1.1	Identify, compare and sort two- and three-dimensional figures based on their defining attributes. Figures are limited to circles, semi-circles, triangles, rectangles, squares, trapezoids, hexagons, spheres, cubes, rectangular prisms, cones and cylinders.

	<p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the defining attributes of a figure: whether it is closed or not; number of vertices, sides, edges or faces; and if it contains straight, curved or equal length sides or edges.</p> <p><i>Clarification 2:</i> Instruction includes figures given in a variety of sizes, orientations and non-examples that lack one or more defining attributes.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is not to sort a combination of two- and three-dimensional figures at the same time or to define the attributes of trapezoids.</p> <p><i>Clarification 4:</i> Instruction includes using formal and informal language to describe the defining attributes of figures when comparing and sorting.</p>
MA.1.GR.1.2	Sketch two-dimensional figures when given defining attributes. Figures are limited to triangles, rectangles, squares and hexagons.
MA.1.GR.1.3	<p>Compose and decompose two- and three-dimensional figures. Figures are limited to semi-circles, triangles, rectangles, squares, trapezoids, hexagons, cubes, rectangular prisms, cones and cylinders.</p> <p><u>Examples:</u> <i>Example:</i> A hexagon can be decomposed into 6 triangles.</p> <p><i>Example:</i> A semi-circle and a triangle can be composed to create a two-dimensional representation of an ice cream cone.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the understanding of spatial relationships relating to part-whole, and on the connection to breaking apart numbers and putting them back together.</p> <p><i>Clarification 2:</i> Composite figures are composed without gaps or overlaps.</p> <p><i>Clarification 3:</i> Within this benchmark, it is not the expectation to compose two- and three- dimensional figures at the same time.</p>
MA.1.GR.1.4	Given a real-world object, identify parts that are modeled by two- and three-dimensional figures. Figures are limited to semi-circles, triangles, rectangles, squares and hexagons, spheres, cubes, rectangular prisms, cones and cylinders.

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Collect, represent and interpret data using pictographs and tally marks.

BENCHMARK CODE	BENCHMARK
MA.1.DP.1.1	<p>Collect data into categories and represent the results using tally marks or pictographs.</p> <p><u>Examples:</u> A class collects data on the number of students whose birthday is in each month of the year and represents it using tally marks.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes connecting tally marks to counting by 5s.</p>

	<p><i>Clarification 2:</i> Data sets include geometric figures that are categorized using their defining attributes and data from the classroom or school.</p> <p><i>Clarification 3:</i> Pictographs are limited to single-unit scales.</p>
MA.1.DP.1.2	<p>Interpret data represented with tally marks or pictographs by calculating the total number of data points and comparing the totals of different categories.</p> <p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Instruction focuses on the connection to addition and subtraction when calculating the total and comparing, respectively.</p>

GRADE: 2

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Understand the place value of three-digit numbers.	
BENCHMARK CODE	BENCHMARK
MA.2.NSO.1.1	<p>Read and write numbers from 0 to 1,000 using standard form, expanded form and word form.</p> <p><i>Examples:</i></p> <p><i>Example:</i> The number four hundred thirteen written in standard form is 413 and in expanded form is $400+10+3$.</p> <p><i>Example:</i> The number seven hundred nine written in standard form is 709 and in expanded form is $700+9$.</p>
MA.2.NSO.1.2	<p>Compose and decompose three-digit numbers in multiple ways using hundreds, tens and ones. Demonstrate each composition or decomposition with objects, drawings and expressions or equations.</p> <p><i>Examples:</i></p> <p>The number 241 can be expressed as 2 hundreds + 4 tens + 1 one or as 24 tens + 1 one or as 241 ones.</p>
MA.2.NSO.1.3	<p>Plot, order and compare whole numbers up to 1,000.</p> <p><i>Examples:</i></p> <p>The numbers 424, 178 and 475 can be arranged in ascending order as 178, 424 and 475.</p> <p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> When comparing numbers, instruction includes using a number line and using place values of the hundreds, tens and ones digits.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to use terms (e.g., less than, greater than, between or equal to) and symbols ($<$, $>$ or $=$).</p>
MA.2.NSO.1.4	<p>Round whole numbers from 0 to 100 to the nearest 10.</p> <p><i>Examples:</i></p> <p>The number 65 is rounded to 70 when rounded to the nearest 10.</p> <p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Within the benchmark, the expectation is to understand that rounding is a process that produces a number with a similar value that is less precise but easier to use.</p>

Standard 2: Add and subtract two- and three-digit whole numbers.

BENCHMARK CODE	BENCHMARK
MA.2.NSO.2.1	Recall addition facts with sums to 20 and related subtraction facts with automaticity.
MA.2.NSO.2.2	<p>Identify the number that is ten more, ten less, one hundred more and one hundred less than a given three-digit number.</p> <p><i>Examples:</i> The number 236 is one hundred more than 136 because both numbers have the same digit in the ones and tens place, but differ in the hundreds place by one.</p>
MA.2.NSO.2.3	<p>Add two whole numbers with sums up to 100 with procedural reliability. Subtract a whole number from a whole number, each no larger than 100, with procedural reliability.</p> <p><i>Examples:</i> <i>Example:</i> The sum $41+23$ can be found by using a number line and “jumping up” by two tens and then by three ones to “land” at 64. <i>Example:</i> The difference $87-25$ can be found by subtracting 20 from 80 to get 60 and then 5 from 7 to get 2. Then add 60 and 2 to obtain 62.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
MA.2.NSO.2.4	<p>Explore the addition of two whole numbers with sums up to 1,000. Explore the subtraction of a whole number from a whole number, each no larger than 1,000.</p> <p><i>Examples:</i> <i>Example:</i> The difference $612-17$ can be found by rewriting it as $612-12-5$ which is equivalent to $600-5$ which is equivalent to 595. <i>Example:</i> The difference $1,000-17$ can be found by using a number line and making a “jump” of 10 from 1,000 to 990 and then 7 “jumps” of 1 to 983.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the use of manipulatives, number lines, drawings or properties of operations or place value. <i>Clarification 2:</i> Instruction focuses on composing and decomposing ones, tens and hundreds when needed.</p>

Strand: ALGEBRAIC REASONING

Standard 1: Solve addition problems with sums between 0 and 100 and related subtraction problems.

BENCHMARK CODE	BENCHMARK
MA.2.AR.1.1	<p>Solve one- and two-step addition and subtraction real-world problems.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes understanding the context of the problem, as well as the quantities within the problem.</p>

	<p><i>Clarification 2:</i> Problems include creating real-world situations based on an equation.</p> <p><i>Clarification 3:</i> Addition and subtraction are limited to sums up to 100 and related differences. Refer to Situations Involving Operations with Numbers (Appendix A).</p>
--	---

Standard 2: Demonstrate an understanding of equality and addition and subtraction.

BENCHMARK CODE	BENCHMARK
MA.2.AR.2.1	<p>Determine and explain whether equations involving addition and subtraction are true or false.</p> <p><i>Examples:</i> The equation $27+13=26+14$ can be determined to be true because 26 is one less than 27 and 14 is one more than 13.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on understanding of the equal sign.</p> <p><i>Clarification 2:</i> Problem types are limited to an equation with three or four terms. The sum or difference can be on either side of the equal sign.</p> <p><i>Clarification 3:</i> Addition and subtraction are limited to sums up to 100 and related differences.</p>
MA.2.AR.2.2	<p>Determine the unknown whole number in an addition or subtraction equation, relating three or four whole numbers, with the unknown in any position.</p> <p><i>Examples:</i> Determine the unknown in the equation .</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction extends the development of algebraic thinking skills where the symbolic representation of the unknown uses any symbol other than a letter.</p> <p><i>Clarification 2:</i> Problems include having the unknown on either side of the equal sign.</p> <p><i>Clarification 3:</i> Addition and subtraction are limited to sums up to 100 and related differences. Refer to Situations Involving Operations with Numbers (Appendix A).</p>

Standard 3: Develop an understanding of multiplication.

BENCHMARK CODE	BENCHMARK
MA.2.AR.3.1	<p>Represent an even number using two equal groups or two equal addends. Represent an odd number using two equal groups with one left over or two equal addends plus 1.</p> <p><i>Examples:</i> <i>Example:</i> The number 8 is even because it can be represented as two equal groups of 4 or as the expression $4+4$.</p> <p><i>Example:</i> The number 9 is odd because it can be represented as two equal groups with one left over or as the expression $4+4+1$.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection of recognizing even and odd numbers using skip counting, arrays and patterns in the ones place.</p>

	<i>Clarification 2:</i> Addends are limited to whole numbers less than or equal to 12.
MA.2.AR.3.2	Use repeated addition to find the total number of objects in a collection of equal groups. Represent the total number of objects using rectangular arrays and equations. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes making a connection between arrays and repeated addition, which builds a foundation for multiplication. <i>Clarification 2:</i> The total number of objects is limited to 25.

Strand: MEASUREMENT

Standard 1: Measure the length of objects and solve problems involving length.

BENCHMARK CODE	BENCHMARK
MA.2.M.1.1	Estimate and measure the length of an object to the nearest inch, foot, yard, centimeter or meter by selecting and using an appropriate tool. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes seeing rulers and tape measures as number lines. <i>Clarification 2:</i> Instruction focuses on recognizing that when an object is measured in two different units, fewer of the larger units are required. When comparing measurements of the same object in different units, measurement conversions are not expected. <i>Clarification 3:</i> When estimating the size of an object, a comparison with an object of known size can be used.
MA.2.M.1.2	Measure the lengths of two objects using the same unit and determine the difference between their measurements. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is to measure objects to the nearest inch, foot, yard, centimeter or meter.
MA.2.M.1.3	Solve one- and two-step real-world measurement problems involving addition and subtraction of lengths given in the same units. <i>Examples:</i> Jeff and Larry are making a rope swing. Jeff has a rope that is 48 inches long. Larry's rope is 9 inches shorter than Jeff's. How much rope do they have together to make the rope swing? <i>Clarifications:</i> <i>Clarification 1:</i> Addition and subtraction problems are limited to sums within 100 and related differences.

Standard 2: Tell time and solve problems involving money.

BENCHMARK CODE	BENCHMARK
MA.2.M.2.1	Using analog and digital clocks, tell and write time to the nearest five minutes using a.m. and p.m. appropriately. Express portions of an hour using the fractional terms half an hour, half past, quarter of an hour, quarter after and quarter til. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the connection to partitioning of circles and to the number line.

	<i>Clarification 2:</i> Within this benchmark, the expectation is not to understand military time
MA.2.M.2.2	Solve one- and two-step addition and subtraction real-world problems involving either dollar bills within \$100 or coins within 100¢ using \$ and ¢ symbols appropriately. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is not to use decimal values. <i>Clarification 2:</i> Addition and subtraction problems are limited to sums within 100 and related differences. Refer to Situations Involving Operations with Numbers (Appendix A).

Strand: FRACTIONS

Standard 1: Develop an understanding of fractions.

BENCHMARK CODE	BENCHMARK
MA.2.FR.1.1	Partition circles and rectangles into two, three or four equal-sized parts. Name the parts using appropriate language, and describe the whole as two halves, three thirds or four fourths. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is not to write the equal-sized parts as a fraction with a numerator and denominator. <i>Clarification 2:</i> Problems include mathematical and real-world context.
MA.2.FR.1.2	Partition rectangles into two, three or four equal-sized parts in two different ways showing that equal-sized parts of the same whole may have different shapes. <i>Examples:</i> A square cake can be cut into four equal-sized rectangular pieces or into four equal-sized triangular pieces.

Strand: GEOMETRIC REASONING

Standard 1: Identify and analyze two-dimensional figures and identify lines of symmetry.

BENCHMARK CODE	BENCHMARK
MA.2.GR.1.1	Identify and draw two-dimensional figures based on their defining attributes. Figures are limited to triangles, rectangles, squares, pentagons, hexagons and octagons. <i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation includes the use of rulers and straight edges.
MA.2.GR.1.2	Categorize two-dimensional figures based on the number and length of sides, number of vertices, whether they are closed or not and whether the edges are curved or straight. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on using formal and informal language to describe defining attributes when categorizing.
MA.2.GR.1.3	Identify line(s) of symmetry for a two-dimensional figure. <i>Examples:</i> Fold a rectangular piece of paper and determine whether the fold is a line of symmetry by matching the two halves exactly.

	<p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection between partitioning two-dimensional figures and symmetry.</p> <p><i>Clarification 2:</i> Problem types include being given an image and determining whether a given line is a line of symmetry or not.</p>
--	--

Standard 2: Describe perimeter and find the perimeter of polygons.

BENCHMARK CODE	BENCHMARK
MA.2.GR.2.1	<p>Explore perimeter as an attribute of a figure by placing unit segments along the boundary without gaps or overlaps. Find perimeters of rectangles by counting unit segments.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes the conceptual understanding that perimeter is an attribute that can be measured for a two-dimensional figure.</p> <p><i>Clarification 2:</i> Instruction includes real-world objects, such as picture frames or desktops.</p>
MA.2.GR.2.2	<p>Find the perimeter of a polygon with whole-number side lengths. Polygons are limited to triangles, rectangles, squares and pentagons.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to the associative and commutative properties of addition. Refer to Properties of Operations, Equality and Inequality (Appendix D).</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to use a formula to find perimeter.</p> <p><i>Clarification 3:</i> Instruction includes cases where the side lengths are given or measured to the nearest unit.</p> <p><i>Clarification 4:</i> Perimeter cannot exceed 100 units and responses include the appropriate units.</p>

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Collect, categorize, represent and interpret data using appropriate titles, labels and units.

BENCHMARK CODE	BENCHMARK
MA.2.DP.1.1	<p>Collect, categorize and represent data using tally marks, tables, pictographs or bar graphs. Use appropriate titles, labels and units.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Data displays can be represented both horizontally and vertically. Scales on graphs are limited to ones, fives or tens.</p>
MA.2.DP.1.2	<p>Interpret data represented with tally marks, tables, pictographs or bar graphs including solving addition and subtraction problems.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Addition and subtraction problems are limited to whole numbers with sums within 100 and related differences.</p> <p><i>Clarification 2:</i> Data displays can be represented both horizontally and vertically. Scales on graphs are limited to ones, fives or tens.</p>

GRADE: 3

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Understand the place value of four-digit numbers.	
BENCHMARK CODE	BENCHMARK
MA.3.NSO.1.1	<p>Read and write numbers from 0 to 10,000 using standard form, expanded form and word form.</p> <p><u>Examples:</u> The number two thousand five hundred thirty written in standard form is 2,530 and in expanded form is $2,000+500+30$.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.NSO.1.AP.1 Read and generate numbers from 0 to 1,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.2 Compose and decompose numbers up to 1,000 using thousands, hundreds, tens and ones. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.3 Plot, order and compare whole numbers up to 1,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.4 Round whole numbers from 0 to 1,000 to the nearest 100 with visual support. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.NSO.1.2	<p>Compose and decompose four-digit numbers in multiple ways using thousands, hundreds, tens and ones. Demonstrate each composition or decomposition using objects, drawings and expressions or equations.</p> <p><u>Examples:</u> The number 5,783 can be expressed as 5 thousands + 7 hundreds + 8 tens + 3 ones or as 56 hundreds + 183 ones.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.NSO.1.AP.1 Read and generate numbers from 0 to 1,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.2 Compose and decompose numbers up to 1,000 using thousands, hundreds, tens and ones. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.3 Plot, order and compare whole numbers up to 1,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.1.AP.4 Round whole numbers from 0 to 1,000 to the nearest 100 with visual support.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.3.NSO.1.3	<p>Plot, order and compare whole numbers up to 10,000.</p> <p><u>Examples:</u> The numbers 3,475; 4,743 and 4,753 can be arranged in ascending order as 3,475; 4,743 and 4,753.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When comparing numbers, instruction includes using an appropriately scaled number line and using place values of the thousands, hundreds, tens and ones digits.</p> <p><i>Clarification 2:</i> Number lines, scaled by 50s, 100s or 1,000s, must be provided and can be a representation of any range of numbers.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is to use symbols (<, > or =).</p>
	Related Access Point(s)
	<p>MA.3.NSO.1.AP.1 Read and generate numbers from 0 to 1,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.NSO.1.AP.2 Compose and decompose numbers up to 1,000 using thousands, hundreds, tens and ones. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.NSO.1.AP.3 Plot, order and compare whole numbers up to 1,000. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.NSO.1.AP.4 Round whole numbers from 0 to 1,000 to the nearest 100 with visual support. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.NSO.1.4	<p>Round whole numbers from 0 to 1,000 to the nearest 10 or 100.</p> <p><u>Examples:</u> <i>Example:</i> The number 775 is rounded to 780 when rounded to the nearest 10.</p> <p><i>Example:</i> The number 745 is rounded to 700 when rounded to the nearest 100.</p>
	Related Access Point(s)
	<p>MA.3.NSO.1.AP.1 Read and generate numbers from 0 to 1,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.NSO.1.AP.2 Compose and decompose numbers up to 1,000 using thousands, hundreds, tens and ones. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.NSO.1.AP.3 Plot, order and compare whole numbers up to 1,000. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.3.NSO.1.AP.4 Round whole numbers from 0 to 1,000 to the nearest 100 with visual support. <u>Date Adopted or Revised:</u> 07/21
--	--

Standard 2: Add and subtract multi-digit whole numbers. Build an understanding of multiplication and division operations.

BENCHMARK CODE	BENCHMARK
MA.3.NSO.2.1	Add and subtract multi-digit whole numbers including using a standard algorithm with procedural fluency. <p style="text-align: center;">Related Access Point(s)</p> MA.3.NSO.2.AP.1 Apply a strategy to add and subtract two two-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.2 Explore the concept of multiplication of two single-digit whole numbers using objects. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.3 Explore multiplying a one-digit whole number by 10. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.4 Explore the relationship between multiplication and division in order to multiply and divide. Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21
MA.3.NSO.2.2	Explore multiplication of two whole numbers with products from 0 to 144, and related division facts. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes equal groups, arrays, area models and equations. <i>Clarification 2:</i> Within the benchmark, it is the expectation that one problem can be represented in multiple ways and understanding how the different representations are related to each other. <i>Clarification 3:</i> Factors and divisors are limited to up to 12. <p style="text-align: center;">Related Access Point(s)</p> MA.3.NSO.2.AP.1 Apply a strategy to add and subtract two two-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.2 Explore the concept of multiplication of two single-digit whole numbers using objects. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.3 Explore multiplying a one-digit whole number by 10. <u>Date Adopted or Revised:</u> 07/21 MA.3.NSO.2.AP.4 Explore the relationship between multiplication and division in order to multiply and divide. Multiplication may not exceed two single-digit whole numbers and their related

	<p>division facts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.NSO.2.3	<p>Multiply a one-digit whole number by a multiple of 10, up to 90, or a multiple of 100, up to 900, with procedural reliability.</p> <p><u>Examples:</u> <i>Example:</i> The product of 6 and 70 is 420.</p> <p><i>Example:</i> The product of 6 and 300 is 1,800.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When multiplying one-digit numbers by multiples of 10 or 100, instruction focuses on methods that are based on place value.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.NSO.2.AP.1 Apply a strategy to add and subtract two two-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.2.AP.2 Explore the concept of multiplication of two single-digit whole numbers using objects. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.2.AP.3 Explore multiplying a one-digit whole number by 10. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.2.AP.4 Explore the relationship between multiplication and division in order to multiply and divide. Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.NSO.2.4	<p>Multiply two whole numbers from 0 to 12 and divide using related facts with procedural reliability.</p> <p><u>Examples:</u> <i>Example:</i> The product of 5 and 6 is 30.</p> <p><i>Example:</i> The quotient of 27 and 9 is 3.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.NSO.2.AP.1 Apply a strategy to add and subtract two two-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.2.AP.2 Explore the concept of multiplication of two single-digit whole numbers using objects. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.NSO.2.AP.3 Explore multiplying a one-digit whole number by 10.</p>

	<u>Date Adopted or Revised:</u> 07/21
	MA.3.NSO.2.AP.4 Explore the relationship between multiplication and division in order to multiply and divide. Multiplication may not exceed two single-digit whole numbers and their related division facts.
	<u>Date Adopted or Revised:</u> 07/21

Strand: ALGEBRAIC REASONING

Standard 1: Solve multiplication and division problems.

BENCHMARK CODE	BENCHMARK
MA.3.AR.1.1	<p>Apply the distributive property to multiply a one-digit number and two-digit number. Apply properties of multiplication to find a product of one-digit whole numbers.</p> <p><u>Examples:</u> The product 4×72 can be found by rewriting the expression as $4 \times (70 + 2)$ and then using the distributive property to obtain $(4 \times 70) + (4 \times 2)$ which is equivalent to 288.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to apply the associative and commutative properties of multiplication, the distributive property and name the properties. Refer to K-12 Glossary (Appendix C). <i>Clarification 2:</i> Within the benchmark, the expectation is to utilize parentheses. <i>Clarification 3:</i> Multiplication for products of three or more numbers is limited to factors within 12. Refer to Properties of Operations, Equality and Inequality (Appendix D).</p>
	Related Access Point(s)
	<p>MA.3.AR.1.AP.1 Apply the commutative property of multiplication to find a product of one-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.1.AP.2a Solve one- and two-step addition and subtraction real-world problems within 100. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.1.AP.2b Solve one-step multiplication and division real-world problems. Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.AR.1.2	<p>Solve one- and two-step real-world problems involving any of four operations with whole numbers.</p> <p><u>Examples:</u> A group of students are playing soccer during lunch. How many students are needed to form four teams with eleven players each and to have two referees?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes understanding the context of the problem, as well as the quantities within the problem.</p>

	<p><i>Clarification 2:</i> Multiplication is limited to factors within 12 and related division facts. Refer to Situations Involving Operations with Numbers (Appendix A).</p>
	Related Access Point(s)
	<p>MA.3.AR.1.AP.1 Apply the commutative property of multiplication to find a product of one-digit whole numbers. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.3.AR.1.AP.2a Solve one- and two-step addition and subtraction real-world problems within 100. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.3.AR.1.AP.2b Solve one-step multiplication and division real-world problems. Multiplication may not exceed two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 2: Develop an understanding of equality and multiplication and division.

BENCHMARK CODE	BENCHMARK
MA.3.AR.2.1	<p>Restate a division problem as a missing factor problem using the relationship between multiplication and division.</p> <p><i>Examples:</i> The equation $56 \div 7 = ?$ can be restated as $7 \times ? = 56$ to determine the quotient is 8.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Multiplication is limited to factors within 12 and related division facts.</p> <p><i>Clarification 2:</i> Within this benchmark, the symbolic representation of the missing factor uses any symbol or a letter.</p>
	Related Access Point(s)
	<p>MA.3.AR.2.AP.1 Explore division as multiplication with a missing factor using the relationship between multiplication and division. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.3.AR.2.AP.2 Determine if multiplication or division equations with no more than three terms are true or false. Multiplication may not exceed two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.3.AR.2.AP.3 Determine the unknown whole number in a multiplication or division equation, relating three whole numbers, with the product or quotient unknown (e.g., $2 \times 5 = \underline{\quad}$, $10 \div 5 = \underline{\quad}$). Multiplication may not exceed two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p>
MA.3.AR.2.2	<p>Determine and explain whether an equation involving multiplication or division is true or false.</p> <p><i>Examples:</i> Given the equation $27 \div 3 = 3 \times 3$, it can be determined to be a true equation by dividing</p>

	<p>the numbers on the left side of the equal sign and multiplying the numbers on the right of the equal sign to see that both sides are equivalent to 9.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction extends the understanding of the meaning of the equal sign to multiplication and division.</p> <p><i>Clarification 2:</i> Problem types are limited to an equation with three or four terms. The product or quotient can be on either side of the equal sign.</p> <p><i>Clarification 3:</i> Multiplication is limited to factors within 12 and related division facts.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.AR.2.AP.1 Explore division as multiplication with a missing factor using the relationship between multiplication and division. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.2.AP.2 Determine if multiplication or division equations with no more than three terms are true or false. Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.2.AP.3 Determine the unknown whole number in a multiplication or division equation, relating three whole numbers, with the product or quotient unknown (e.g., $2 \times 5 = \underline{\quad}$, $10 \div 5 = \underline{\quad}$). Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.AR.2.3	<p>Determine the unknown whole number in a multiplication or division equation, relating three whole numbers, with the unknown in any position.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction extends the development of algebraic thinking skills where the symbolic representation of the unknown uses any symbol or a letter. <i>Clarification 2:</i> Problems include the unknown on either side of the equal sign. <i>Clarification 3:</i> Multiplication is limited to factors within 12 and related division facts. Refer to Situations Involving Operations with Numbers (Appendix A).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.AR.2.AP.1 Explore division as multiplication with a missing factor using the relationship between multiplication and division. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.2.AP.2 Determine if multiplication or division equations with no more than three terms are true or false. Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.AR.2.AP.3 Determine the unknown whole number in a multiplication or division equation, relating three whole numbers, with the product or quotient unknown (e.g., $2 \times 5 = \underline{\quad}$, $10 \div 5 = \underline{\quad}$). Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Identify numerical patterns, including multiplicative patterns.

BENCHMARK CODE	BENCHMARK
MA.3.AR.3.1	<p>Determine and explain whether a whole number from 1 to 1,000 is even or odd.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes determining and explaining using place value and recognizing patterns.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.AR.3.AP.1 Determine whether a whole number from 1 to 100 is even or odd. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.3.AR.3.AP.2 Explore that a whole number is a multiple of each of its factors. Factors not to exceed single-digit whole numbers. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.3.AR.3.AP.3 Extend a numerical pattern when given a one-step addition rule (e.g., when given the pattern 5, 10, 15, use the rule add 5 to extend the pattern). <i>Date Adopted or Revised:</i> 07/21</p>
MA.3.AR.3.2	<p>Determine whether a whole number from 1 to 144 is a multiple of a given one-digit number.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes determining if a number is a multiple of a given number by using multiplication or division.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.AR.3.AP.1 Determine whether a whole number from 1 to 100 is even or odd. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.3.AR.3.AP.2 Explore that a whole number is a multiple of each of its factors. Factors not to exceed single-digit whole numbers. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.3.AR.3.AP.3 Extend a numerical pattern when given a one-step addition rule (e.g., when given the pattern 5, 10, 15, use the rule add 5 to extend the pattern). <i>Date Adopted or Revised:</i> 07/21</p>
MA.3.AR.3.3	<p>Identify, create and extend numerical patterns.</p> <p><i>Examples:</i> Bailey collects 6 baseball cards every day. This generates the pattern 6, 12, 18, ... How many baseball cards will Bailey have at the end of the sixth day?</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> The expectation is to use ordinal numbers (1st, 2nd, 3rd, ...) to describe the position of a number within a sequence.</p> <p><i>Clarification 2:</i> Problem types include patterns involving addition, subtraction, multiplication or division of whole numbers.</p> <p style="text-align: center;">Related Access Point(s)</p>

MA.3.AR.3.AP.1 Determine whether a whole number from 1 to 100 is even or odd. <u>Date Adopted or Revised:</u> 07/21
MA.3.AR.3.AP.2 Explore that a whole number is a multiple of each of its factors. Factors not to exceed single-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21
MA.3.AR.3.AP.3 Extend a numerical pattern when given a one-step addition rule (e.g., when given the pattern 5, 10, 15, use the rule add 5 to extend the pattern). <u>Date Adopted or Revised:</u> 07/21

Strand: MEASUREMENT

Standard 1: Measure attributes of objects and solve problems involving measurement.

BENCHMARK CODE	BENCHMARK
MA.3.M.1.1	<p>Select and use appropriate tools to measure the length of an object, the volume of liquid within a beaker and temperature.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on identifying measurement on a linear scale, making the connection to the number line. <i>Clarification 2:</i> When measuring the length, limited to the nearest centimeter and half or quarter inch. <i>Clarification 3:</i> When measuring the temperature, limited to the nearest degree. <i>Clarification 4:</i> When measuring the volume of liquid, limited to nearest milliliter and half or quarter cup.</p>
Related Access Point(s)	
MA.3.M.1.AP.1a	<p>Select and use appropriate tools to measure the length (i.e., inches, feet, yards) of an object. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.M.1.AP.1b	<p>Explore selecting and using appropriate tools to measure liquid volume (i.e., gallons, quarts, pints, cups) and temperature in degrees Fahrenheit. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.M.1.AP.2a	<p>Solve one- and two-step addition and subtraction real-world problems within 100 with whole number lengths (i.e., inches, feet, yards), temperatures (i.e., degrees Fahrenheit) or liquid volumes (i.e., gallons, quarts, pints, cups). <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.M.1.AP.2b	<p>Solve one-step multiplication and division real-world problems with whole number lengths (i.e., inches, feet, yards), temperatures (i.e., degrees Fahrenheit) or liquid volumes (i.e., gallons, quarts, pints and cups). Multiplication may not exceed two single-digit whole numbers and their related division facts.</p>

	<u>Date Adopted or Revised:</u> 07/21
MA.3.M.1.2	<p>Solve real-world problems involving any of the four operations with whole-number lengths, masses, weights, temperatures or liquid volumes.</p> <p><u>Examples:</u> Ms. Johnson’s class is having a party. Eight students each brought in a 2-liter bottle of soda for the party. How many liters of soda did the class have for the party?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, it is the expectation that responses include appropriate units.</p> <p><i>Clarification 2:</i> Problem types are not expected to include measurement conversions.</p> <p><i>Clarification 3:</i> Instruction includes the comparison of attributes measured in the same units.</p> <p><i>Clarification 4:</i> Units are limited to yards, feet, inches; meters, centimeters; pounds, ounces; kilograms, grams; degrees Fahrenheit, degrees Celsius; gallons, quarts, pints, cups; and liters, milliliters.</p>
	Related Access Point(s)
	<p>MA.3.M.1.AP.1a Select and use appropriate tools to measure the length (i.e., inches, feet, yards) of an object. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.M.1.AP.1b Explore selecting and using appropriate tools to measure liquid volume (i.e., gallons, quarts, pints, cups) and temperature in degrees Fahrenheit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.M.1.AP.2a Solve one- and two-step addition and subtraction real-world problems within 100 with whole number lengths (i.e., inches, feet, yards), temperatures (i.e., degrees Fahrenheit) or liquid volumes (i.e., gallons, quarts, pints, cups). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.M.1.AP.2b Solve one-step multiplication and division real-world problems with whole number lengths (i.e., inches, feet, yards), temperatures (i.e., degrees Fahrenheit) or liquid volumes (i.e., gallons, quarts, pints and cups). Multiplication may not exceed two single-digit whole numbers and their related division facts. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Tell and write time and solve problems involving time.

BENCHMARK CODE	BENCHMARK
MA.3.M.2.1	<p>Using analog and digital clocks tell and write time to the nearest minute using a.m. and p.m. appropriately.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to understand military time.</p>
	Related Access Point(s)
	<p>MA.3.M.2.AP.1 Using analog and digital clocks, express the time to the nearest five minutes using a.m.</p>

	and p.m. appropriately. <u>Date Adopted or Revised:</u> 07/21
	MA.3.M.2.AP.2 Solve for end time in one-step real-world problems when given start time and elapsed time in whole hours or minutes within the hour. <u>Date Adopted or Revised:</u> 07/21
MA.3.M.2.2	Solve one- and two-step real-world problems involving elapsed time. <u>Examples:</u> A bus picks up Kimberly at 6:45 a.m. and arrives at school at 8:15 a.m. How long was her bus ride? <u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to include crossing between a.m. and p.m.
	Related Access Point(s)
	MA.3.M.2.AP.1 Using analog and digital clocks, express the time to the nearest five minutes using a.m. and p.m. appropriately. <u>Date Adopted or Revised:</u> 07/21
	MA.3.M.2.AP.2 Solve for end time in one-step real-world problems when given start time and elapsed time in whole hours or minutes within the hour. <u>Date Adopted or Revised:</u> 07/21

Strand: FRACTIONS

Standard 1: Understand fractions as numbers and represent fractions.

BENCHMARK CODE	BENCHMARK
MA.3.FR.1.1	Represent and interpret unit fractions in the form $1/n$ as the quantity formed by one part when a whole is partitioned into n equal parts. <u>Examples:</u> can be represented as of a pie (parts of a shape), as 1 out of 4 trees (parts of a set) or as on the number line. <u>Clarifications:</u> <i>Clarification 1:</i> This benchmark emphasizes conceptual understanding through the use of manipulatives or visual models. <i>Clarification 2:</i> Instruction focuses on representing a unit fraction as part of a whole, part of a set, a point on a number line, a visual model or in fractional notation. <i>Clarification 3:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12.
	Related Access Point(s)
	MA.3.FR.1.AP.1 Explore unit fractions in the form $1/n$ as the quantity formed by one part when a whole is partitioned into n equal parts. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21
	MA.3.FR.1.AP.2 Explore fractions, less than or equal to a whole, in the form of m/n as the result of adding the unit fraction $1/n$ to itself m times. Denominators are limited to 2, 3 and 4.

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.FR.1.AP.3</p> <p>Read and generate fractions, less than or equal to a whole, using standard form.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.3.FR.1.2	<p>Represent and interpret fractions, including fractions greater than one, in the form of $\frac{a}{b}$ as the result of adding the unit fraction $\frac{1}{b}$ to itself m times.</p> <p><u>Examples:</u> can be represented as $\frac{2}{3}$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes conceptual understanding through the use of manipulatives or visual models, including circle graphs, to represent fractions. <i>Clarification 2:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.FR.1.AP.1 Explore unit fractions in the form $\frac{1}{n}$ as the quantity formed by one part when a whole is partitioned into n equal parts. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.FR.1.AP.2 Explore fractions, less than or equal to a whole, in the form of $\frac{m}{n}$ as the result of adding the unit fraction $\frac{1}{n}$ to itself m times. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.FR.1.AP.3 Read and generate fractions, less than or equal to a whole, using standard form. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.FR.1.3	<p>Read and write fractions, including fractions greater than one, using standard form, numeral-word form and word form.</p> <p><u>Examples:</u> The fraction written in word form is four-thirds and in numeral-word form is $4\frac{2}{3}$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on making connections to reading and writing numbers to develop the understanding that fractions are numbers and to support algebraic thinking in later grades. <i>Clarification 2:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10 and 12.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.FR.1.AP.1 Explore unit fractions in the form $\frac{1}{n}$ as the quantity formed by one part when a whole is partitioned into n equal parts. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.FR.1.AP.2 Explore fractions, less than or equal to a whole, in the form of $\frac{m}{n}$ as the result of adding the unit fraction $\frac{1}{n}$ to itself m times. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.3.FR.1.AP.3 Read and generate fractions, less than or equal to a whole, using standard form. <u>Date Adopted or Revised:</u> 07/21
--	--

Standard 2: Order and compare fractions and identify equivalent fractions.

BENCHMARK CODE	BENCHMARK
MA.3.FR.2.1	<p>Plot, order and compare fractional numbers with the same numerator or the same denominator.</p> <p><u>Examples:</u> The fraction is to the right of the fraction on a number line so is greater than .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes making connections between using a ruler and plotting and ordering fractions on a number line. <i>Clarification 2:</i> When comparing fractions, instruction includes an appropriately scaled number line and using reasoning about their size. <i>Clarification 3:</i> Fractions include fractions greater than one, including mixed numbers, with denominators limited to 2, 3, 4, 5, 6, 8, 10 and 12.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.FR.2.AP.1 Compare fractional numbers with the same denominator. Denominators are limited to 2, 3 and 4. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.FR.2.AP.2 Using a visual model, recognize fractions less than a whole that are equivalent to fractions with denominators of 2, 3 or 4 (e.g., 4/8 is equivalent to 1/2). <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.FR.2.2	<p>Identify equivalent fractions and explain why they are equivalent.</p> <p><u>Examples:</u> <i>Example:</i> The fractions and can be identified as equivalent using number lines. <i>Example:</i> The fractions and can be identified as not equivalent using a visual model.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes identifying equivalent fractions and explaining why they are equivalent using manipulatives, drawings, and number lines. <i>Clarification 2:</i> Within this benchmark, the expectation is not to generate equivalent fractions. <i>Clarification 3:</i> Fractions are limited to fractions less than or equal to one with denominators of 2, 3, 4, 5, 6, 8, 10 and 12. Number lines must be given and scaled appropriately.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.FR.2.AP.1 Compare fractional numbers with the same denominator. Denominators are limited to 2, 3 and 4.</p>

	<u>Date Adopted or Revised:</u> 07/21
	MA.3.FR.2.AP.2 Using a visual model, recognize fractions less than a whole that are equivalent to fractions with denominators of 2, 3 or 4 (e.g., 4/8 is equivalent to 1/2). <u>Date Adopted or Revised:</u> 07/21

Strand: GEOMETRIC REASONING

Standard 1: Describe and identify relationships between lines and classify quadrilaterals.

BENCHMARK CODE	BENCHMARK
MA.3.GR.1.1	Describe and draw points, lines, line segments, rays, intersecting lines, perpendicular lines and parallel lines. Identify these in two-dimensional figures. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes mathematical and real-world context for identifying points, lines, line segments, rays, intersecting lines, perpendicular lines and parallel lines. <i>Clarification 2:</i> When working with perpendicular lines, right angles can be called square angles or square corners.
	Related Access Point(s)
	MA.3.GR.1.AP.1 Identify points, lines, line segments, perpendicular lines and parallel lines. Identify these in two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21
	MA.3.GR.1.AP.2 Identify quadrilaterals based on their defining attributes. Quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids. <u>Date Adopted or Revised:</u> 07/21
	MA.3.GR.1.AP.3 Identify line-symmetric two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21
MA.3.GR.1.2	Identify and draw quadrilaterals based on their defining attributes. Quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes a variety of quadrilaterals and a variety of non-examples that lack one or more defining attributes when identifying quadrilaterals. <i>Clarification 2:</i> Quadrilaterals will be filled, outlined or both when identifying. <i>Clarification 3:</i> Drawing representations must be reasonably accurate.
	Related Access Point(s)
	MA.3.GR.1.AP.1 Identify points, lines, line segments, perpendicular lines and parallel lines. Identify these in two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21
	MA.3.GR.1.AP.2 Identify quadrilaterals based on their defining attributes. Quadrilaterals include

	<p>parallelograms, rhombi, rectangles, squares and trapezoids. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.GR.1.AP.3 Identify line-symmetric two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.GR.1.3	<p>Draw line(s) of symmetry in a two-dimensional figure and identify line-symmetric two-dimensional figures.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction develops the understanding that there could be no line of symmetry, exactly one line of symmetry or more than one line of symmetry.</p> <p><i>Clarification 2:</i> Instruction includes folding paper along a line of symmetry so that both halves match exactly to confirm line-symmetric figures.</p>
Related Access Point(s)	
	<p>MA.3.GR.1.AP.1 Identify points, lines, line segments, perpendicular lines and parallel lines. Identify these in two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.GR.1.AP.2 Identify quadrilaterals based on their defining attributes. Quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.GR.1.AP.3 Identify line-symmetric two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Solve problems involving the perimeter and area of rectangles.

BENCHMARK CODE	BENCHMARK
MA.3.GR.2.1	<p>Explore area as an attribute of a two-dimensional figure by covering the figure with unit squares without gaps or overlaps. Find areas of rectangles by counting unit squares.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes the conceptual understanding that area is an attribute that can be measured for a two-dimensional figure. The measurement unit for area is the area of a unit square, which is a square with side length of 1 unit.</p> <p><i>Clarification 2:</i> Two-dimensional figures cannot exceed 12 units by 12 units and responses include the appropriate units in word form (e.g., square centimeter or sq.cm.).</p>
Related Access Point(s)	
	<p>MA.3.GR.2.AP.1 Explore area as an attribute of a two-dimensional figure that can be measured by covering the figure with unit squares without gaps or overlaps. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.GR.2.AP.2 Find the area of a rectangle with whole-number side lengths by counting unit squares. Explore that the area is the same as what would be found by multiplying the side lengths.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.3 Solve mathematical and real-world problems involving the perimeter and area of rectangles with whole-number side lengths using a visual model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.4 Explore the perimeter and area of composite figures composed of two non-overlapping rectangles with whole-number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.GR.2.2	<p>Find the area of a rectangle with whole-number side lengths using a visual model and a multiplication formula.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes covering the figure with unit squares, a rectangular array or applying a formula.</p> <p><i>Clarification 2:</i> Two-dimensional figures cannot exceed 12 units by 12 units and responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.GR.2.AP.1 Explore area as an attribute of a two-dimensional figure that can be measured by covering the figure with unit squares without gaps or overlaps. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.2 Find the area of a rectangle with whole-number side lengths by counting unit squares. Explore that the area is the same as what would be found by multiplying the side lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.3 Solve mathematical and real-world problems involving the perimeter and area of rectangles with whole-number side lengths using a visual model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.4 Explore the perimeter and area of composite figures composed of two non-overlapping rectangles with whole-number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.3.GR.2.3	<p>Solve mathematical and real-world problems involving the perimeter and area of rectangles with whole-number side lengths using a visual model and a formula.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to find unknown side lengths.</p> <p><i>Clarification 2:</i> Two-dimensional figures cannot exceed 12 units by 12 units and responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.GR.2.AP.1 Explore area as an attribute of a two-dimensional figure that can be measured by covering the figure with unit squares without gaps or overlaps.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.2 Find the area of a rectangle with whole-number side lengths by counting unit squares. Explore that the area is the same as what would be found by multiplying the side lengths.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.3 Solve mathematical and real-world problems involving the perimeter and area of rectangles with whole-number side lengths using a visual model.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.4 Explore the perimeter and area of composite figures composed of two non-overlapping rectangles with whole-number side lengths.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.3.GR.2.4	<p>Solve mathematical and real-world problems involving the perimeter and area of composite figures composed of non-overlapping rectangles with whole-number side lengths.</p> <p><u>Examples:</u> A pool is comprised of two non-overlapping rectangles in the shape of an “L”. The area for a cover of the pool can be found by adding the areas of the two non-overlapping rectangles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Composite figures must be composed of non-overlapping rectangles. <i>Clarification 2:</i> Each rectangle within the composite figure cannot exceed 12 units by 12 units and responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.GR.2.AP.1 Explore area as an attribute of a two-dimensional figure that can be measured by covering the figure with unit squares without gaps or overlaps. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.2 Find the area of a rectangle with whole-number side lengths by counting unit squares. Explore that the area is the same as what would be found by multiplying the side lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.3 Solve mathematical and real-world problems involving the perimeter and area of rectangles with whole-number side lengths using a visual model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.GR.2.AP.4 Explore the perimeter and area of composite figures composed of two non-overlapping rectangles with whole-number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Collect, represent and interpret numerical and categorical data.

BENCHMARK CODE	BENCHMARK
<p>MA.3.DP.1.1</p>	<p>Collect and represent numerical and categorical data with whole-number values using tables, scaled pictographs, scaled bar graphs or line plots. Use appropriate titles, labels and units.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to complete a representation or construct a representation from a data set.</p> <p><i>Clarification 2:</i> Instruction includes the connection between multiplication and the number of data points represented by a bar in scaled bar graph or a scaled column in a pictograph.</p> <p><i>Clarification 3:</i> Data displays are represented both horizontally and vertically.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.DP.1.AP.1a Sort and represent categorical data (up to four categories) with whole-number values using tables, pictographs or bar graphs. Select appropriate title, labels and units. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.DP.1.AP.1b Explore representing numerical data with whole-number values using line plots. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.DP.1.AP.2a Interpret data with whole-number values represented with tables, pictographs or bar graphs to solve one-step “how many more” and “how many less” problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.DP.1.AP.2b Interpret data with whole-number values represented with scaled pictographs or scaled bar graphs. For scaled pictographs, symbols used may only represent quantities of 2, 5 or 10 and only whole symbols may be used. For scaled bar graphs, intervals may only represent quantities of 2, 5 or 10. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.3.DP.1.AP.2c Explore interpreting data with whole-number values represented with line plots. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.3.DP.1.2</p>	<p>Interpret data with whole-number values represented with tables, scaled pictographs, circle graphs, scaled bar graphs or line plots by solving one- and two-step problems.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include the use of data in informal comparisons between two data sets in the same units.</p> <p><i>Clarification 2:</i> Data displays can be represented both horizontally and vertically.</p> <p><i>Clarification 3:</i> Circle graphs are limited to showing the total values in each category.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.3.DP.1.AP.1a Sort and represent categorical data (up to four categories) with whole-number values using tables, pictographs or bar graphs. Select appropriate title, labels and units.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.DP.1.AP.1b Explore representing numerical data with whole-number values using line plots. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.DP.1.AP.2a Interpret data with whole-number values represented with tables, pictographs or bar graphs to solve one-step “how many more” and “how many less” problems. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.DP.1.AP.2b Interpret data with whole-number values represented with scaled pictographs or scaled bar graphs. For scaled pictographs, symbols used may only represent quantities of 2, 5 or 10 and only whole symbols may be used. For scaled bar graphs, intervals may only represent quantities of 2, 5 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.3.DP.1.AP.2c Explore interpreting data with whole-number values represented with line plots. <u>Date Adopted or Revised:</u> 07/21</p>

GRADE: 4

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Understand place value for multi-digit numbers.	
BENCHMARK CODE	BENCHMARK
MA.4.NSO.1.1	<p>Express how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left or right.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.1.AP.1 Explore how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.2 Read and generate numbers from 0 to 10,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.3 Plot, order and compare multi-digit whole numbers up to 10,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.4 Round whole numbers from 100 to 10,000 to the nearest 1,000 with visual support. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.5 Explore decimals less than one up to the hundredths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.1.2	<p>Read and write multi-digit whole numbers from 0 to 1,000,000 using standard form, expanded form and word form.</p> <p><u>Examples:</u></p>

	<p>The number two hundred seventy-five thousand eight hundred two written in standard form is 275,802 and in expanded form is $200,000+70,000+5,000+800+2$ or $(2\times100,000)+(7\times10,000)+(5\times1,000)+(8\times100)+(2\times1)$.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.1.AP.1 Explore how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.2 Read and generate numbers from 0 to 10,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.3 Plot, order and compare multi-digit whole numbers up to 10,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.4 Round whole numbers from 100 to 10,000 to the nearest 1,000 with visual support. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.5 Explore decimals less than one up to the hundredths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.1.3	<p>Plot, order and compare multi-digit whole numbers up to 1,000,000.</p> <p><u>Examples:</u> The numbers 75,421; 74,241 and 74,521 can be arranged in ascending order as 74,241; 74,521 and 75,421.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When comparing numbers, instruction includes using an appropriately scaled number line and using place values of the hundred thousands, ten thousands, thousands, hundreds, tens and ones digits. <i>Clarification 2:</i> Scaled number lines must be provided and can be a representation of any range of numbers. <i>Clarification 3:</i> Within this benchmark, the expectation is to use symbols (<, > or =).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.1.AP.1 Explore how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.2 Read and generate numbers from 0 to 10,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.3 Plot, order and compare multi-digit whole numbers up to 10,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.4 Round whole numbers from 100 to 10,000 to the nearest 1,000 with visual support. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.4.NSO.1.AP.5 Explore decimals less than one up to the hundredths. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.4.NSO.1.4</p>	<p>Round whole numbers from 0 to 10,000 to the nearest 10, 100 or 1,000.</p> <p><u>Examples:</u> <i>Example:</i> The number 6,325 is rounded to 6,300 when rounded to the nearest 100. <i>Example:</i> The number 2,550 is rounded to 3,000 when rounded to the nearest 1,000.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.1.AP.1 Explore how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.2 Read and generate numbers from 0 to 10,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.3 Plot, order and compare multi-digit whole numbers up to 10,000. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.4 Round whole numbers from 100 to 10,000 to the nearest 1,000 with visual support. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.5 Explore decimals less than one up to the hundredths. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.4.NSO.1.5</p>	<p>Plot, order and compare decimals up to the hundredths.</p> <p><u>Examples:</u> The numbers 3.2; 3.24 and 3.12 can be arranged in ascending order as 3.12; 3.2 and 3.24.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When comparing numbers, instruction includes using an appropriately scaled number line and using place values of the ones, tenths and hundredths digits. <i>Clarification 2:</i> Within the benchmark, the expectation is to explain the reasoning for the comparison and use symbols (<, > or =). <i>Clarification 3:</i> Scaled number lines must be provided and can be a representation of any range of numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.1.AP.1 Explore how the value of a digit in a multi-digit whole number changes if the digit moves one place to the left. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.1.AP.2 Read and generate numbers from 0 to 10,000 using standard form and expanded form. <u>Date Adopted or Revised:</u> 07/21</p>

MA.4.NSO.1.AP.3 Plot, order and compare multi-digit whole numbers up to 10,000. <i>Date Adopted or Revised:</i> 07/21
MA.4.NSO.1.AP.4 Round whole numbers from 100 to 10,000 to the nearest 1,000 with visual support. <i>Date Adopted or Revised:</i> 07/21
MA.4.NSO.1.AP.5 Explore decimals less than one up to the hundredths. <i>Date Adopted or Revised:</i> 07/21

Standard 2: Build an understanding of operations with multi-digit numbers including decimals.

BENCHMARK CODE	BENCHMARK
MA.4.NSO.2.1	Recall multiplication facts with factors up to 12 and related division facts with automaticity.
	Related Access Point(s)
	MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <i>Date Adopted or Revised:</i> 07/21
	MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., 0.3 + 0.5) and hundredths (e.g., 0.25 – 0.12). <i>Date Adopted or Revised:</i> 07/21
MA.4.NSO.2.2	Multiply two whole numbers, up to three digits by up to two digits, with procedural reliability. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably.

	<p><i>Clarification 2:</i> Instruction includes the use of models or equations based on place value and the distributive property.</p>
	Related Access Point(s)
	<p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., $0.3 + 0.5$) and hundredths (e.g., $0.25 - 0.12$). <i>Date Adopted or Revised:</i> 07/21</p>
MA.4.NSO.2.3	<p>Multiply two whole numbers, each up to two digits, including using a standard algorithm with procedural fluency.</p>
	Related Access Point(s)
	<p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., 0.3 + 0.5) and hundredths (e.g., 0.25 – 0.12). <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.2.4	<p>Divide a whole number up to four digits by a one-digit whole number with procedural reliability. Represent remainders as fractional parts of the divisor.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on helping a student choose a method they can use reliably. <i>Clarification 2:</i> Instruction includes the use of models based on place value, properties of operations or the relationship between multiplication and division.</p>
	Related Access Point(s)
	<p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., 0.3 + 0.5) and hundredths (e.g., 0.25 – 0.12). <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.2.5	<p>Explore the multiplication and division of multi-digit whole numbers using estimation, rounding and place value.</p> <p><u>Examples:</u> <i>Example:</i> The product of 215 and 460 can be estimated as being between 80,000 and 125,000 because it is bigger than 200×400 but smaller than 250×500.</p>

	<p><i>Example:</i> The quotient of 1,380 and 27 can be estimated as 50 because 27 is close to 30 and 1,380 is close to 1,500. 1,500 divided by 30 is the same as 150 tens divided by 3 tens which is 5 tens, or 50.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on previous understanding of multiplication with multiples of 10 and 100, and seeing division as a missing factor problem.</p> <p><i>Clarification 2:</i> Estimating quotients builds the foundation for division using a standard algorithm.</p> <p><i>Clarification 3:</i> When estimating the division of whole numbers, dividends are limited to up to four digits and divisors are limited to up to two digits.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., 0.3 + 0.5) and hundredths (e.g., 0.25 – 0.12). <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.2.6	<p>Identify the number that is one-tenth more, one-tenth less, one-hundredth more and one-hundredth less than a given number.</p> <p><u>Examples:</u> <i>Example:</i> One-hundredth less than 1.10 is 1.09.</p> <p><i>Example:</i> One-tenth more than 2.31 is 2.41.</p> <p style="text-align: center;">Related Access Point(s)</p>

	<p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number (i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., $0.3 + 0.5$) and hundredths (e.g., $0.25 - 0.12$). <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.NSO.2.7	<p>Explore the addition and subtraction of multi-digit numbers with decimals to the hundredths.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to money and the use of manipulatives and models based on place value.</p>
	Related Access Point(s)
	<p>MA.4.NSO.2.AP.1 Recall multiplication facts of one-digit whole numbers multiplied by 1, 2, 5 and 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.2 Explore multiplication of two whole numbers, up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.3 Apply a strategy to multiply two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.4 Explore division of two whole numbers up to two digits by one digit with no remainder. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.5 Explore the estimation of products and quotients of two whole numbers up to two digits by one digit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.NSO.2.AP.6 Identify the number that is one-tenth more and one-tenth less than a given number</p>

	(i.e., 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9). <u>Date Adopted or Revised:</u> 07/21
	MA.4.NSO.2.AP.7 Explore the addition and subtraction of decimals less than one to the tenths (e.g., 0.3 + 0.5) and hundredths (e.g., 0.25 – 0.12). <u>Date Adopted or Revised:</u> 07/21

Strand: ALGEBRAIC REASONING

Standard 1: Represent and solve problems involving the four operations with whole numbers and fractions.

BENCHMARK CODE	BENCHMARK
MA.4.AR.1.1	<p>Solve real-world problems involving multiplication and division of whole numbers including problems in which remainders must be interpreted within the context.</p> <p><u>Examples:</u> A group of 243 students is taking a field trip and traveling in vans. If each van can hold 8 students, then the group would need 31 vans for their field trip because 243 divided by 8 equals 30 with a remainder of 3.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems involving multiplication include multiplicative comparisons. Refer to Situations Involving Operations with Numbers (Appendix A).</p> <p><i>Clarification 2:</i> Depending on the context, the solution of a division problem with a remainder may be the whole number part of the quotient, the whole number part of the quotient with the remainder, the whole number part of the quotient plus 1, or the remainder.</p> <p><i>Clarification 3:</i> Multiplication is limited to products of up to 3 digits by 2 digits. Division is limited to up to 4 digits divided by 1 digit.</p>
	Related Access Point(s)
	<p>MA.4.AR.1.AP.1 Solve one-step real-world problems involving multiplication and division of whole numbers. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.AR.1.AP.2 Solve one-step real-world problems involving addition and subtraction of fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.AR.1.AP.3 Solve one-step real-world problems involving multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.AR.1.2	<p>Solve real-world problems involving addition and subtraction of fractions with like denominators, including mixed numbers and fractions greater than one.</p> <p><u>Examples:</u> <i>Example:</i> Megan is making pies and uses the equation when baking. Describe a situation that can represent this equation.</p>

	<p><i>Example:</i> Clay is running a 10K race. So far, he has run kilometers. How many kilometers does he have remaining?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include creating real-world situations based on an equation or representing a real-world problem with a visual model or equation.</p> <p><i>Clarification 2:</i> Fractions within problems must reference the same whole.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p> <p><i>Clarification 4:</i> Denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.AR.1.AP.1 Solve one-step real-world problems involving multiplication and division of whole numbers. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.AR.1.AP.2 Solve one-step real-world problems involving addition and subtraction of fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.AR.1.AP.3 Solve one-step real-world problems involving multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.AR.1.3	<p>Solve real-world problems involving multiplication of a fraction by a whole number or a whole number by a fraction.</p> <p><u>Examples:</u> Ken is filling his garden containers with a cup that holds pounds of soil. if he uses 8 cups to fill his garden containers, how many pounds of soil did ken use?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include creating real-world situations based on an equation or representing a real-world problem with a visual model or equation.</p> <p><i>Clarification 2:</i> Fractions within problems must reference the same whole.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p> <p><i>Clarification 4:</i> Fractions limited to fractions less than one with denominators of 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.AR.1.AP.1 Solve one-step real-world problems involving multiplication and division of whole numbers. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts.</p>

	<u>Date Adopted or Revised:</u> 07/21
	MA.4.AR.1.AP.2 Solve one-step real-world problems involving addition and subtraction of fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21
	MA.4.AR.1.AP.3 Solve one-step real-world problems involving multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21

Standard 2: Demonstrate an understanding of equality and operations with whole numbers.

BENCHMARK CODE	BENCHMARK
MA.4.AR.2.1	<p>Determine and explain whether an equation involving any of the four operations with whole numbers is true or false.</p> <p><u>Examples:</u> The equation $32 \div 8 = 32 - 8 - 8 - 8$ can be determined to be false because the expression on the left side of the equal sign is not equivalent to the expression on the right side of the equal sign.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Multiplication is limited to whole number factors within 12 and related division facts.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.AR.2.AP.1 Determine whether an equation (with no more than three terms) involving any of the four operations with whole numbers is true or false. Sums may not exceed 100 and their related subtraction facts. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.AR.2.AP.2 Given a real-world context, identify or generate an equation involving multiplication or division to determine the unknown product or quotient. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.AR.2.2	<p>Given a mathematical or real-world context, write an equation involving multiplication or division to determine the unknown whole number with the unknown in any position.</p> <p><u>Examples:</u> The equation $96 = 8x$ can be used to determine the cost of each movie ticket at the movie theatre if a total of \$96 was spent on 8 equally priced tickets. Then each ticket costs \$12.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction extends the development of algebraic thinking skills where the symbolic representation of the unknown uses a letter.</p> <p><i>Clarification 2:</i> Problems include the unknown on either side of the equal sign.</p> <p><i>Clarification 3:</i> Multiplication is limited to factors within 12 and related division facts.</p> <p style="text-align: center;">Related Access Point(s)</p>

	<p>MA.4.AR.2.AP.1 Determine whether an equation (with no more than three terms) involving any of the four operations with whole numbers is true or false. Sums may not exceed 100 and their related subtraction facts. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.AR.2.AP.2 Given a real-world context, identify or generate an equation involving multiplication or division to determine the unknown product or quotient. Multiplication may not exceed two-digit by one-digit and division must be related to one-digit by one-digit multiplication facts <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Recognize numerical patterns, including patterns that follow a given rule.

BENCHMARK CODE	BENCHMARK
<p>MA.4.AR.3.1</p>	<p>Determine factor pairs for a whole number from 0 to 144. Determine whether a whole number from 0 to 144 is prime, composite or neither.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to the relationship between multiplication and division and patterns with divisibility rules.</p> <p><i>Clarification 2:</i> The numbers 0 and 1 are neither prime nor composite.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.AR.3.AP.1 Explore factor pairs for a whole number. Factors may not exceed single-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.AR.3.AP.2 Generate a numerical pattern when given a starting term and a one-step addition rule (e.g., starting at the number 5 use the rule add 5 and generate the pattern). <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.4.AR.3.2</p>	<p>Generate, describe and extend a numerical pattern that follows a given rule.</p> <p><u>Examples:</u> Generate a pattern of four numbers that follows the rule of adding 14 starting at 5.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes patterns within a mathematical or real-world context.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.AR.3.AP.1 Explore factor pairs for a whole number. Factors may not exceed single-digit whole numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.AR.3.AP.2 Generate a numerical pattern when given a starting term and a one-step addition rule (e.g., starting at the number 5 use the rule add 5 and generate the pattern). <u>Date Adopted or Revised:</u> 07/21</p>

Strand: MEASUREMENT

Standard 1: Measure the length of objects and solve problems involving measurement.

BENCHMARK CODE	BENCHMARK
MA.4.M.1.1	<p>Select and use appropriate tools to measure attributes of objects.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Attributes include length, volume, weight, mass and temperature.</p> <p><i>Clarification 2:</i> Instruction includes digital measurements and scales that are not linear in appearance.</p> <p><i>Clarification 3:</i> When recording measurements, use fractions and decimals where appropriate.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.M.1.AP.1a Select and use appropriate tools to measure length (i.e., inches, feet, yards), liquid volume (i.e., gallons, quarts, pints, cups) and temperature (i.e., degrees Fahrenheit). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.M.1.AP.1b Explore selecting and using appropriate tools to measure weight (i.e., ounces, pounds). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.M.1.AP.2a Explore relative sizes of measurement units within one system of units including yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.M.1.AP.2b Using a conversion sheet, convert from a larger to a smaller unit within a single system of measurement using the units: yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes. Only whole number measurements may be used. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.M.1.2	<p>Convert within a single system of measurement using the units: yards, feet, inches; kilometers, meters, centimeters, millimeters; pounds, ounces; kilograms, grams; gallons, quarts, pints, cups; liter, milliliter; and hours, minutes, seconds.</p> <p><u>Examples:</u> <i>Example:</i> If a ribbon is 11 yards 2 feet in length, how long is the ribbon in feet?</p> <p><i>Example:</i> A gallon contains 16 cups. How many cups are in gallons?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the understanding of how to convert from smaller to larger units or from larger to smaller units.</p> <p><i>Clarification 2:</i> Within the benchmark, the expectation is not to convert from grams to kilograms, meters to kilometers or milliliters to liters.</p> <p><i>Clarification 3:</i> Problems involving fractions are limited to denominators of 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p>

	Related Access Point(s)
	<p>MA.4.M.1.AP.1a Select and use appropriate tools to measure length (i.e., inches, feet, yards), liquid volume (i.e., gallons, quarts, pints, cups) and temperature (i.e., degrees Fahrenheit). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.1.AP.1b Explore selecting and using appropriate tools to measure weight (i.e., ounces, pounds). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.1.AP.2a Explore relative sizes of measurement units within one system of units including yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.1.AP.2b Using a conversion sheet, convert from a larger to a smaller unit within a single system of measurement using the units: yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes. Only whole number measurements may be used. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Solve problems involving time and money.

BENCHMARK CODE	BENCHMARK
MA.4.M.2.1	<p>Solve two-step real-world problems involving distances and intervals of time using any combination of the four operations.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems involving fractions will include addition and subtraction with like denominators and multiplication of a fraction by a whole number or a whole number by a fraction. <i>Clarification 2:</i> Problems involving fractions are limited to denominators of 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100. <i>Clarification 3:</i> Within the benchmark, the expectation is not to use decimals.</p>
	<p>Related Access Point(s)</p>
	<p>MA.4.M.2.AP.1a Solve one- and two-step real-world problems involving distances (i.e., inches, feet, yards, miles) in whole numbers using any combination of the four operations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.2.AP.1b Solve one-step real-world problems involving intervals of time in whole numbers using any of the four operations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.2.AP.2 Solve one- and two-step addition and subtraction real-world problems involving money using decimal notation. Sums not to exceed \$0.99 and their related subtraction facts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.M.2.2	<p>Solve one- and two-step addition and subtraction real-world problems involving money using decimal notation.</p> <p><u>Examples:</u> <i>Example:</i> An item costs \$1.84. If you give the cashier \$2.00, how much change should you receive? What coins could be used to give the change?</p>

	<p><i>Example:</i> At the grocery store you spend \$14.56. If you do not want any pennies in change, how much money could you give the cashier?</p>
	Related Access Point(s)
	<p>MA.4.M.2.AP.1a Solve one- and two-step real-world problems involving distances (i.e., inches, feet, yards, miles) in whole numbers using any combination of the four operations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.2.AP.1b Solve one-step real-world problems involving intervals of time in whole numbers using any of the four operations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.M.2.AP.2 Solve one- and two-step addition and subtraction real-world problems involving money using decimal notation. Sums not to exceed \$0.99 and their related subtraction facts. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: FRACTIONS

Standard 1: Develop an understanding of the relationship between different fractions and the relationship between fractions and decimals.

BENCHMARK CODE	BENCHMARK
MA.4.FR.1.1	<p>Model and express a fraction, including mixed numbers and fractions greater than one, with the denominator 10 as an equivalent fraction with the denominator 100.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes conceptual understanding through the use of manipulatives, visual models, number lines or equations.</p>
	Related Access Point(s)
	<p>MA.4.FR.1.AP.1 Using a visual model, recognize fractions less than one, with the denominator 10 as an equivalent fraction with the denominator 100 (e.g., 2/10 is equivalent to 20/100). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.2 Use decimal notation to represent fractions less than one with denominators of 10 or 100 and use fractional notation with denominators of 10 or 100 to represent decimals less than one. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.3 Using a visual model, generate fractions less than a whole that are equivalent to fractions with denominators 2, 3, 4, 6, 8 or 10. Explore how the numerator and denominator are affected when the equivalent fraction is created. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4a Explore mixed numbers and fractions greater than one. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4b Using visual models, compare fractions less than one with different numerators and different denominators. Denominators limited to 2, 3, 4, 6, 8 or 10.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.1.2	<p>Use decimal notation to represent fractions with denominators of 10 or 100, including mixed numbers and fractions greater than 1, and use fractional notation with denominators of 10 or 100 to represent decimals.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes conceptual understanding through the use of manipulatives visual models, number lines or equations.</p> <p><i>Clarification 2:</i> Instruction includes the understanding that a decimal and fraction that are equivalent represent the same point on the number line and that fractions with denominators of 10 or powers of 10 may be called decimal fractions.</p>
	Related Access Point(s)
	<p>MA.4.FR.1.AP.1 Using a visual model, recognize fractions less than one, with the denominator 10 as an equivalent fraction with the denominator 100 (e.g., $\frac{2}{10}$ is equivalent to $\frac{20}{100}$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.2 Use decimal notation to represent fractions less than one with denominators of 10 or 100 and use fractional notation with denominators of 10 or 100 to represent decimals less than one.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.3 Using a visual model, generate fractions less than a whole that are equivalent to fractions with denominators 2, 3, 4, 6, 8 or 10. Explore how the numerator and denominator are affected when the equivalent fraction is created.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4a Explore mixed numbers and fractions greater than one.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4b Using visual models, compare fractions less than one with different numerators and different denominators. Denominators limited to 2, 3, 4, 6, 8 or 10.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.1.3	<p>Identify and generate equivalent fractions, including fractions greater than one. Describe how the numerator and denominator are affected when the equivalent fraction is created.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of manipulatives, visual models, number lines or equations.</p> <p><i>Clarification 2:</i> Instruction includes recognizing how the numerator and denominator are affected when equivalent fractions are generated.</p>
	Related Access Point(s)
	<p>MA.4.FR.1.AP.1 Using a visual model, recognize fractions less than one, with the denominator 10 as an equivalent fraction with the denominator 100 (e.g., $\frac{2}{10}$ is equivalent to $\frac{20}{100}$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.4.FR.1.AP.2 Use decimal notation to represent fractions less than one with denominators of 10 or 100 and use fractional notation with denominators of 10 or 100 to represent decimals less than one. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.3 Using a visual model, generate fractions less than a whole that are equivalent to fractions with denominators 2, 3, 4, 6, 8 or 10. Explore how the numerator and denominator are affected when the equivalent fraction is created. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4a Explore mixed numbers and fractions greater than one. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4b Using visual models, compare fractions less than one with different numerators and different denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.1.4	<p>Plot, order and compare fractions, including mixed numbers and fractions greater than one, with different numerators and different denominators.</p> <p><u>Examples:</u> because is greater than and is greater than .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When comparing fractions, instruction includes using an appropriately scaled number line and using reasoning about their size.</p> <p><i>Clarification 2:</i> Instruction includes using benchmark quantities, such as 0, , , and 1, to compare fractions.</p> <p><i>Clarification 3:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <p><i>Clarification 4:</i> Within this benchmark, the expectation is to use symbols (<, > or =).</p>
	Related Access Point(s)
	<p>MA.4.FR.1.AP.1 Using a visual model, recognize fractions less than one, with the denominator 10 as an equivalent fraction with the denominator 100 (e.g., 2/10 is equivalent to 20/100). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.2 Use decimal notation to represent fractions less than one with denominators of 10 or 100 and use fractional notation with denominators of 10 or 100 to represent decimals less than one. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.3 Using a visual model, generate fractions less than a whole that are equivalent to fractions with denominators 2, 3, 4, 6, 8 or 10. Explore how the numerator and denominator are affected when the equivalent fraction is created. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.1.AP.4a Explore mixed numbers and fractions greater than one. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.4.FR.1.AP.4b Using visual models, compare fractions less than one with different numerators and different denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21
--	--

Standard 2: Build a foundation of addition, subtraction and multiplication operations with fractions.

BENCHMARK CODE	BENCHMARK
MA.4.FR.2.1	<p>Decompose a fraction, including mixed numbers and fractions greater than one, into a sum of fractions with the same denominator in multiple ways. Demonstrate each decomposition with objects, drawings and equations.</p> <p><u>Examples:</u> can be decomposed as or as .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.FR.2.AP.1 Decompose a fraction less than one into a sum of unit fractions with the same denominator (e.g., $\frac{3}{4} = \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$). Denominators limited to 2, 3, 4, 6, 8 or 10. Demonstrate each decomposition with objects, drawings or equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.FR.2.AP.2 Explore adding and subtracting fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.FR.2.AP.3 Explore the addition of a fraction with denominator of 10 to a fraction with denominator of 100 using visual models to find equivalent fractions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.FR.2.AP.4 Explore the multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.2.2	<p>Add and subtract fractions with like denominators, including mixed numbers and fractions greater than one, with procedural reliability.</p> <p><u>Examples:</u> The difference can be expressed as 9 fifths minus 4 fifths which is 5 fifths, or one.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of word form, manipulatives, drawings, the properties of operations or number lines.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p> <p><i>Clarification 3:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.FR.2.AP.1 Decompose a fraction less than one into a sum of unit fractions with the same</p>

	<p>denominator (e.g., $\frac{3}{4} = \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$). Denominators limited to 2, 3, 4, 6, 8 or 10. Demonstrate each decomposition with objects, drawings or equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.2 Explore adding and subtracting fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.3 Explore the addition of a fraction with denominator of 10 to a fraction with denominator of 100 using visual models to find equivalent fractions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.4 Explore the multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.2.3	<p>Explore the addition of a fraction with denominator of 10 to a fraction with denominator of 100 using equivalent fractions.</p> <p><u>Examples:</u> is equivalent to which is equivalent to .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of visual models.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p>
	Related Access Point(s)
	<p>MA.4.FR.2.AP.1 Decompose a fraction less than one into a sum of unit fractions with the same denominator (e.g., $\frac{3}{4} = \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$). Denominators limited to 2, 3, 4, 6, 8 or 10. Demonstrate each decomposition with objects, drawings or equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.2 Explore adding and subtracting fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.3 Explore the addition of a fraction with denominator of 10 to a fraction with denominator of 100 using visual models to find equivalent fractions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.4 Explore the multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.FR.2.4	<p>Extend previous understanding of multiplication to explore the multiplication of a fraction by a whole number or a whole number by a fraction.</p> <p><u>Examples:</u> <i>Example:</i> Shanice thinks about finding the product by imagining having 8 pizzas that she wants to split equally with three of her friends. She and each of her friends will get 2 pizzas since .</p>

	<p><i>Example:</i> Lacey thinks about finding the product by imagining having 8 pizza boxes each with one-quarter slice of a pizza left. If she put them all together, she would have a total of 2 whole pizzas since which is equivalent to 2.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of visual models or number lines and the connection to the commutative property of multiplication. Refer to Properties of Operation, Equality and Inequality (Appendix D).</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p> <p><i>Clarification 3:</i> Fractions multiplied by a whole number are limited to less than 1. All denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16, 100.</p>
	Related Access Point(s)
	<p>MA.4.FR.2.AP.1 Decompose a fraction less than one into a sum of unit fractions with the same denominator (e.g., $\frac{3}{4} = \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$). Denominators limited to 2, 3, 4, 6, 8 or 10. Demonstrate each decomposition with objects, drawings or equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.2 Explore adding and subtracting fractions less than one with like denominators. Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.3 Explore the addition of a fraction with denominator of 10 to a fraction with denominator of 100 using visual models to find equivalent fractions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.4.FR.2.AP.4 Explore the multiplication of a unit fraction by a whole number (e.g., $3 \times \frac{1}{4}$, $2 \times ?$, $5 \times \frac{1}{2}$). Denominators limited to 2, 3, 4, 6, 8 or 10. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: GEOMETRIC REASONING	
Standard 1: Draw, classify and measure angles.	
BENCHMARK CODE	BENCHMARK
MA.4.GR.1.1	<p>Informally explore angles as an attribute of two-dimensional figures. Identify and classify angles as acute, right, obtuse, straight or reflex.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes classifying angles using benchmark angles of 90° and 180° in two-dimensional figures.</p> <p><i>Clarification 2:</i> When identifying angles, the expectation includes two-dimensional figures and real-world pictures.</p>
	Related Access Point(s)

	<p>MA.4.GR.1.AP.1 Informally explore angles as an attribute of two-dimensional figures. Limit angles to acute, obtuse and right. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.2 Using a tool with a square angle, identify angles as acute, right or obtuse and construct angles that are acute, right or obtuse. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.3 Recognize that angle measure is additive by exploring when an angle is decomposed into two non-overlapping parts the angle measure of the whole is the sum of the angle measures of the parts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.GR.1.2	<p>Estimate angle measures. Using a protractor, measure angles in whole-number degrees and draw angles of specified measure in whole-number degrees. Demonstrate that angle measure is additive.</p> <p><u>Clarifications:</u></p> <p><i>Clarification 1:</i> Instruction includes measuring given angles and drawing angles using protractors. <i>Clarification 2:</i> Instruction includes estimating angle measures using benchmark angles (30°, 45°, 60°, 90° and 180°). <i>Clarification 3:</i> Instruction focuses on the understanding that angles can be decomposed into non-overlapping angles whose measures sum to the measure of the original angle.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.GR.1.AP.1 Informally explore angles as an attribute of two-dimensional figures. Limit angles to acute, obtuse and right. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.2 Using a tool with a square angle, identify angles as acute, right or obtuse and construct angles that are acute, right or obtuse. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.3 Recognize that angle measure is additive by exploring when an angle is decomposed into two non-overlapping parts the angle measure of the whole is the sum of the angle measures of the parts. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.GR.1.3	<p>Solve real-world and mathematical problems involving unknown whole-number angle measures. Write an equation to represent the unknown.</p> <p><u>Examples:</u> A 60° angle is decomposed into two angles, one of which is 25°. What is the measure of the other angle?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to angle measure as being additive.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.GR.1.AP.1 Informally explore angles as an attribute of two-dimensional figures. Limit angles to acute, obtuse and right.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.2 Using a tool with a square angle, identify angles as acute, right or obtuse and construct angles that are acute, right or obtuse.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.1.AP.3 Recognize that angle measure is additive by exploring when an angle is decomposed into two non-overlapping parts the angle measure of the whole is the sum of the angle measures of the parts.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
--	---

Standard 2: Solve problems involving the perimeter and area of rectangles.

BENCHMARK CODE	BENCHMARK
MA.4.GR.2.1	<p>Solve perimeter and area mathematical and real-world problems, including problems with unknown sides, for rectangles with whole-number side lengths.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction extends the development of algebraic thinking where the symbolic representation of the unknown uses a letter.</p> <p><i>Clarification 2:</i> Problems involving multiplication are limited to products of up to 3 digits by 2 digits. Problems involving division are limited to up to 4 digits divided by 1 digit.</p> <p><i>Clarification 3:</i> Responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.GR.2.AP.1 Solve perimeter and area mathematical and real-world problems for rectangles with given whole-number side lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.4.GR.2.AP.2 Explore the relationship between perimeter and area using rectangles with the same perimeter and different areas or with the same area and different perimeters. <u>Date Adopted or Revised:</u> 07/21</p>
MA.4.GR.2.2	<p>Solve problems involving rectangles with the same perimeter and different areas or with the same area and different perimeters.</p> <p><u>Examples:</u> Possible dimensions of a rectangle with an area of 24 square feet include 6 feet by 4 feet or 8 feet by 3 feet. This can be found by cutting a rectangle into unit squares and rearranging them.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the conceptual understanding of the relationship between perimeter and area.</p> <p><i>Clarification 2:</i> Within this benchmark, rectangles are limited to having whole-number side lengths.</p> <p><i>Clarification 3:</i> Problems involving multiplication are limited to products of up to 3 digits by 2 digits. Problems involving division are limited to up to 4 digits divided by 1 digit.</p>

	<i>Clarification 4:</i> Responses include the appropriate units in word form.
	Related Access Point(s)
	MA.4.GR.2.AP.1 Solve perimeter and area mathematical and real-world problems for rectangles with given whole-number side lengths. <u>Date Adopted or Revised:</u> 07/21
	MA.4.GR.2.AP.2 Explore the relationship between perimeter and area using rectangles with the same perimeter and different areas or with the same area and different perimeters. <u>Date Adopted or Revised:</u> 07/21

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Collect, represent and interpret data and find the mode, median and range of a data set.

BENCHMARK CODE	BENCHMARK
MA.4.DP.1.1	Collect and represent numerical data, including fractional values, using tables, stem-and-leaf plots or line plots. <u>Examples:</u> A softball team is measuring their hat size. Each player measures the distance around their head to the nearest half inch. The data is collected and represented on a line plot. <u>Clarifications:</u> <i>Clarification 1:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.
	Related Access Point(s)
	MA.4.DP.1.AP.1 Sort and represent numerical data, including fractional values using tables or line plots (when given a scaled number line). Data set to include only whole numbers and halves. <u>Date Adopted or Revised:</u> 07/21
	MA.4.DP.1.AP.2 Determine the mode or range to interpret numerical data including fractional values, represented with tables or line plots. Data set to include only whole numbers and halves. Limit the greatest and least number in a data set to a whole number. <u>Date Adopted or Revised:</u> 07/21
	MA.4.DP.1.AP.3 Solve one-step real-world problems involving numerical data represented with tables or line plots. Data set to include only whole numbers and halves. Required operations to involve only the whole number data points in the data set. <u>Date Adopted or Revised:</u> 07/21
MA.4.DP.1.2	Determine the mode, median or range to interpret numerical data including fractional values, represented with tables, stem-and-leaf plots or line plots. <u>Examples:</u> Given the data of the softball team's hat size represented on a line plot, determine the most common size and the difference between the largest and the smallest sizes. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes interpreting data within a real-world context.

	<p><i>Clarification 2:</i> Instruction includes recognizing that data sets can have one mode, no mode or more than one mode.</p> <p><i>Clarification 3:</i> Within this benchmark, data sets are limited to an odd number when calculating the median.</p> <p><i>Clarification 4:</i> Denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.DP.1.AP.1 Sort and represent numerical data, including fractional values using tables or line plots (when given a scaled number line). Data set to include only whole numbers and halves. <u><i>Date Adopted or Revised:</i></u> 07/21</p> <p>MA.4.DP.1.AP.2 Determine the mode or range to interpret numerical data including fractional values, represented with tables or line plots. Data set to include only whole numbers and halves. Limit the greatest and least number in a data set to a whole number. <u><i>Date Adopted or Revised:</i></u> 07/21</p> <p>MA.4.DP.1.AP.3 Solve one-step real-world problems involving numerical data represented with tables or line plots. Data set to include only whole numbers and halves. Required operations to involve only the whole number data points in the data set. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
MA.4.DP.1.3	<p>Solve real-world problems involving numerical data.</p> <p><u><i>Examples:</i></u> Given the data of the softball team's hat size represented on a line plot, determine the fraction of the team that has a head size smaller than 20 inches.</p> <p><u><i>Clarifications:</i></u> <i>Clarification 1:</i> Instruction includes using any of the four operations to solve problems.</p> <p><i>Clarification 2:</i> Data involving fractions with like denominators are limited to 2, 3, 4, 5, 6, 8, 10, 12, 16 and 100. Fractions can be greater than one.</p> <p><i>Clarification 3:</i> Data involving decimals are limited to hundredths.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.4.DP.1.AP.1 Sort and represent numerical data, including fractional values using tables or line plots (when given a scaled number line). Data set to include only whole numbers and halves. <u><i>Date Adopted or Revised:</i></u> 07/21</p> <p>MA.4.DP.1.AP.2 Determine the mode or range to interpret numerical data including fractional values, represented with tables or line plots. Data set to include only whole numbers and halves. Limit the greatest and least number in a data set to a whole number. <u><i>Date Adopted or Revised:</i></u> 07/21</p> <p>MA.4.DP.1.AP.3 Solve one-step real-world problems involving numerical data represented with tables or line plots. Data set to include only whole numbers and halves. Required operations to involve only the whole number data points in the data set. <u><i>Date Adopted or Revised:</i></u> 07/21</p>

GRADE: 5

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Understand the place value of multi-digit numbers with decimals to the thousandths place.	
BENCHMARK CODE	BENCHMARK
MA.5.NSO.1.1	<p>Express how the value of a digit in a multi-digit number with decimals to the thousandths changes if the digit moves one or more places to the left or right.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.1.AP.1 Explore how the value of a digit in a multi-digit number with decimals to the hundredths changes if the digit moves one place to the left. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.2 Read and generate multi-digit numbers with decimals to the hundredths using standard form and expanded form. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.3 Compose and decompose multi-digit numbers with decimals to the hundredths. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.4 Plot, order and compare multi-digit numbers with decimals up to the hundredths. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.5 Round multi-digit numbers with decimals to the tenths to the nearest whole number (e.g., 1.7 rounds to 2); and numbers with decimals to the hundredths to the nearest tenth (e.g., 2.36 rounds to 2.4). Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p>
MA.5.NSO.1.2	<p>Read and write multi-digit numbers with decimals to the thousandths using standard form, word form and expanded form.</p> <p><i>Examples:</i> The number sixty-seven and three hundredths written in standard form is 67.03 and in expanded form is $60+7+0.03$ or .</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.1.AP.1 Explore how the value of a digit in a multi-digit number with decimals to the hundredths changes if the digit moves one place to the left. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.2 Read and generate multi-digit numbers with decimals to the hundredths using standard form and expanded form. Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.NSO.1.AP.3 Compose and decompose multi-digit numbers with decimals to the hundredths.</p>

	<p>Demonstrate each composition or decomposition with objects, drawings, expressions or equations. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.4 Plot, order and compare multi-digit numbers with decimals up to the hundredths. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.5 Round multi-digit numbers with decimals to the tenths to the nearest whole number (e.g., 1.7 rounds to 2); and numbers with decimals to the hundredths to the nearest tenth (e.g., 2.36 rounds to 2.4). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.1.3	<p>Compose and decompose multi-digit numbers with decimals to the thousandths in multiple ways using the values of the digits in each place. Demonstrate the compositions or decompositions using objects, drawings and expressions or equations.</p> <p><u>Examples:</u> The number 20.107 can be expressed as 2 tens + 1 tenth+7 thousandths or as 20 ones + 107 thousandths.</p> <p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.5.NSO.1.AP.1 Explore how the value of a digit in a multi-digit number with decimals to the hundredths changes if the digit moves one place to the left. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.2 Read and generate multi-digit numbers with decimals to the hundredths using standard form and expanded form. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.3 Compose and decompose multi-digit numbers with decimals to the hundredths. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.4 Plot, order and compare multi-digit numbers with decimals up to the hundredths. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.NSO.1.AP.5 Round multi-digit numbers with decimals to the tenths to the nearest whole number (e.g., 1.7 rounds to 2); and numbers with decimals to the hundredths to the nearest tenth (e.g., 2.36 rounds to 2.4). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.1.4	<p>Plot, order and compare multi-digit numbers with decimals up to the thousandths.</p> <p><u>Examples:</u> <u>Example:</u> The numbers 4.891; 4.918 and 4.198 can be arranged in ascending order as 4.198; 4.891 and 4.918.</p> <p><u>Example:</u> $0.15 < 0.2$ because fifteen hundredths is less than twenty hundredths, which is the same as two tenths.</p>

	<p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> When comparing numbers, instruction includes using an appropriately scaled number line and using place values of digits.</p> <p><i>Clarification 2:</i> Scaled number lines must be provided and can be a representation of any range of numbers.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is to use symbols (<, > or =).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.1.AP.1 Explore how the value of a digit in a multi-digit number with decimals to the hundredths changes if the digit moves one place to the left. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.2 Read and generate multi-digit numbers with decimals to the hundredths using standard form and expanded form. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.3 Compose and decompose multi-digit numbers with decimals to the hundredths. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.4 Plot, order and compare multi-digit numbers with decimals up to the hundredths. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.5 Round multi-digit numbers with decimals to the tenths to the nearest whole number (e.g., 1.7 rounds to 2); and numbers with decimals to the hundredths to the nearest tenth (e.g., 2.36 rounds to 2.4). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.1.5	<p>Round multi-digit numbers with decimals to the thousandths to the nearest hundredth, tenth or whole number.</p> <p><i>Examples:</i> The number 18.507 rounded to the nearest tenth is 18.5 and to the nearest hundredth is 18.51.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.1.AP.1 Explore how the value of a digit in a multi-digit number with decimals to the hundredths changes if the digit moves one place to the left. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.2 Read and generate multi-digit numbers with decimals to the hundredths using standard form and expanded form. Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.3 Compose and decompose multi-digit numbers with decimals to the hundredths. Demonstrate each composition or decomposition with objects, drawings, expressions or equations. Multi-digit numbers not to exceed 9.99.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.4 Plot, order and compare multi-digit numbers with decimals up to the hundredths. Multi-digit numbers not to exceed 9.99.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.1.AP.5 Round multi-digit numbers with decimals to the tenths to the nearest whole number (e.g., 1.7 rounds to 2); and numbers with decimals to the hundredths to the nearest tenth (e.g., 2.36 rounds to 2.4). Multi-digit numbers not to exceed 9.99.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
--	--

Standard 2: Add, subtract, multiply and divide multi-digit numbers.

BENCHMARK CODE	BENCHMARK
MA.5.NSO.2.1	<p>Multiply multi-digit whole numbers including using a standard algorithm with procedural fluency.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.2.AP.1 Explore multiplication of two whole numbers, up to two digits by two digits. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.2 Apply a strategy to divide two whole numbers up to two digits by one digit, including the possibility of whole number remainders. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.3 Apply a strategy to add and subtract multi-digit numbers with decimals to the tenths (e.g., $3.3 + 0.5$) and hundredths (e.g., $1.25 - 0.12$). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.4 Explore the estimation of products and quotients of two multi-digit numbers with decimals to the tenths (e.g., 8.9×2.3 becomes 9×2 by rounding both factors to the nearest whole number). Multi-digit numbers not to exceed 9.9. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.5 Explore multiplying and dividing single-digit whole numbers by one-tenth and one-hundredth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.2.2	<p>Divide multi-digit whole numbers, up to five digits by two digits, including using a standard algorithm with procedural fluency. Represent remainders as fractions.</p> <p><u>Examples:</u> The quotient $27 \div 7$ is 3 with remainder 6 which can be expressed as .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to use simplest form for fractions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.2.AP.1 Explore multiplication of two whole numbers, up to two digits by two digits. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.5.NSO.2.AP.2 Apply a strategy to divide two whole numbers up to two digits by one digit, including the possibility of whole number remainders. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.3 Apply a strategy to add and subtract multi-digit numbers with decimals to the tenths (e.g., $3.3 + 0.5$) and hundredths (e.g., $1.25 - 0.12$). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.4 Explore the estimation of products and quotients of two multi-digit numbers with decimals to the tenths (e.g., 8.9×2.3 becomes 9×2 by rounding both factors to the nearest whole number). Multi-digit numbers not to exceed 9.9. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.5 Explore multiplying and dividing single-digit whole numbers by one-tenth and one-hundredth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.2.3	<p>Add and subtract multi-digit numbers with decimals to the thousandths, including using a standard algorithm with procedural fluency.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.NSO.2.AP.1 Explore multiplication of two whole numbers, up to two digits by two digits. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.2 Apply a strategy to divide two whole numbers up to two digits by one digit, including the possibility of whole number remainders. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.3 Apply a strategy to add and subtract multi-digit numbers with decimals to the tenths (e.g., $3.3 + 0.5$) and hundredths (e.g., $1.25 - 0.12$). Multi-digit numbers not to exceed 9.99. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.4 Explore the estimation of products and quotients of two multi-digit numbers with decimals to the tenths (e.g., 8.9×2.3 becomes 9×2 by rounding both factors to the nearest whole number). Multi-digit numbers not to exceed 9.9. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.NSO.2.AP.5 Explore multiplying and dividing single-digit whole numbers by one-tenth and one-hundredth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.NSO.2.4	<p>Explore the multiplication and division of multi-digit numbers with decimals to the hundredths using estimation, rounding and place value.</p> <p><u>Examples:</u> The quotient of 23 and 0.42 can be estimated as a little bigger than 46 because 0.42 is less than one-half and 23 times 2 is 46.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Estimating quotients builds the foundation for division using a standard algorithm.</p>

	<p><i>Clarification 2:</i> Instruction includes the use of models based on place value and the properties of operations.</p>
	Related Access Point(s)
	<p>MA.5.NSO.2.AP.1 Explore multiplication of two whole numbers, up to two digits by two digits. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.2 Apply a strategy to divide two whole numbers up to two digits by one digit, including the possibility of whole number remainders. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.3 Apply a strategy to add and subtract multi-digit numbers with decimals to the tenths (e.g., $3.3 + 0.5$) and hundredths (e.g., $1.25 - 0.12$). Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.4 Explore the estimation of products and quotients of two multi-digit numbers with decimals to the tenths (e.g., 8.9×2.3 becomes 9×2 by rounding both factors to the nearest whole number). Multi-digit numbers not to exceed 9.9. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.5 Explore multiplying and dividing single-digit whole numbers by one-tenth and one-hundredth. <i>Date Adopted or Revised:</i> 07/21</p>
MA.5.NSO.2.5	<p>Multiply and divide a multi-digit number with decimals to the tenths by one-tenth and one-hundredth with procedural reliability.</p> <p><i>Examples:</i> The number 12.3 divided by 0.01 can be thought of as $? \times 0.01 = 12.3$ to determine the quotient is 1,230.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the place value of the digit when multiplying or dividing.</p>
	Related Access Point(s)
	<p>MA.5.NSO.2.AP.1 Explore multiplication of two whole numbers, up to two digits by two digits. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.2 Apply a strategy to divide two whole numbers up to two digits by one digit, including the possibility of whole number remainders. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.3 Apply a strategy to add and subtract multi-digit numbers with decimals to the tenths (e.g., $3.3 + 0.5$) and hundredths (e.g., $1.25 - 0.12$). Multi-digit numbers not to exceed 9.99. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.NSO.2.AP.4 Explore the estimation of products and quotients of two multi-digit numbers with decimals to the tenths (e.g., 8.9×2.3 becomes 9×2 by rounding both factors to the</p>

	nearest whole number). Multi-digit numbers not to exceed 9.9. <i>Date Adopted or Revised:</i> 07/21
	MA.5.NSO.2.AP.5 Explore multiplying and dividing single-digit whole numbers by one-tenth and one-hundredth. <i>Date Adopted or Revised:</i> 07/21

Strand: ALGEBRAIC REASONING

Standard 1: Solve problems involving the four operations with whole numbers and fractions.

BENCHMARK CODE	BENCHMARK
MA.5.AR.1.1	<p>Solve multi-step real-world problems involving any combination of the four operations with whole numbers, including problems in which remainders must be interpreted within the context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Depending on the context, the solution of a division problem with a remainder may be the whole number part of the quotient, the whole number part of the quotient with the remainder, the whole number part of the quotient plus 1, or the remainder.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.AR.1.AP.1 Solve one- and two-step real-world problems involving any combination of the four operations with whole numbers. Explore problems in which remainders must be interpreted within the context. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.1.AP.2a Solve one-step real-world problems involving addition and subtraction of mixed numbers and fractions greater than one with like denominators. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.1.AP.2b Solve one-step real-world problems involving multiplication of unit fractions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.1.AP.3 Solve one-step real-world problems involving division of a whole number by a unit fraction. <i>Date Adopted or Revised:</i> 07/21</p>
MA.5.AR.1.2	<p>Solve real-world problems involving the addition, subtraction or multiplication of fractions, including mixed numbers and fractions greater than 1.</p> <p><i>Examples:</i> Shanice had a sleepover and her mom is making French toast in the morning. If her mom had loaves of bread and used loaves for the French toast, how much bread does she have left?</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the use of visual models and equations to represent the problem.</p>

	Related Access Point(s)
	<p>MA.5.AR.1.AP.1 Solve one- and two-step real-world problems involving any combination of the four operations with whole numbers. Explore problems in which remainders must be interpreted within the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.2a Solve one-step real-world problems involving addition and subtraction of mixed numbers and fractions greater than one with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.2b Solve one-step real-world problems involving multiplication of unit fractions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.3 Solve one-step real-world problems involving division of a whole number by a unit fraction. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.AR.1.3	<p>Solve real-world problems involving division of a unit fraction by a whole number and a whole number by a unit fraction.</p> <p><u>Examples:</u> <i>Example:</i> A property has a total of acre and needs to be divided equally among 3 sisters. Each sister will receive of an acre.</p> <p><i>Example:</i> Kiki has 10 candy bars and plans to give of a candy bar to her classmates at school. How many classmates will receive a piece of a candy bar?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of visual models and equations to represent the problem.</p>
	Related Access Point(s)
	<p>MA.5.AR.1.AP.1 Solve one- and two-step real-world problems involving any combination of the four operations with whole numbers. Explore problems in which remainders must be interpreted within the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.2a Solve one-step real-world problems involving addition and subtraction of mixed numbers and fractions greater than one with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.2b Solve one-step real-world problems involving multiplication of unit fractions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.1.AP.3 Solve one-step real-world problems involving division of a whole number by a unit fraction. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Demonstrate an understanding of equality, the order of operations and equivalent numerical expressions.

BENCHMARK CODE	BENCHMARK
<p>MA.5.AR.2.1</p>	<p>Translate written real-world and mathematical descriptions into numerical expressions and numerical expressions into written mathematical descriptions.</p> <p><i>Examples:</i> The expression $4.5 + (3 \times 2)$ in word form is four and five tenths plus the quantity 3 times 2.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Expressions are limited to any combination of the arithmetic operations, including parentheses, with whole numbers, decimals and fractions.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to include exponents or nested grouping symbols.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.AR.2.AP.1 Translate mathematical descriptions (e.g., five plus two; the product of three and four) into numerical expressions with two terms. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.2.AP.2 Evaluate an expression containing three terms and one set of parentheses. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.2.AP.3 Determine whether an equation (with no more than four terms and up to one set of parentheses) involving any of the four operations with whole numbers is true or false. Limit addition and subtraction to within 100 and limit multiplication and division to the products of two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.5.AR.2.AP.4 Given a mathematical or real-world context, generate an equation involving any of the four operations to determine the unknown sum, difference, product or quotient. Sums may not exceed 100 and their related subtraction facts. Multiplication and division may not exceed two digit by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
<p>MA.5.AR.2.2</p>	<p>Evaluate multi-step numerical expressions using order of operations.</p> <p><i>Examples:</i> Patti says the expression $12 \div 2 \times 3$ is equivalent to 18 because she works each operation from left to right. Gladys says the expression $12 \div 2 \times 3$ is equivalent to 2 because first multiplies 2×3 then divides 6 into 12. David says that Patti is correctly using order of operations and suggests that if parentheses were added, it would give more clarity.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Multi-step expressions are limited to any combination of arithmetic operations, including parentheses, with whole numbers, decimals and fractions.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is not to include exponents or nested grouping symbols.</p>

	<p><i>Clarification 3:</i> Decimals are limited to hundredths. Expressions cannot include division of a fraction by a fraction.</p>
	Related Access Point(s)
	<p>MA.5.AR.2.AP.1 Translate mathematical descriptions (e.g., five plus two; the product of three and four) into numerical expressions with two terms. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.2 Evaluate an expression containing three terms and one set of parentheses. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.3 Determine whether an equation (with no more than four terms and up to one set of parentheses) involving any of the four operations with whole numbers is true or false. Limit addition and subtraction to within 100 and limit multiplication and division to the products of two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.4 Given a mathematical or real-world context, generate an equation involving any of the four operations to determine the unknown sum, difference, product or quotient. Sums may not exceed 100 and their related subtraction facts. Multiplication and division may not exceed two digit by one digit. <i>Date Adopted or Revised:</i> 07/21</p>
MA.5.AR.2.3	<p>Determine and explain whether an equation involving any of the four operations is true or false.</p> <p><i>Examples:</i> The equation $2.5+(6\times 2)=16-1.5$ can be determined to be true because the expression on both sides of the equal sign are equivalent to 14.5.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Problem types include equations that include parenthesis but not nested parentheses.</p> <p><i>Clarification 2:</i> Instruction focuses on the connection between properties of equality and order of operations.</p>
	Related Access Point(s)
	<p>MA.5.AR.2.AP.1 Translate mathematical descriptions (e.g., five plus two; the product of three and four) into numerical expressions with two terms. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.2 Evaluate an expression containing three terms and one set of parentheses. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.3 Determine whether an equation (with no more than four terms and up to one set of parentheses) involving any of the four operations with whole numbers is true or false. Limit addition and subtraction to within 100 and limit multiplication and division to the products of two single-digit whole numbers and their related division facts. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.AR.2.AP.4 Given a mathematical or real-world context, generate an equation involving any of the</p>

	<p>four operations to determine the unknown sum, difference, product or quotient. Sums may not exceed 100 and their related subtraction facts. Multiplication and division may not exceed two digit by one digit.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.5.AR.2.4	<p>Given a mathematical or real-world context, write an equation involving any of the four operations to determine the unknown whole number with the unknown in any position.</p> <p><u>Examples:</u> The equation $250-(5 \times s)=15$ can be used to represent that 5 sheets of paper are given to s students from a pack of paper containing 250 sheets with 15 sheets left over.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction extends the development of algebraic thinking where the unknown letter is recognized as a variable.</p> <p><i>Clarification 2:</i> Problems include the unknown and different operations on either side of the equal sign</p>
Related Access Point(s)	
	<p>MA.5.AR.2.AP.1 Translate mathematical descriptions (e.g., five plus two; the product of three and four) into numerical expressions with two terms.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.2.AP.2 Evaluate an expression containing three terms and one set of parentheses.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.2.AP.3 Determine whether an equation (with no more than four terms and up to one set of parentheses) involving any of the four operations with whole numbers is true or false. Limit addition and subtraction to within 100 and limit multiplication and division to the products of two single-digit whole numbers and their related division facts.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.AR.2.AP.4 Given a mathematical or real-world context, generate an equation involving any of the four operations to determine the unknown sum, difference, product or quotient. Sums may not exceed 100 and their related subtraction facts. Multiplication and division may not exceed two digit by one digit.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Analyze patterns and relationships between inputs and outputs.

BENCHMARK CODE	BENCHMARK
MA.5.AR.3.1	<p>Given a numerical pattern, identify and write a rule that can describe the pattern as an expression.</p> <p><u>Examples:</u> The given pattern 6,8,10,12... can be describe using the expression $4+2x$, where $x=1,2,3,4,\dots$; the expression $6+2x$, where $x=0,1,2,3,\dots$ or the expression $2x$, where $x=3,4,5,6,\dots$</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Rules are limited to one or two operations using whole numbers.</p>
Related Access Point(s)	

	<p>MA.5.AR.3.AP.1 Given a numerical pattern, identify a one-step rule that can describe the pattern. <u>Date Adopted or Revised:</u> 07/21</p>										
	<p>MA.5.AR.3.AP.2 Given the inputs and a one-step addition or subtraction rule for a numerical pattern, use a two-column table to record the outputs. <u>Date Adopted or Revised:</u> 07/21</p>										
MA.5.AR.3.2	<p>Given a rule for a numerical pattern, use a two-column table to record the inputs and outputs.</p> <p><u>Examples:</u></p> <p>The expression $6+2x$, where x represents any whole number, can be represented in a two-column table as shown below.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Input (X)</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>Output</td> <td>6</td> <td>8</td> <td>10</td> <td>12</td> </tr> </table> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction builds a foundation for proportional and linear relationships in later grades. <i>Clarification 2:</i> Rules are limited to one or two operations using whole numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.AR.3.AP.1 Given a numerical pattern, identify a one-step rule that can describe the pattern. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.AR.3.AP.2 Given the inputs and a one-step addition or subtraction rule for a numerical pattern, use a two-column table to record the outputs. <u>Date Adopted or Revised:</u> 07/21</p>	Input (X)	0	1	2	3	Output	6	8	10	12
Input (X)	0	1	2	3							
Output	6	8	10	12							

Strand: MEASUREMENT	
Standard 1: Convert measurement units to solve multi-step problems.	
BENCHMARK CODE	BENCHMARK
MA.5.M.1.1	<p>Solve multi-step real-world problems that involve converting measurement units to equivalent measurements within a single system of measurement.</p> <p><u>Examples:</u> There are 60 minutes in 1 hour, 24 hours in 1 day and 7 days in 1 week. So, there are $60 \times 24 \times 7$ minutes in one week which is equivalent to 10,080 minutes.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the benchmark, the expectation is not to memorize the conversions.</p>

	<p><i>Clarification 2:</i> Conversions include length, time, volume and capacity represented as whole numbers, fractions and decimals.</p>
	Related Access Point(s)
	<p>MA.5.M.1.AP.1a Using a conversion sheet, convert within a single system of measurement using the units: miles, yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes. Only whole number measurements may be used. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.M.1.AP.1b Using a conversion sheet, solve one-and two-step real-world problems that involve converting measurement units (i.e., miles, yards, feet, inches; pounds, ounces; gallons, quarts, pints, cups; and hours, minutes) to equivalent measurements within a single system of measurement. Only whole number measurements may be used. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 2: Solve problems involving money.	
BENCHMARK CODE	BENCHMARK
MA.5.M.2.1	<p>Solve multi-step real-world problems involving money using decimal notation.</p> <p><i>Examples:</i> Don is at the store and wants to buy soda. Which option would be cheaper: buying one 24-ounce can of soda for \$1.39 or buying two 12-ounce cans of soda for 69¢ each?</p>
	Related Access Point(s)
	<p>MA.5.M.2.AP.1 Solve one- and two-step addition and subtraction real-world problems involving money using decimal notation with all terms less than \$20.00 (e.g., $\\$11.74 + \\5.31, $\\$10.99 - \\3.26). <i>Date Adopted or Revised:</i> 07/21</p>

Strand: FRACTIONS	
Standard 1: Interpret a fraction as an answer to a division problem.	
BENCHMARK CODE	BENCHMARK
MA.5.FR.1.1	<p>Given a mathematical or real-world problem, represent the division of two whole numbers as a fraction.</p> <p><i>Examples:</i> At Shawn's birthday party, a two-gallon container of lemonade is shared equally among 20 friends. Each friend will have a gallon of lemonade which is equivalent to one-tenth of a gallon which is a little more than 12 ounces.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes making a connection between fractions and division by understanding that fractions can also represent division of a numerator by a denominator. <i>Clarification 2:</i> Within this benchmark, the expectation is not to simplify or use lowest terms.</p>

	<p><i>Clarification 3:</i> Fractions can include fractions greater than one.</p>
	Related Access Point(s)
	<p>MA.5.FR.1.AP.1 Explore the connection between fractions and division in a real-world problem. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Perform operations with fractions.

BENCHMARK CODE	BENCHMARK
MA.5.FR.2.1	<p>Add and subtract fractions with unlike denominators, including mixed numbers and fractions greater than 1, with procedural reliability.</p> <p><u>Examples:</u> The sum of and can be determined as ,, or by using different common denominators or equivalent fractions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of estimation, manipulatives, drawings or the properties of operations.</p> <p><i>Clarification 2:</i> Instruction builds on the understanding from previous grades of factors up to 12 and their multiples.</p>
	Related Access Point(s)
	<p>MA.5.FR.2.AP.1a Explore adding and subtracting mixed numbers and fractions greater than 1 with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.FR.2.AP.1b Explore adding and subtracting fractions less than one with unlike denominators where one denominator is a multiple of the other (e.g., $\frac{1}{2} + \frac{3}{4}$, ? - ?). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.FR.2.AP.2 Explore multiplying a unit fraction by a unit fraction. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.FR.2.AP.3 Explore the impact on the size of the product when multiplying a given number by a fraction less than 1 or by a whole number. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.FR.2.AP.4 Explore the division of a one-digit whole number by a unit fraction. Denominators are limited to 2, 3 or 4. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.FR.2.2	<p>Extend previous understanding of multiplication to multiply a fraction by a fraction, including mixed numbers and fractions greater than 1, with procedural reliability.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of manipulatives, drawings or the properties of operations.</p>

	<p><i>Clarification 2:</i> Denominators limited to whole numbers up to 20.</p>
	Related Access Point(s)
	<p>MA.5.FR.2.AP.1a Explore adding and subtracting mixed numbers and fractions greater than 1 with like denominators. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.1b Explore adding and subtracting fractions less than one with unlike denominators where one denominator is a multiple of the other (e.g., $\frac{1}{2} + \frac{3}{4}$, $? - ?$). <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.2 Explore multiplying a unit fraction by a unit fraction. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.3 Explore the impact on the size of the product when multiplying a given number by a fraction less than 1 or by a whole number. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.4 Explore the division of a one-digit whole number by a unit fraction. Denominators are limited to 2, 3 or 4. <i>Date Adopted or Revised:</i> 07/21</p>
MA.5.FR.2.3	<p>When multiplying a given number by a fraction less than 1 or a fraction greater than 1, predict and explain the relative size of the product to the given number without calculating.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection to decimals, estimation and assessing the reasonableness of an answer.</p>
	Related Access Point(s)
	<p>MA.5.FR.2.AP.1a Explore adding and subtracting mixed numbers and fractions greater than 1 with like denominators. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.1b Explore adding and subtracting fractions less than one with unlike denominators where one denominator is a multiple of the other (e.g., $\frac{1}{2} + \frac{3}{4}$, $? - ?$). <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.2 Explore multiplying a unit fraction by a unit fraction. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.3 Explore the impact on the size of the product when multiplying a given number by a fraction less than 1 or by a whole number. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.5.FR.2.AP.4 Explore the division of a one-digit whole number by a unit fraction. Denominators are limited to 2, 3 or 4. <i>Date Adopted or Revised:</i> 07/21</p>

MA.5.FR.2.4	<p>Extend previous understanding of division to explore the division of a unit fraction by a whole number and a whole number by a unit fraction.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of manipulatives, drawings or the properties of operations.</p> <p><i>Clarification 2:</i> Refer to Situations Involving Operations with Numbers (Appendix A).</p>
Related Access Point(s)	
<p>MA.5.FR.2.AP.1a Explore adding and subtracting mixed numbers and fractions greater than 1 with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.5.FR.2.AP.1b Explore adding and subtracting fractions less than one with unlike denominators where one denominator is a multiple of the other (e.g., $\frac{1}{2} + \frac{3}{4}$, $? - ?$). <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.5.FR.2.AP.2 Explore multiplying a unit fraction by a unit fraction. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.5.FR.2.AP.3 Explore the impact on the size of the product when multiplying a given number by a fraction less than 1 or by a whole number. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.5.FR.2.AP.4 Explore the division of a one-digit whole number by a unit fraction. Denominators are limited to 2, 3 or 4. <u>Date Adopted or Revised:</u> 07/21</p>	

Strand: GEOMETRIC REASONING

Standard 1: Classify two-dimensional figures and three-dimensional figures based on defining attributes.

BENCHMARK CODE	BENCHMARK
MA.5.GR.1.1	<p>Classify triangles or quadrilaterals into different categories based on shared defining attributes. Explain why a triangle or quadrilateral would or would not belong to a category.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Triangles include scalene, isosceles, equilateral, acute, obtuse and right; quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids.</p>
Related Access Point(s)	
<p>MA.5.GR.1.AP.1a Sort triangles into different categories based on the size of their angles. Triangles include acute, obtuse and right. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.5.GR.1.AP.1b Sort quadrilaterals into different categories based on shared defining attributes. Explore why a quadrilateral would or would not belong to a category. Quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids.</p>	

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.1.AP.2</p> <p>Identify and sort three-dimensional figures into categories based on their defining attributes. Figures are limited to right rectangular pyramids, right rectangular prisms, right circular cylinders, right circular cones and spheres.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.5.GR.1.2	<p>Identify and classify three-dimensional figures into categories based on their defining attributes. Figures are limited to right pyramids, right prisms, right circular cylinders, right circular cones and spheres.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Defining attributes include the number and shape of faces, number and shape of bases, whether or not there is an apex, curved or straight edges and curved or flat faces.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.GR.1.AP.1a</p> <p>Sort triangles into different categories based on the size of their angles. Triangles include acute, obtuse and right.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.1.AP.1b</p> <p>Sort quadrilaterals into different categories based on shared defining attributes. Explore why a quadrilateral would or would not belong to a category. Quadrilaterals include parallelograms, rhombi, rectangles, squares and trapezoids.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.1.AP.2</p> <p>Identify and sort three-dimensional figures into categories based on their defining attributes. Figures are limited to right rectangular pyramids, right rectangular prisms, right circular cylinders, right circular cones and spheres.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Find the perimeter and area of rectangles with fractional or decimal side lengths.

BENCHMARK CODE	BENCHMARK
MA.5.GR.2.1	<p>Find the perimeter and area of a rectangle with fractional or decimal side lengths using visual models and formulas.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes finding the area of a rectangle with fractional side lengths by tiling it with squares having unit fraction side lengths and showing that the area is the same as would be found by multiplying the side lengths.</p> <p><i>Clarification 2:</i> Responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.GR.2.AP.1</p> <p>Find the perimeter and area of a rectangle with decimal side lengths using a visual model and calculator.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Solve problems involving the volume of right rectangular prisms.

BENCHMARK CODE	BENCHMARK
----------------	-----------

<p>MA.5.GR.3.1</p>	<p>Explore volume as an attribute of three-dimensional figures by packing them with unit cubes without gaps. Find the volume of a right rectangular prism with whole-number side lengths by counting unit cubes.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction emphasizes the conceptual understanding that volume is an attribute that can be measured for a three-dimensional figure. The measurement unit for volume is the volume of a unit cube, which is a cube with edge length of 1 unit.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.GR.3.AP.1 Explore volume as an attribute of three-dimensional figures that can be measured by packing them with unit cubes without gaps. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.3.AP.2 Find the volume of a right rectangular prism with whole-number side lengths by counting unit cubes. Explore that the volume is the same as what would be found by multiplying the edge lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.3.AP.3 Solve real-world problems involving the volume of right rectangular prisms with given whole-number edge lengths using a visual model or formula. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.5.GR.3.2</p>	<p>Find the volume of a right rectangular prism with whole-number side lengths using a visual model and a formula.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes finding the volume of right rectangular prisms by packing the figure with unit cubes, using a visual model or applying a multiplication formula.</p> <p><i>Clarification 2:</i> Right rectangular prisms cannot exceed two-digit edge lengths and responses include the appropriate units in word form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.GR.3.AP.1 Explore volume as an attribute of three-dimensional figures that can be measured by packing them with unit cubes without gaps. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.3.AP.2 Find the volume of a right rectangular prism with whole-number side lengths by counting unit cubes. Explore that the volume is the same as what would be found by multiplying the edge lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.3.AP.3 Solve real-world problems involving the volume of right rectangular prisms with given whole-number edge lengths using a visual model or formula. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.5.GR.3.3</p>	<p>Solve real-world problems involving the volume of right rectangular prisms, including problems with an unknown edge length, with whole-number edge lengths using a visual model or a formula. Write an equation with a variable for the unknown to represent the problem.</p> <p><u>Examples:</u> A hydroponic box, which is a rectangular prism, is used to grow a garden in wastewater</p>

	<p>rather than soil. It has a base of 2 feet by 3 feet. If the volume of the box is 12 cubic feet, what would be the depth of the box?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction progresses from right rectangular prisms to composite figures composed of right rectangular prisms.</p> <p><i>Clarification 2:</i> When finding the volume of composite figures composed of right rectangular prisms, recognize volume as additive by adding the volume of non-overlapping parts.</p> <p><i>Clarification 3:</i> Responses include the appropriate units in word form.</p>
	Related Access Point(s)
	<p>MA.5.GR.3.AP.1 Explore volume as an attribute of three-dimensional figures that can be measured by packing them with unit cubes without gaps. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.GR.3.AP.2 Find the volume of a right rectangular prism with whole-number side lengths by counting unit cubes. Explore that the volume is the same as what would be found by multiplying the edge lengths. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.GR.3.AP.3 Solve real-world problems involving the volume of right rectangular prisms with given whole-number edge lengths using a visual model or formula. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 4: Plot points and represent problems on the coordinate plane	
BENCHMARK CODE	BENCHMARK
MA.5.GR.4.1	<p>Identify the origin and axes in the coordinate system. Plot and label ordered pairs in the first quadrant of the coordinate plane.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection between two-column tables and coordinates on a coordinate plane.</p> <p><i>Clarification 2:</i> Instruction focuses on the connection of the number line to the x- and y-axis.</p> <p><i>Clarification 3:</i> Coordinate planes include axes scaled by whole numbers. Ordered pairs contain only whole numbers.</p>
	Related Access Point(s)
	<p>MA.5.GR.4.AP.1 Explore the first quadrant of the coordinate plane including the origin, axes and points located by using ordered pairs. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.GR.4.AP.2 Plot and label ordered pairs in the first quadrant of the coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>

MA.5.GR.4.2	<p>Represent mathematical and real-world problems by plotting points in the first quadrant of the coordinate plane and interpret coordinate values of points in the context of the situation.</p> <p><u>Examples:</u> For Kevin's science fair project, he is growing plants with different soils. He plotted the point (5,7) for one of his plants to indicate that the plant grew 7 inches by the end of week 5.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Coordinate planes include axes scaled by whole numbers. Ordered pairs contain only whole numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.GR.4.AP.1 Explore the first quadrant of the coordinate plane including the origin, axes and points located by using ordered pairs. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.GR.4.AP.2 Plot and label ordered pairs in the first quadrant of the coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
-------------	---

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Collect, represent and interpret data and find the mean, mode, median or range of a data set.

BENCHMARK CODE	BENCHMARK
MA.5.DP.1.1	<p>Collect and represent numerical data, including fractional and decimal values, using tables, line graphs or line plots.</p> <p><u>Examples:</u> Gloria is keeping track of her money every week. She starts with \$10.00, after one week she has \$7.50, after two weeks she has \$12.00 and after three weeks she has \$6.25. Represent the amount of money she has using a line graph.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is for an estimation of fractional and decimal heights on line graphs.</p> <p><i>Clarification 2:</i> Decimal values are limited to hundredths. Denominators are limited to 1, 2, 3 and 4. Fractions can be greater than one.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.5.DP.1.AP.1 Sort and represent numerical data, including fractional values using tables or line plots (when given a scaled number line). Data set to include only whole numbers, halves and quarters. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.5.DP.1.AP.2 Interpret numerical data, with whole-number values, represented with tables or line plots by determining the mean, mode or range. Line plot scales to include only whole numbers, halves and quarters. <u>Date Adopted or Revised:</u> 07/21</p>
MA.5.DP.1.2	Interpret numerical data, with whole-number values, represented with tables or line plots by determining the mean, mode, median or range.

	<p><u>Examples:</u> Rain was collected and measured daily to the nearest inch for the past week. The recorded amounts are 1,0,3,1,0,0 and 1. The range is 3 inches, the modes are 0 and 1 inches and the mean value can be determined as which is equivalent to of an inch. This mean would be the same if it rained of an inch each day.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes interpreting the mean in real-world problems as a leveling out, a balance point or an equal share.</p>
	Related Access Point(s)
	<p>MA.5.DP.1.AP.1 Sort and represent numerical data, including fractional values using tables or line plots (when given a scaled number line). Data set to include only whole numbers, halves and quarters. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.5.DP.1.AP.2 Interpret numerical data, with whole-number values, represented with tables or line plots by determining the mean, mode or range. Line plot scales to include only whole numbers, halves and quarters. <u>Date Adopted or Revised:</u> 07/21</p>

GRADE: 6

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Extend knowledge of numbers to negative numbers and develop an understanding of absolute value.	
BENCHMARK CODE	BENCHMARK
MA.6.NSO.1.1	<p>Extend previous understanding of numbers to define rational numbers. Plot, order and compare rational numbers.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to plot, order and compare positive and negative rational numbers when given in the same form and to plot, order and compare positive rational numbers when given in different forms (fraction, decimal, percentage). <i>Clarification 2:</i> Within this benchmark, the expectation is to use symbols (<, > or =).</p>
	Related Access Point(s)
	<p>MA.6.NSO.1.AP.1 Plot, order and compare rational numbers (positive and negative integers within 10 from 0, fractions with common denominators, decimals up to the hundredths and percentages) in the same form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.1.AP.2 Represent positive and negative numbers in the same form on a number line given a real-world situation and explain the meaning of zero within its context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.1.AP.3 Find absolute value of the numbers from -30 to 30 using a number line.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.1.AP.4 Use manipulatives, models or tools to compare absolute value in mathematical and real-world problems.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.1.2	<p>Given a mathematical or real-world context, represent quantities that have opposite direction using rational numbers. Compare them on a number line and explain the meaning of zero within its context.</p> <p><u>Examples:</u> Jasmine is on a cruise and is going on a scuba diving excursion. Her elevations of 10 feet above sea level and 8 feet below sea level can be compared on a number line, where 0 represents sea level.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes vertical and horizontal number lines, context referring to distances, temperatures and finances and using informal verbal comparisons, such as, lower, warmer or more in debt.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to compare positive and negative rational numbers when given in the same form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.NSO.1.AP.1 Plot, order and compare rational numbers (positive and negative integers within 10 from 0, fractions with common denominators, decimals up to the hundredths and percentages) in the same form.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.1.AP.2 Represent positive and negative numbers in the same form on a number line given a real-world situation and explain the meaning of zero within its context.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.1.AP.3 Find absolute value of the numbers from –30 to 30 using a number line.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.1.AP.4 Use manipulatives, models or tools to compare absolute value in mathematical and real-world problems.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.1.3	<p>Given a mathematical or real-world context, interpret the absolute value of a number as the distance from zero on a number line. Find the absolute value of rational numbers.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection of absolute value to mirror images about zero and to opposites.</p> <p><i>Clarification 2:</i> Instruction includes vertical and horizontal number lines and context referring to distances, temperature and finances.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.NSO.1.AP.1 Plot, order and compare rational numbers (positive and negative integers within 10 from 0, fractions with common denominators, decimals up to the hundredths and</p>

	percentages) in the same form. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.2 Represent positive and negative numbers in the same form on a number line given a real-world situation and explain the meaning of zero within its context. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.3 Find absolute value of the numbers from –30 to 30 using a number line. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.4 Use manipulatives, models or tools to compare absolute value in mathematical and real-world problems. <u>Date Adopted or Revised:</u> 07/21
MA.6.NSO.1.4	Solve mathematical and real-world problems involving absolute value, including the comparison of absolute value. <u>Examples:</u> Michael has a lemonade stand which costs \$10 to start up. If he makes \$5 the first day, he can determine whether he made a profit so far by comparing $ -10 $ and $ 5 $. <u>Clarifications:</u> <i>Clarification 1:</i> Absolute value situations include distances, temperatures and finances. <i>Clarification 2:</i> Problems involving calculations with absolute value are limited to two or fewer operations. <i>Clarification 3:</i> Within this benchmark, the expectation is to use integers only.
	Related Access Point(s)
	MA.6.NSO.1.AP.1 Plot, order and compare rational numbers (positive and negative integers within 10 from 0, fractions with common denominators, decimals up to the hundredths and percentages) in the same form. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.2 Represent positive and negative numbers in the same form on a number line given a real-world situation and explain the meaning of zero within its context. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.3 Find absolute value of the numbers from –30 to 30 using a number line. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.1.AP.4 Use manipulatives, models or tools to compare absolute value in mathematical and real-world problems. <u>Date Adopted or Revised:</u> 07/21

Standard 2: Add, subtract, multiply and divide positive rational numbers.	
BENCHMARK CODE	BENCHMARK
MA.6.NSO.2.1	Multiply and divide positive multi-digit numbers with decimals to the thousandths, including using a standard algorithm with procedural fluency.

	<p><u>Clarifications:</u> <i>Clarification 1:</i> Multi-digit decimals are limited to no more than 5 total digits.</p>
	Related Access Point(s)
	<p>MA.6.NSO.2.AP.1 Solve one-step multiplication and division problems involving positive decimals whose place value ranges from the tens to the hundredths places. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.2 Use tools to calculate the product and quotient of positive fractions by positive fractions, including mixed numbers, using the standard algorithms. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.3a Solve one-step real-world problems involving any of the four operations with positive decimals ranging from the hundreds to hundredth place value. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.3b Solve one-step real-world problems involving any of the four operations with positive fractions and mixed numbers with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.2.2	<p>Extend previous understanding of multiplication and division to compute products and quotients of positive fractions by positive fractions, including mixed numbers, with procedural fluency.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on making connections between visual models, the relationship between multiplication and division, reciprocals and algorithms.</p>
	Related Access Point(s)
	<p>MA.6.NSO.2.AP.1 Solve one-step multiplication and division problems involving positive decimals whose place value ranges from the tens to the hundredths places. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.2 Use tools to calculate the product and quotient of positive fractions by positive fractions, including mixed numbers, using the standard algorithms. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.3a Solve one-step real-world problems involving any of the four operations with positive decimals ranging from the hundreds to hundredth place value. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.2.AP.3b Solve one-step real-world problems involving any of the four operations with positive fractions and mixed numbers with like denominators. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.2.3	<p>Solve multi-step real-world problems involving any of the four operations with positive multi-digit decimals or positive fractions, including mixed numbers.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, it is not the expectation to include both decimals and fractions within a single problem.</p>
	Related Access Point(s)
	<p>MA.6.NSO.2.AP.1 Solve one-step multiplication and division problems involving positive decimals whose</p>

	place value ranges from the tens to the hundredths places. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.2.AP.2 Use tools to calculate the product and quotient of positive fractions by positive fractions, including mixed numbers, using the standard algorithms. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.2.AP.3a Solve one-step real-world problems involving any of the four operations with positive decimals ranging from the hundreds to hundredth place value. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.2.AP.3b Solve one-step real-world problems involving any of the four operations with positive fractions and mixed numbers with like denominators. <u>Date Adopted or Revised:</u> 07/21

Standard 3: Apply properties of operations to rewrite numbers in equivalent forms.

BENCHMARK CODE	BENCHMARK
MA.6.NSO.3.1	<p>Given a mathematical or real-world context, find the greatest common factor and least common multiple of two whole numbers.</p> <p><u>Examples:</u> <i>Example:</i> Middleton Middle School's band has an upcoming winter concert which will have several performances. The bandleader would like to divide the students into concert groups with the same number of flute players, the same number of clarinet players and the same number of violin players in each group. There are a total of 15 students who play the flute, 27 students who play the clarinet and 12 students who play the violin. How many separate groups can be formed?</p> <p><i>Example:</i> Adam works out every 8 days and Susan works out every 12 days. If both Adam and Susan work out today, how many days until they work out on the same day again?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, expectations include finding greatest common factor within 1,000 and least common multiple with factors to 25.</p> <p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.6.NSO.3.AP.1 Use tools to find the greatest common factor and least common multiple of two whole numbers 50 or less. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.2 Use the distributive property to express a number as the sum of two whole numbers multiplied by a common factor. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.3a Identify what an exponent represents (e.g., $8^3 = 8 \times 8 \times 8$). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.3b Solve numerical expressions involving whole-number bases and exponents (e.g., $5 +$</p>

	<p>$2^4 \times 6 = 101$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.4</p> <p>Use a tool to show the prime factors of a number (e.g., $20 = 2 \times 2 \times 5$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.5</p> <p>Rewrite a number 3 or less, as a fraction, decimal or a percent.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.3.2	<p>Rewrite the sum of two composite whole numbers having a common factor, as a common factor multiplied by the sum of two whole numbers.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using the distributive property to generate equivalent expressions.</p>
	Related Access Point(s)
	<p>MA.6.NSO.3.AP.1</p> <p>Use tools to find the greatest common factor and least common multiple of two whole numbers 50 or less.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.2</p> <p>Use the distributive property to express a number as the sum of two whole numbers multiplied by a common factor.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.3a</p> <p>Identify what an exponent represents (e.g., $8^3 = 8 \times 8 \times 8$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.3b</p> <p>Solve numerical expressions involving whole-number bases and exponents (e.g., $5 + 2^4 \times 6 = 101$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.4</p> <p>Use a tool to show the prime factors of a number (e.g., $20 = 2 \times 2 \times 5$).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.5</p> <p>Rewrite a number 3 or less, as a fraction, decimal or a percent.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.3.3	<p>Evaluate positive rational numbers with natural number exponents.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, expectations include using natural number exponents up to 5.</p>
	Related Access Point(s)
	<p>MA.6.NSO.3.AP.1</p> <p>Use tools to find the greatest common factor and least common multiple of two whole numbers 50 or less.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.2</p> <p>Use the distributive property to express a number as the sum of two whole numbers multiplied by a common factor.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.6.NSO.3.AP.3a Identify what an exponent represents (e.g., $8^3= 8 \times 8 \times 8$). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.3b Solve numerical expressions involving whole-number bases and exponents (e.g., $5 + 2^4 \times 6 = 101$). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.4 Use a tool to show the prime factors of a number (e.g., $20 = 2 \times 2 \times 5$). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.NSO.3.AP.5 Rewrite a number 3 or less, as a fraction, decimal or a percent. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.3.4	<p>Express composite whole numbers as a product of prime factors with natural number exponents.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.NSO.3.AP.1 Use tools to find the greatest common factor and least common multiple of two whole numbers 50 or less. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.3.AP.2 Use the distributive property to express a number as the sum of two whole numbers multiplied by a common factor. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.3.AP.3a Identify what an exponent represents (e.g., $8^3= 8 \times 8 \times 8$). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.3.AP.3b Solve numerical expressions involving whole-number bases and exponents (e.g., $5 + 2^4 \times 6 = 101$). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.3.AP.4 Use a tool to show the prime factors of a number (e.g., $20 = 2 \times 2 \times 5$). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.NSO.3.AP.5 Rewrite a number 3 or less, as a fraction, decimal or a percent. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.NSO.3.5	<p>Rewrite positive rational numbers in different but equivalent forms including fractions, terminating decimals and percentages.</p> <p><u>Examples:</u> The number can be written equivalently as 1.625 or 162.5%</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Rational numbers include decimal equivalence up to the thousandths place.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.NSO.3.AP.1 Use tools to find the greatest common factor and least common multiple of two whole numbers 50 or less.</p>

	<u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.3.AP.2 Use the distributive property to express a number as the sum of two whole numbers multiplied by a common factor. <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.3.AP.3a Identify what an exponent represents (e.g., $8^3 = 8 \times 8 \times 8$). <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.3.AP.3b Solve numerical expressions involving whole-number bases and exponents (e.g., $5 + 2^4 \times 6 = 101$). <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.3.AP.4 Use a tool to show the prime factors of a number (e.g., $20 = 2 \times 2 \times 5$). <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.3.AP.5 Rewrite a number 3 or less, as a fraction, decimal or a percent. <u>Date Adopted or Revised:</u> 07/21

Standard 4: Extend understanding of operations with integers.

BENCHMARK CODE	BENCHMARK
MA.6.NSO.4.1	Apply and extend previous understandings of operations with whole numbers to add and subtract integers with procedural fluency. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction begins with the use of manipulatives, models and number lines working towards becoming procedurally fluent by the end of grade 6. <i>Clarification 2:</i> Instruction focuses on the inverse relationship between the operations of addition and subtraction. If p and q are integers, then $p - q = p + (-q)$ and $p + q = p - (-q)$.
	Related Access Point(s)
	MA.6.NSO.4.AP.1 Use tools to add and subtract integers between 50 and -50 . <u>Date Adopted or Revised:</u> 07/21
	MA.6.NSO.4.AP.2 Use tools to multiply and divide integers between 20 and -20 . <u>Date Adopted or Revised:</u> 07/21
MA.6.NSO.4.2	Apply and extend previous understandings of operations with whole numbers to multiply and divide integers with procedural fluency. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of models and number lines and the inverse relationship between multiplication and division, working towards becoming procedurally fluent by the end of grade 6. <i>Clarification 2:</i> Instruction focuses on the understanding that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers where $q \neq 0$, then $\frac{p}{q}$, and $\frac{p}{-q}$.
	Related Access Point(s)

	MA.6.NSO.4.AP.1 Use tools to add and subtract integers between 50 and -50. <i>Date Adopted or Revised:</i> 07/21
	MA.6.NSO.4.AP.2 Use tools to multiply and divide integers between 20 and -20. <i>Date Adopted or Revised:</i> 07/21

Strand: ALGEBRAIC REASONING

Standard 1: Apply previous understanding of arithmetic expressions to algebraic expressions.

BENCHMARK CODE	BENCHMARK
MA.6.AR.1.1	Given a mathematical or real-world context, translate written descriptions into algebraic expressions and translate algebraic expressions into written descriptions. <i>Examples:</i> The algebraic expression $7.2x-20$ can be used to describe the daily profit of a company who makes \$7.20 per product sold with daily expenses of \$20.
	Related Access Point(s)
	MA.6.AR.1.AP.1 Write or select an algebraic expression that represents a real-world situation. <i>Date Adopted or Revised:</i> 07/21
	MA.6.AR.1.AP.2 Write or select an inequality that represents a real-world situation. <i>Date Adopted or Revised:</i> 07/21
	MA.6.AR.1.AP.3 Solve an expression using substitution with no more than two operations. <i>Date Adopted or Revised:</i> 07/21
	MA.6.AR.1.AP.4 Use tools or models to combine like terms in an expression with no more than four operations. <i>Date Adopted or Revised:</i> 07/21
MA.6.AR.1.2	Translate a real-world written description into an algebraic inequality in the form of $ax + b > c$ or $ax + b < c$. . Represent the inequality on a number line.
	<i>Examples:</i> Mrs. Anna told her class that they will get a pizza if the class has an average of at least 83 out of 100 correct questions on the semester exam. The inequality $g \geq 83$ can be used to represent the situation where students receive a pizza and the inequality $g < 83$ can be used to represent the situation where students do not receive a pizza.
	<i>Clarifications:</i> <i>Clarification 1:</i> Variables may be on the left or right side of the inequality symbol.
	Related Access Point(s)
	MA.6.AR.1.AP.1 Write or select an algebraic expression that represents a real-world situation. <i>Date Adopted or Revised:</i> 07/21
	MA.6.AR.1.AP.2 Write or select an inequality that represents a real-world situation.

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.1.AP.3 Solve an expression using substitution with no more than two operations.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.1.AP.4 Use tools or models to combine like terms in an expression with no more than four operations.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.1.3	<p>Evaluate algebraic expressions using substitution and order of operations.</p> <p><u>Examples:</u> Evaluate the expression , where $a=-1$ and $b=15$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to perform all operations with integers. <i>Clarification 2:</i> Refer to Properties of Operations, Equality and Inequality (Appendix D).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.AR.1.AP.1 Write or select an algebraic expression that represents a real-world situation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.1.AP.2 Write or select an inequality that represents a real-world situation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.1.AP.3 Solve an expression using substitution with no more than two operations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.1.AP.4 Use tools or models to combine like terms in an expression with no more than four operations. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.1.4	<p>Apply the properties of operations to generate equivalent algebraic expressions with integer coefficients.</p> <p><u>Examples:</u> <i>Example:</i> The expression $5(3x+1)$ can be rewritten equivalently as $15x+5$.</p> <p><i>Example:</i> If the expression $2x+3x$ represents the profit the cheerleading team can make when selling the same number of cupcakes, sold for \$2 each, and brownies, sold for \$3 each. The expression $5x$ can express the total profit.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Properties include associative, commutative and distributive. <i>Clarification 2:</i> Refer to Properties of Operations, Equality and Inequality (Appendix D).</p> <p style="text-align: center;">Related Access Point(s)</p>

MA.6.AR.1.AP.1	Write or select an algebraic expression that represents a real-world situation. <i>Date Adopted or Revised:</i> 07/21
MA.6.AR.1.AP.2	Write or select an inequality that represents a real-world situation. <i>Date Adopted or Revised:</i> 07/21
MA.6.AR.1.AP.3	Solve an expression using substitution with no more than two operations. <i>Date Adopted or Revised:</i> 07/21
MA.6.AR.1.AP.4	Use tools or models to combine like terms in an expression with no more than four operations. <i>Date Adopted or Revised:</i> 07/21

Standard 2: Develop an understanding for solving equations and inequalities. Write and solve one-step equations in one variable.

BENCHMARK CODE	BENCHMARK
MA.6.AR.2.1	<p>Given an equation or inequality and a specified set of integer values, determine which values make the equation or inequality true or false.</p> <p><i>Examples:</i> Determine which of the following values make the inequality $x+1 < 2$ true: -4,-2,0,1.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Problems include the variable in multiple terms or on either side of the equal sign or inequality symbol.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.AR.2.AP.1 Choose which values, from a set of five or fewer integers, make an equation or inequality true. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.6.AR.2.AP.2 Solve real-world, one-step linear equations using addition and subtraction involving integers. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.6.AR.2.AP.3 Solve real-world, one-step linear equations using multiplication and division involving integers. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.6.AR.2.AP.4 Solve a one-step equation using fractions with like denominators or decimals with place value ranging from the thousand to the thousandths. <i>Date Adopted or Revised:</i> 07/21</p>
MA.6.AR.2.2	<p>Write and solve one-step equations in one variable within a mathematical or real-world context using addition and subtraction, where all terms and solutions are integers.</p> <p><i>Examples:</i> The equations $-35+x=17$, $17=-35+x$ and $17-x=-35$ can represent the question "How many units to the right is 17 from -35 on the number line?"</p> <p><i>Clarifications:</i></p>

	<p><i>Clarification 1:</i> Instruction includes using manipulatives, drawings, number lines and inverse operations.</p> <p><i>Clarification 2:</i> Instruction includes equations in the forms $x+p=q$ and $p+x=q$, where x,p and q are any integer.</p> <p><i>Clarification 3:</i> Problems include equations where the variable may be on either side of the equal sign.</p>
	Related Access Point(s)
	<p>MA.6.AR.2.AP.1 Choose which values, from a set of five or fewer integers, make an equation or inequality true. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.2 Solve real-world, one-step linear equations using addition and subtraction involving integers. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.3 Solve real-world, one-step linear equations using multiplication and division involving integers. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.4 Solve a one-step equation using fractions with like denominators or decimals with place value ranging from the thousand to the thousandths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.2.3	<p>Write and solve one-step equations in one variable within a mathematical or real-world context using multiplication and division, where all terms and solutions are integers.</p> <p><u>Clarifications:</u></p> <p><i>Clarification 1:</i> Instruction includes using manipulatives, drawings, number lines and inverse operations.</p> <p><i>Clarification 2:</i> Instruction includes equations in the forms $px=q$, where $p \neq 0$, and $px=q$.</p> <p><i>Clarification 3:</i> Problems include equations where the variable may be on either side of the equal sign.</p>
	Related Access Point(s)
	<p>MA.6.AR.2.AP.1 Choose which values, from a set of five or fewer integers, make an equation or inequality true. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.2 Solve real-world, one-step linear equations using addition and subtraction involving integers. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.3 Solve real-world, one-step linear equations using multiplication and division involving integers. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.6.AR.2.AP.4 Solve a one-step equation using fractions with like denominators or decimals with place value ranging from the thousand to the thousandths. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.2.4	<p>Determine the unknown decimal or fraction in an equation involving any of the four operations, relating three numbers, with the unknown in any position.</p> <p><u>Examples:</u> Given the equation $3x + 2 = 14$, x can be determined to be 4 because 3 times 4 plus 2 is more than 14.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on using algebraic reasoning, drawings, and mental math to determine unknowns. <i>Clarification 2:</i> Problems include the unknown and different operations on either side of the equal sign. All terms and solutions are limited to positive rational numbers.</p>
Related Access Point(s)	
	<p>MA.6.AR.2.AP.1 Choose which values, from a set of five or fewer integers, make an equation or inequality true. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.2 Solve real-world, one-step linear equations using addition and subtraction involving integers. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.3 Solve real-world, one-step linear equations using multiplication and division involving integers. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.2.AP.4 Solve a one-step equation using fractions with like denominators or decimals with place value ranging from the thousand to the thousandths. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Understand ratio and unit rate concepts and use them to solve problems.

BENCHMARK CODE	BENCHMARK
MA.6.AR.3.1	<p>Given a real-world context, write and interpret ratios to show the relative sizes of two quantities using appropriate notation: a to b, or $a:b$ where $b \neq 0$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the understanding that a ratio can be described as a comparison of two quantities in either the same or different units. <i>Clarification 2:</i> Instruction includes using manipulatives, drawings, models and words to interpret part-to-part ratios and part-to-whole ratios. <i>Clarification 3:</i> The values of a and b are limited to whole numbers.</p>
Related Access Point(s)	
	<p>MA.6.AR.3.AP.1 Given a real-world context, write and interpret ratios to show the relative sizes of two</p>

	<p>quantities using notation: a/b, a to b, or $a:b$ where $b \neq 0$ with guidance and support. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.2 Given a rate, calculate the unit rate for a ratio with different units. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.3 Given a visual representation, write or select a ratio that describes the ratio relationship between part-to-part and part-to-whole ratios. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.4 Calculate a percentage of quantity as rate per 100 using models (e.g., percent bars or 10×10 grids). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.5a Use tools, models or manipulatives to solve problems involving ratio relationships including mixtures and ratios of length. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.5b Use tools, models or manipulatives to solve ratio, rate or unit rate problems involving conversions within the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.3.2	<p>Given a real-world context, determine a rate for a ratio of quantities with different units. Calculate and interpret the corresponding unit rate.</p> <p><u>Examples:</u> Tamika can read 500 words in 3 minutes. Her reading rate can be described as which is equivalent to the unit rate of words per minute.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using manipulatives, drawings, models and words and making connections between ratios, rates and unit rates.</p> <p><i>Clarification 2:</i> Problems will not include conversions between customary and metric systems.</p>
	Related Access Point(s)
	<p>MA.6.AR.3.AP.1 Given a real-world context, write and interpret ratios to show the relative sizes of two quantities using notation: a/b, a to b, or $a:b$ where $b \neq 0$ with guidance and support. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.2 Given a rate, calculate the unit rate for a ratio with different units. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.3 Given a visual representation, write or select a ratio that describes the ratio relationship between part-to-part and part-to-whole ratios. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.4 Calculate a percentage of quantity as rate per 100 using models (e.g., percent bars or 10×10 grids).</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5a Use tools, models or manipulatives to solve problems involving ratio relationships including mixtures and ratios of length. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5b Use tools, models or manipulatives to solve ratio, rate or unit rate problems involving conversions within the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>
--	--

MA.6.AR.3.3	<p>Extend previous understanding of fractions and numerical patterns to generate or complete a two- or three-column table to display equivalent part-to-part ratios and part-to-part-to-whole ratios.</p> <p><u>Examples:</u> The table below expresses the relationship between the number of ounces of yellow and blue paints used to create a new color. Determine the ratios and complete the table.</p> <table border="1" data-bbox="511 856 1057 1066"> <tr> <td>Yellow (part)</td> <td>1.5</td> <td>3</td> <td></td> <td>9</td> </tr> <tr> <td>Blue (part)</td> <td>2</td> <td>4</td> <td></td> <td></td> </tr> <tr> <td>New Color (whole)</td> <td></td> <td></td> <td>12</td> <td>21</td> </tr> </table> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using two-column tables (e.g., a relationship between two variables) and three-column tables (e.g., part-to-part-to-whole relationship) to generate conversion charts and mixture charts.</p>	Yellow (part)	1.5	3		9	Blue (part)	2	4			New Color (whole)			12	21
Yellow (part)	1.5	3		9												
Blue (part)	2	4														
New Color (whole)			12	21												

Related Access Point(s)	
	<p>MA.6.AR.3.AP.1 Given a real-world context, write and interpret ratios to show the relative sizes of two quantities using notation: a/b, a to b, or $a:b$ where $b \neq 0$ with guidance and support. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.2 Given a rate, calculate the unit rate for a ratio with different units. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.3 Given a visual representation, write or select a ratio that describes the ratio relationship between part-to-part and part-to-whole ratios. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.4 Calculate a percentage of quantity as rate per 100 using models (e.g., percent bars or 10×10 grids).</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5a Use tools, models or manipulatives to solve problems involving ratio relationships including mixtures and ratios of length. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5b Use tools, models or manipulatives to solve ratio, rate or unit rate problems involving conversions within the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.3.4	<p>Apply ratio relationships to solve mathematical and real-world problems involving percentages using the relationship between two quantities.</p> <p><u>Examples:</u> Gerald is trying to gain muscle and needs to consume more protein every day. If he has a protein shake that contain 32 grams and the entire shake is 340 grams, what percentage of the entire shake is protein? What is the ratio between grams of protein and grams of non-protein?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the comparison of to in order to determine the percent, the part or the whole.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.AR.3.AP.1 Given a real-world context, write and interpret ratios to show the relative sizes of two quantities using notation: a/b, a to b, or $a:b$ where $b \neq 0$ with guidance and support. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.2 Given a rate, calculate the unit rate for a ratio with different units. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.3 Given a visual representation, write or select a ratio that describes the ratio relationship between part-to-part and part-to-whole ratios. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.4 Calculate a percentage of quantity as rate per 100 using models (e.g., percent bars or 10×10 grids). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5a Use tools, models or manipulatives to solve problems involving ratio relationships including mixtures and ratios of length. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.AR.3.AP.5b Use tools, models or manipulatives to solve ratio, rate or unit rate problems involving conversions within the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.AR.3.5	<p>Solve mathematical and real-world problems involving ratios, rates and unit rates, including comparisons, mixtures, ratios of lengths and conversions within the same measurement system.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of tables, tape diagrams and number lines.</p> <p style="text-align: center;">Related Access Point(s)</p>

	<p>MA.6.AR.3.AP.1 Given a real-world context, write and interpret ratios to show the relative sizes of two quantities using notation: a/b, a to b, or $a:b$ where $b \neq 0$ with guidance and support. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.2 Given a rate, calculate the unit rate for a ratio with different units. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.3 Given a visual representation, write or select a ratio that describes the ratio relationship between part-to-part and part-to-whole ratios. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.4 Calculate a percentage of quantity as rate per 100 using models (e.g., percent bars or 10×10 grids). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.5a Use tools, models or manipulatives to solve problems involving ratio relationships including mixtures and ratios of length. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.AR.3.AP.5b Use tools, models or manipulatives to solve ratio, rate or unit rate problems involving conversions within the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: GEOMETRIC REASONING

Standard 1: Apply previous understanding of the coordinate plane to solve problems.

BENCHMARK CODE	BENCHMARK
MA.6.GR.1.1	Extend previous understanding of the coordinate plane to plot rational number ordered pairs in all four quadrants and on both axes. Identify the x- or y-axis as the line of reflection when two ordered pairs have an opposite x- or y-coordinate.
	Related Access Point(s)
	<p>MA.6.GR.1.AP.1 Plot integer ordered pairs in all four quadrants and on both axes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.1.AP.2 Count the distance between two ordered pairs with the same x-coordinate or the same y-coordinate. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.1.AP.3 Given a rectangle plotted on the coordinate plane, find the perimeter or area of the rectangle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.GR.1.2	Find distances between ordered pairs, limited to the same x-coordinate or the same y-coordinate, represented on the coordinate plane.
	Related Access Point(s)
	<p>MA.6.GR.1.AP.1 Plot integer ordered pairs in all four quadrants and on both axes.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.1.AP.2 Count the distance between two ordered pairs with the same x-coordinate or the same y-coordinate.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.1.AP.3 Given a rectangle plotted on the coordinate plane, find the perimeter or area of the rectangle.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.GR.1.3	<p>Solve mathematical and real-world problems by plotting points on a coordinate plane, including finding the perimeter or area of a rectangle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes finding distances between points, computing dimensions of a rectangle or determining a fourth vertex of a rectangle.</p> <p><i>Clarification 2:</i> Problems involving rectangles are limited to cases where the sides are parallel to the axes.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.GR.1.AP.1 Plot integer ordered pairs in all four quadrants and on both axes. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.1.AP.2 Count the distance between two ordered pairs with the same x-coordinate or the same y-coordinate. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.1.AP.3 Given a rectangle plotted on the coordinate plane, find the perimeter or area of the rectangle. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Model and solve problems involving two-dimensional figures and three-dimensional figures.

BENCHMARK CODE	BENCHMARK
MA.6.GR.2.1	<p>Derive a formula for the area of a right triangle using a rectangle. Apply a formula to find the area of a triangle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the relationship between the area of a rectangle and the area of a right triangle.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to know from memory a formula for the area of a triangle.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.GR.2.AP.1 Given the formula, find the area of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.6.GR.2.AP.2 Decompose quadrilaterals and composite figures into simple shapes (rectangles or triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.3 Given a real-world problem, find the volume of a rectangular prism using a visual model and the formula. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.4 Find the surface area of right rectangular prisms by adding the areas of the shapes forming the two-dimensional net. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.GR.2.2	<p>Solve mathematical and real-world problems involving the area of quadrilaterals and composite figures by decomposing them into triangles or rectangles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problem types include finding area of composite shapes and determining missing dimensions.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to know from memory a formula for the area of a rectangle and triangle.</p> <p><i>Clarification 3:</i> Dimensions are limited to positive rational numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.GR.2.AP.1 Given the formula, find the area of a triangle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.2 Decompose quadrilaterals and composite figures into simple shapes (rectangles or triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.3 Given a real-world problem, find the volume of a rectangular prism using a visual model and the formula. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.4 Find the surface area of right rectangular prisms by adding the areas of the shapes forming the two-dimensional net. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.GR.2.3	<p>Solve mathematical and real-world problems involving the volume of right rectangular prisms with positive rational number edge lengths using a visual model and a formula.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problem types include finding the volume or a missing dimension of a rectangular prism.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.GR.2.AP.1 Given the formula, find the area of a triangle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.GR.2.AP.2 Decompose quadrilaterals and composite figures into simple shapes (rectangles or</p>

	<p>triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.2.AP.3 Given a real-world problem, find the volume of a rectangular prism using a visual model and the formula. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.2.AP.4 Find the surface area of right rectangular prisms by adding the areas of the shapes forming the two-dimensional net. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.GR.2.4	<p>Given a mathematical or real-world context, find the surface area of right rectangular prisms and right rectangular pyramids using the figure's net.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on representing a right rectangular prism and right rectangular pyramid with its net and on the connection between the surface area of a figure and its net.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to find the surface area when given a net or when given a three-dimensional figure.</p> <p><i>Clarification 3:</i> Problems involving right rectangular pyramids are limited to cases where the heights of triangles are given.</p> <p><i>Clarification 4:</i> Dimensions are limited to positive rational numbers.</p>
	Related Access Point(s)
	<p>MA.6.GR.2.AP.1 Given the formula, find the area of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.2.AP.2 Decompose quadrilaterals and composite figures into simple shapes (rectangles or triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.2.AP.3 Given a real-world problem, find the volume of a rectangular prism using a visual model and the formula. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.GR.2.AP.4 Find the surface area of right rectangular prisms by adding the areas of the shapes forming the two-dimensional net. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Develop an understanding of statistics and determine measures of center and measures of variability. Summarize statistical distributions graphically and numerically.

BENCHMARK CODE	BENCHMARK
MA.6.DP.1.1	Recognize and formulate a statistical question that would generate numerical data.

	<p><u>Examples:</u> The question “How many minutes did you spend on mathematics homework last night?” can be used to generate numerical data in one variable.</p>
	Related Access Point(s)
	<p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.DP.1.2	<p>Given a numerical data set within a real-world context, find and interpret mean, median, mode and range.</p> <p><u>Examples:</u> The data set {15,0,32,24,0,17,42,0,29,120,0,20}, collected based on minutes spent on homework, has a mode of 0.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Numerical data is limited to positive rational numbers.</p>
	Related Access Point(s)
	<p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.DP.1.3	<p>Given a box plot within a real-world context, determine the minimum, the lower quartile, the median, the upper quartile and the maximum. Use this summary of the data to describe the spread and distribution of the data.</p> <p><u>Examples:</u> The middle 50% of the population can be determined by finding the interval between the upper quartile and the lower quartile.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes describing range, interquartile range, halves and quarters of the data.</p>
	Related Access Point(s)
	<p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.6.DP.1.4	<p>Given a histogram or line plot within a real-world context, qualitatively describe and interpret the spread and distribution of the data, including any symmetry, skewness, gaps, clusters, outliers and the range.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Refer to K-12 Mathematics Glossary (Appendix C).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.DP.1.5	<p>Create box plots and histograms to represent sets of numerical data within real-world contexts.</p> <p><u>Examples:</u> The numerical data set {15,0,32,24,0,17,42,0,29,120,0,20}, collected based on minutes spent on homework, can be represented graphically using a box plot.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes collecting data and discussing ways to collect truthful data to construct graphical representations.</p> <p><i>Clarification 2:</i> Within this benchmark, it is the expectation to use appropriate titles, labels, scales and units when constructing graphical representations.</p> <p><i>Clarification 3:</i> Numerical data is limited to positive rational numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set. <u>Date Adopted or Revised:</u> 07/21</p>
MA.6.DP.1.6	<p>Given a real-world scenario, determine and describe how changes in data values impact measures of center and variation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes choosing the measure of center or measure of variation depending on the scenario.</p> <p><i>Clarification 2:</i> The measures of center are limited to mean and median. The measures of variation are limited to range and interquartile range.</p> <p><i>Clarification 3:</i> Numerical data is limited to positive rational numbers.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.6.DP.1.AP.1 Identify statistical questions from a list that would generate numerical data. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2a Use tools to identify and calculate the mean, median, mode and range represented in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.2b Identify and explain what the mean and mode represent in a set of data with no more than five elements. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.6.DP.1.AP.3 Given a box plot, identify the value of the minimum, the lower quartile, the median, the upper quartile and the maximum.</p>

	<u>Date Adopted or Revised:</u> 07/21
	MA.6.DP.1.AP.4 Given a histogram or a line plot, describe the physical features of the graph. <u>Date Adopted or Revised:</u> 07/21
	MA.6.DP.1.AP.5 Create histograms to represent sets of numerical data with 10 or fewer elements. <u>Date Adopted or Revised:</u> 07/21
	MA.6.DP.1.AP.6 Calculate and identify changes (increase or decrease) in the median, mode or range when a data value is added or subtracted from a data set. <u>Date Adopted or Revised:</u> 07/21

GRADE: 7

Strand: NUMBER SENSE AND OPERATIONS

Standard 1: Rewrite numbers in equivalent forms.

BENCHMARK CODE	BENCHMARK
MA.7.NSO.1.1	<p>Know and apply the Laws of Exponents to evaluate numerical expressions and generate equivalent numerical expressions, limited to whole-number exponents and rational number bases.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on building the Laws of Exponents from specific examples. Refer to the K-12 Formulas (Appendix E) for the Laws of Exponents. <i>Clarification 2:</i> Problems in the form must result in a whole-number value for p.</p>
	Related Access Point(s)
	<p>MA.7.NSO.1.AP.1 Use properties of whole number exponents to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.NSO.1.AP.2 Rewrite positive rational numbers in different but equivalent forms such as fractions, mixed numbers, repeating decimals and/or percentages to solve problems. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.NSO.1.2	<p>Rewrite rational numbers in different but equivalent forms including fractions, mixed numbers, repeating decimals and percentages to solve mathematical and real-world problems.</p> <p><u>Examples:</u> Justin is solving a problem where he computes and his calculator gives him the answer 5.6666666667. Justin makes the statement that ; is he correct?</p>
	Related Access Point(s)
	<p>MA.7.NSO.1.AP.1 Use properties of whole number exponents to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.NSO.1.AP.2 Rewrite positive rational numbers in different but equivalent forms such as fractions,</p>

	<p>mixed numbers, repeating decimals and/or percentages to solve problems. <u>Date Adopted or Revised:</u> 07/21</p>
--	--

Standard 2: Add, subtract, multiply and divide rational numbers.

BENCHMARK CODE	BENCHMARK
MA.7.NSO.2.1	<p>Solve mathematical problems using multi-step order of operations with rational numbers including grouping symbols, whole-number exponents and absolute value.</p> <p><u>Clarifications:</u> <u>Clarification 1:</u> Multi-step expressions are limited to 6 or fewer steps.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.NSO.2.AP.1 Solve mathematical problems, using no more than four operations, with rational numbers including grouping symbols, whole-number exponents and absolute value. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.2 Using tools or models, add, subtract, multiply and divide rational numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.3 Using tools or models, solve real-world problems involving any of the four operations with rational numbers. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.NSO.2.2	<p>Add, subtract, multiply and divide rational numbers with procedural fluency.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.NSO.2.AP.1 Solve mathematical problems, using no more than four operations, with rational numbers including grouping symbols, whole-number exponents and absolute value. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.2 Using tools or models, add, subtract, multiply and divide rational numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.3 Using tools or models, solve real-world problems involving any of the four operations with rational numbers. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.NSO.2.3	<p>Solve real-world problems involving any of the four operations with rational numbers.</p> <p><u>Clarifications:</u> <u>Clarification 1:</u> Instruction includes using one or more operations to solve problems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.NSO.2.AP.1 Solve mathematical problems, using no more than four operations, with rational numbers including grouping symbols, whole-number exponents and absolute value. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.2 Using tools or models, add, subtract, multiply and divide rational numbers. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.NSO.2.AP.3 Using tools or models, solve real-world problems involving any of the four operations</p>

	with rational numbers. <u>Date Adopted or Revised:</u> 07/21
--	--

Strand: ALGEBRAIC REASONING

Standard 1: Rewrite algebraic expressions in equivalent forms.

BENCHMARK CODE	BENCHMARK
MA.7.AR.1.1	<p>Apply properties of operations to add and subtract linear expressions with rational coefficients.</p> <p><u>Examples:</u> is equivalent to 1.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes linear expressions in the form $ax \pm b$ or $b \pm ax$, where a and b are rational numbers. <i>Clarification 2:</i> Refer to Properties of Operations, Equality and Inequality (Appendix D).</p>
	Related Access Point(s)
	<p>MA.7.AR.1.AP.1 Add and subtract linear expressions that include like terms. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.1.AP.2 Use tools or manipulatives to compare two linear expressions, with no more than two operations, to determine whether they are equivalent. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.AR.1.2	<p>Determine whether two linear expressions are equivalent.</p> <p><u>Examples:</u> Are the expressions and equivalent?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using properties of operations accurately and efficiently. <i>Clarification 2:</i> Instruction includes linear expressions in any form with rational coefficients. <i>Clarification 3:</i> Refer to Properties of Operations, Equality and Inequality (Appendix D).</p>
	Related Access Point(s)
	<p>MA.7.AR.1.AP.1 Add and subtract linear expressions that include like terms. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.1.AP.2 Use tools or manipulatives to compare two linear expressions, with no more than two operations, to determine whether they are equivalent. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Write and solve equations and inequalities in one variable.

BENCHMARK CODE	BENCHMARK
<p>MA.7.AR.2.1</p>	<p>Write and solve one-step inequalities in one variable within a mathematical context and represent solutions algebraically or graphically.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the properties of inequality. Refer to Properties of Operations, Equality and Inequality (Appendix D). <i>Clarification 2:</i> Instruction includes inequalities in the forms $x \pm p > q$ and $p \pm x > q$, where p and q are specific rational numbers and any inequality symbol can be represented. <i>Clarification 3:</i> Problems include inequalities where the variable may be on either side of the inequality symbol.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.2.AP.1 Select a one-step inequality from a list that represents a real-world situation and given a set of three or fewer values, use substitution to solve. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.2.AP.2a Set up two-step equations in one variable based on real-world problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.2.AP.2b Solve two-step equations in one variable based on real-world problems, where all terms have positive integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.7.AR.2.2</p>	<p>Write and solve two-step equations in one variable within a mathematical or real-world context, where all terms are rational numbers.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses the application of the properties of equality. Refer to Properties of Operations, Equality and Inequality (Appendix D). <i>Clarification 2:</i> Instruction includes equations in the forms $px \pm q = r$ and $p(x \pm q) = r$, where p, q and r are specific rational numbers. <i>Clarification 3:</i> Problems include linear equations where the variable may be on either side of the equal sign.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.2.AP.1 Select a one-step inequality from a list that represents a real-world situation and given a set of three or fewer values, use substitution to solve. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.2.AP.2a Set up two-step equations in one variable based on real-world problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.2.AP.2b Solve two-step equations in one variable based on real-world problems, where all terms have positive integer coefficients.</p>

	<u>Date Adopted or Revised:</u> 07/21
--	--

Standard 3: Use percentages and proportional reasoning to solve problems.

BENCHMARK CODE	BENCHMARK
MA.7.AR.3.1	<p>Apply previous understanding of percentages and ratios to solve multi-step real-world percent problems.</p> <p><u>Examples:</u> <i>Example:</i> 23% of the junior population are taking an art class this year. What is the ratio of juniors taking an art class to juniors not taking an art class?</p> <p><i>Example:</i> The ratio of boys to girls in a class is 3:2. What percentage of the students are boys in the class?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes discounts, markups, simple interest, tax, tips, fees, percent increase, percent decrease and percent error.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.3.AP.1 Solve simple percentage problems in real-world contexts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.3.AP.2 Solve simple ratio problems in real-world contexts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.3.AP.3 Use tools to solve real-world problems involving conversion of units in the same measurement system. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.AR.3.2	<p>Apply previous understanding of ratios to solve real-world problems involving proportions.</p> <p><u>Examples:</u> <i>Example:</i> Scott is mowing lawns to earn money to buy a new gaming system and knows he needs to mow 35 lawns to earn enough money. If he can mow 4 lawns in 3 hours and 45 minutes, how long will it take him to mow 35 lawns? Assume that he can mow each lawn in the same amount of time.</p> <p><i>Example:</i> Ashley normally runs 10-kilometer races which is about 6.2 miles. She wants to start training for a half-marathon which is 13.1 miles. How many kilometers will she run in the half-marathon? How does that compare to her normal 10K race distance?</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.3.AP.1 Solve simple percentage problems in real-world contexts. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.3.AP.2 Solve simple ratio problems in real-world contexts. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.7.AR.3.AP.3 Use tools to solve real-world problems involving conversion of units in the same measurement system. <i>Date Adopted or Revised:</i> 07/21</p>
MA.7.AR.3.3	<p>Solve mathematical and real-world problems involving the conversion of units across different measurement systems.</p> <p><i>Examples:</i> <i>Clarification 1:</i> Problem types are limited to length, area, weight, mass, volume and money.</p>
	Related Access Point(s)
	<p>MA.7.AR.3.AP.1 Solve simple percentage problems in real-world contexts. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.3.AP.2 Solve simple ratio problems in real-world contexts. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.3.AP.3 Use tools to solve real-world problems involving conversion of units in the same measurement system. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 4: Analyze and represent two-variable proportional relationships.

BENCHMARK CODE	BENCHMARK
MA.7.AR.4.1	<p>Determine whether two quantities have a proportional relationship by examining a table, graph or written description.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection to ratios and on the constant of proportionality, which is the ratio between two quantities in a proportional relationship.</p>
	Related Access Point(s)
	<p>MA.7.AR.4.AP.1 Given a table or a graph, determine whether two quantities have a proportional relationship. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.4.AP.2 Identify the constant of proportionality when given a table or graph of a proportional relationship. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.4.AP.3 Given a table or equation, graph a proportional relationship. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.4.AP.4 Given a table representation of a proportional relationship, translate the relationship into an equation or a graph. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.7.AR.4.AP.5 Solve simple real-world problems involving proportional relationships. <i>Date Adopted or Revised:</i> 07/21</p>

<p>MA.7.AR.4.2</p>	<p>Determine the constant of proportionality within a mathematical or real-world context given a table, graph or written description of a proportional relationship.</p> <p><u>Examples:</u> <i>Example:</i> A graph has a line that goes through the origin and the point (5,2). This represents a proportional relationship and the constant of proportionality is .</p> <p><i>Example:</i> Gina works as a babysitter and earns \$9 per hour. She can only work 6 hours this week. Gina wants to know how much money she will make. Gina can use the equation $e=9h$, where e is the amount of money earned, h is the number of hours worked and 9 is the constant of proportionality.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.4.AP.1 Given a table or a graph, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.2 Identify the constant of proportionality when given a table or graph of a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.3 Given a table or equation, graph a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.4 Given a table representation of a proportional relationship, translate the relationship into an equation or a graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.5 Solve simple real-world problems involving proportional relationships. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.7.AR.4.3</p>	<p>Given a mathematical or real-world context, graph proportional relationships from a table, equation or a written description.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes equations of proportional relationships in the form of $y=px$, where p is the constant of proportionality.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.4.AP.1 Given a table or a graph, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.2 Identify the constant of proportionality when given a table or graph of a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.3 Given a table or equation, graph a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.4 Given a table representation of a proportional relationship, translate the relationship into an equation or a graph.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.5 Solve simple real-world problems involving proportional relationships.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.7.AR.4.4	<p>Given any representation of a proportional relationship, translate the representation to a written description, table or equation.</p> <p><u>Examples:</u> <i>Example:</i> The written description, there are 60 minutes in 1 hour, can be represented as the equation $m=60h$.</p> <p><i>Example:</i> Gina works as a babysitter and earns \$9 per hour. She would like to earn \$100 to buy a new tennis racket. Gina wants to know how many hours she needs to work. She can use the equation $e=9h$, where e is the amount of money earned, h is the number of hours worked and 9 is the constant of proportionality.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Given representations are limited to a written description, graph, table or equation.</p> <p><i>Clarification 2:</i> Instruction includes equations of proportional relationships in the form of $y=px$, where p is the constant of proportionality.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.AR.4.AP.1 Given a table or a graph, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.2 Identify the constant of proportionality when given a table or graph of a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.3 Given a table or equation, graph a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.4 Given a table representation of a proportional relationship, translate the relationship into an equation or a graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.AR.4.AP.5 Solve simple real-world problems involving proportional relationships. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.AR.4.5	<p>Solve real-world problems involving proportional relationships.</p> <p><u>Examples:</u> Gordy is taking a trip from Tallahassee, FL to Portland, Maine which is about 1,407 miles. On average his SUV gets 23.1 miles per gallon on the highway and his gas tanks holds 17.5 gallons. If Gordy starts with a full tank of gas, how many times will he be required to fill the gas tank?</p> <p style="text-align: center;">Related Access Point(s)</p>

MA.7.AR.4.AP.1 Given a table or a graph, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21
MA.7.AR.4.AP.2 Identify the constant of proportionality when given a table or graph of a proportional relationship. <u>Date Adopted or Revised:</u> 07/21
MA.7.AR.4.AP.3 Given a table or equation, graph a proportional relationship. <u>Date Adopted or Revised:</u> 07/21
MA.7.AR.4.AP.4 Given a table representation of a proportional relationship, translate the relationship into an equation or a graph. <u>Date Adopted or Revised:</u> 07/21
MA.7.AR.4.AP.5 Solve simple real-world problems involving proportional relationships. <u>Date Adopted or Revised:</u> 07/21

Strand: GEOMETRIC REASONING

Standard 1: Solve problems involving two-dimensional figures, including circles.

BENCHMARK CODE	BENCHMARK
MA.7.GR.1.1	Apply formulas to find the areas of trapezoids, parallelograms and rhombi. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection from the areas of trapezoids, parallelograms and rhombi to the areas of rectangles or triangles. <i>Clarification 2:</i> Within this benchmark, the expectation is not to memorize area formulas for trapezoids, parallelograms and rhombi.
	Related Access Point(s)
	MA.7.GR.1.AP.1 Given the formulas, find the area of parallelograms and rhombi. <u>Date Adopted or Revised:</u> 07/21
	MA.7.GR.1.AP.2 Decompose complex shapes (polygon, trapezoid, and pentagon) into simple shapes (rectangles, squares, triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21
	MA.7.GR.1.AP.3 Apply a given formula for the circumference of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21
	MA.7.GR.1.AP.4 Apply a given formula to find the area of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21
	MA.7.GR.1.AP.5 Use a scale factor to draw a scale drawing of a real-world two-dimensional polygon on graph paper.

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.7.GR.1.2	<p>Solve mathematical or real-world problems involving the area of polygons or composite figures by decomposing them into triangles or quadrilaterals.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is not to find areas of figures on the coordinate plane or to find missing dimensions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.GR.1.AP.1 Given the formulas, find the area of parallelograms and rhombi. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.2 Decompose complex shapes (polygon, trapezoid, and pentagon) into simple shapes (rectangles, squares, triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.3 Apply a given formula for the circumference of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.4 Apply a given formula to find the area of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.5 Use a scale factor to draw a scale drawing of a real-world two-dimensional polygon on graph paper. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.GR.1.3	<p>Explore the proportional relationship between circumferences and diameters of circles. Apply a formula for the circumference of a circle to solve mathematical and real-world problems.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the exploration and analysis of circular objects to examine the proportional relationship between circumference and diameter and arrive at an approximation of pi (π) as the constant of proportionality.</p> <p><i>Clarification 2:</i> Solutions may be represented in terms of pi (π) or approximately.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.GR.1.AP.1 Given the formulas, find the area of parallelograms and rhombi. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.2 Decompose complex shapes (polygon, trapezoid, and pentagon) into simple shapes (rectangles, squares, triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.3 Apply a given formula for the circumference of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.4 Apply a given formula to find the area of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.7.GR.1.AP.5 Use a scale factor to draw a scale drawing of a real-world two-dimensional polygon on graph paper. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.7.GR.1.4</p>	<p>Explore and apply a formula to find the area of a circle to solve mathematical and real-world problems.</p> <p><u>Examples:</u> If a 12-inch pizza is cut into 6 equal slices and Mikel ate 2 slices, how many square inches of pizza did he eat?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection between formulas for the area of a rectangle and the area of a circle.</p> <p><i>Clarification 2:</i> Problem types include finding areas of fractional parts of a circle.</p> <p><i>Clarification 3:</i> Solutions may be represented in terms of pi (π) or approximately.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.GR.1.AP.1 Given the formulas, find the area of parallelograms and rhombi. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.2 Decompose complex shapes (polygon, trapezoid, and pentagon) into simple shapes (rectangles, squares, triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.3 Apply a given formula for the circumference of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.4 Apply a given formula to find the area of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.GR.1.AP.5 Use a scale factor to draw a scale drawing of a real-world two-dimensional polygon on graph paper. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.7.GR.1.5</p>	<p>Solve mathematical and real-world problems involving dimensions and areas of geometric figures, including scale drawings and scale factors.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on seeing the scale factor as a constant of proportionality between corresponding lengths in the scale drawing and the original object.</p> <p><i>Clarification 2:</i> Instruction includes the understanding that if the scaling factor is k, then the constant of proportionality between corresponding areas is k^2.</p> <p><i>Clarification 3:</i> Problem types include finding the scale factor given a set of dimensions as well as finding dimensions when given a scale factor.</p> <p style="text-align: center;">Related Access Point(s)</p>

MA.7.GR.1.AP.1 Given the formulas, find the area of parallelograms and rhombi. <u>Date Adopted or Revised:</u> 07/21
MA.7.GR.1.AP.2 Decompose complex shapes (polygon, trapezoid, and pentagon) into simple shapes (rectangles, squares, triangles) to measure area. <u>Date Adopted or Revised:</u> 07/21
MA.7.GR.1.AP.3 Apply a given formula for the circumference of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21
MA.7.GR.1.AP.4 Apply a given formula to find the area of a circle to solve mathematical problems. <u>Date Adopted or Revised:</u> 07/21
MA.7.GR.1.AP.5 Use a scale factor to draw a scale drawing of a real-world two-dimensional polygon on graph paper. <u>Date Adopted or Revised:</u> 07/21

Standard 2: Solve problems involving three-dimensional figures, including right circular cylinders.

BENCHMARK CODE	BENCHMARK
MA.7.GR.2.1	<p>Given a mathematical or real-world context, find the surface area of a right circular cylinder using the figure's net.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on representing a right circular cylinder with its net and on the connection between surface area of a figure and its net. <i>Clarification 2:</i> Within this benchmark, the expectation is to find the surface area when given a net or when given a three-dimensional figure. <i>Clarification 3:</i> Within this benchmark, the expectation is not to memorize the surface area formula for a right circular cylinder. <i>Clarification 4:</i> Solutions may be represented in terms of pi (π) or approximately.</p>
	Related Access Point(s)
	<p>MA.7.GR.2.AP.1 Match the parts of a given formula to the right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.2 Given the formula, use tools to find the surface area of a right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.3 Given a formula, use tools to calculate the volume of right circular cylinders. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.GR.2.2	<p>Solve real-world problems involving surface area of right circular cylinders.</p> <p><u>Clarifications:</u></p>

	<p><i>Clarification 1:</i> Within this benchmark, the expectation is not to memorize the surface area formula for a right circular cylinder or to find radius as a missing dimension.</p> <p><i>Clarification 2:</i> Solutions may be represented in terms of pi (π) or approximately.</p>
	Related Access Point(s)
	<p>MA.7.GR.2.AP.1 Match the parts of a given formula to the right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.2 Given the formula, use tools to find the surface area of a right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.3 Given a formula, use tools to calculate the volume of right circular cylinders. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.GR.2.3	<p>Solve mathematical and real-world problems involving volume of right circular cylinders.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is not to memorize the volume formula for a right circular cylinder or to find radius as a missing dimension.</p> <p><i>Clarification 2:</i> Solutions may be represented in terms of pi (π) or approximately.</p>
	Related Access Point(s)
	<p>MA.7.GR.2.AP.1 Match the parts of a given formula to the right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.2 Given the formula, use tools to find the surface area of a right circular cylinder using the figure's net. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.GR.2.AP.3 Given a formula, use tools to calculate the volume of right circular cylinders. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: DATA ANALYSIS AND PROBABILITY	
Standard 1: Represent and interpret numerical and categorical data.	
BENCHMARK CODE	BENCHMARK
MA.7.DP.1.1	<p>Determine an appropriate measure of center or measure of variation to summarize numerical data, represented numerically or graphically, taking into consideration the context and any outliers.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes recognizing whether a measure of center or measure of variation is appropriate and can be justified based on the given context or the statistical purpose.</p>

	<p><i>Clarification 2:</i> Graphical representations are limited to histograms, line plots, box plots and stem-and-leaf plots.</p> <p><i>Clarification 3:</i> The measure of center is limited to mean and median. The measure of variation is limited to range and interquartile range.</p>
	Related Access Point(s)
	<p>MA.7.DP.1.AP.1 Use context to determine the appropriate measure of center (mean or median) or range to summarize a numerical data set with 10 or fewer elements, represented numerically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.2 Given two numerical or graphical representations of data in the same form, compare the mean, median or range of each representation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.3 Given data from a random sample of the population, select from a list an appropriate prediction about the population based on the data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.4 Use proportional reasoning to interpret data in a pie chart. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.5 Given a data set, select an appropriate graphical representation (histogram, bar chart, or line plot). <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.1.2	<p>Given two numerical or graphical representations of data, use the measure(s) of center and measure(s) of variability to make comparisons, interpret results and draw conclusions about the two populations.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Graphical representations are limited to histograms, line plots, box plots and stem-and-leaf plots.</p> <p><i>Clarification 2:</i> The measure of center is limited to mean and median. The measure of variation is limited to range and interquartile range.</p>
	Related Access Point(s)
	<p>MA.7.DP.1.AP.1 Use context to determine the appropriate measure of center (mean or median) or range to summarize a numerical data set with 10 or fewer elements, represented numerically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.2 Given two numerical or graphical representations of data in the same form, compare the mean, median or range of each representation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.1.AP.3 Given data from a random sample of the population, select from a list an appropriate prediction about the population based on the data.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.4 Use proportional reasoning to interpret data in a pie chart.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.5 Given a data set, select an appropriate graphical representation (histogram, bar chart, or line plot).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.1.3	<p>Given categorical data from a random sample, use proportional relationships to make predictions about a population.</p> <p><u>Examples:</u> <i>Example:</i> O’Neill’s Pillow Store made 600 pillows yesterday and found that 6 were defective. If they plan to make 4,300 pillows this week, predict approximately how many pillows will be defective.</p> <p><i>Example:</i> A school district polled 400 people to determine if it was a good idea to not have school on Friday. 30% of people responded that it was not a good idea to have school on Friday. Predict the approximate percentage of people who think it would be a good idea to have school on Friday from a population of 6,228 people.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.DP.1.AP.1 Use context to determine the appropriate measure of center (mean or median) or range to summarize a numerical data set with 10 or fewer elements, represented numerically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.2 Given two numerical or graphical representations of data in the same form, compare the mean, median or range of each representation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.3 Given data from a random sample of the population, select from a list an appropriate prediction about the population based on the data. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.4 Use proportional reasoning to interpret data in a pie chart. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.5 Given a data set, select an appropriate graphical representation (histogram, bar chart, or line plot). <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.1.4	<p>Use proportional reasoning to construct, display and interpret data in circle graphs.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Data is limited to no more than 6 categories.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.DP.1.AP.1 Use context to determine the appropriate measure of center (mean or median) or range to summarize a numerical data set with 10 or fewer elements, represented numerically or graphically.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.2 Given two numerical or graphical representations of data in the same form, compare the mean, median or range of each representation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.3 Given data from a random sample of the population, select from a list an appropriate prediction about the population based on the data.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.4 Use proportional reasoning to interpret data in a pie chart.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.5 Given a data set, select an appropriate graphical representation (histogram, bar chart, or line plot).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
--	---

MA.7.DP.1.5	<p>Given a real-world numerical or categorical data set, choose and create an appropriate graphical representation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Graphical representations are limited to histograms, bar charts, circle graphs, line plots, box plots and stem-and-leaf plots.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.7.DP.1.AP.1 Use context to determine the appropriate measure of center (mean or median) or range to summarize a numerical data set with 10 or fewer elements, represented numerically or graphically.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.2 Given two numerical or graphical representations of data in the same form, compare the mean, median or range of each representation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.3 Given data from a random sample of the population, select from a list an appropriate prediction about the population based on the data.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.4 Use proportional reasoning to interpret data in a pie chart.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.7.DP.1.AP.5 Given a data set, select an appropriate graphical representation (histogram, bar chart, or line plot).</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
-------------	--

Standard 2: Develop an understanding of probability. Find and compare experimental and theoretical probabilities.

BENCHMARK CODE	BENCHMARK
MA.7.DP.2.1	Determine the sample space for a simple experiment.

	<p><u>Clarifications:</u> <i>Clarification 1:</i> Simple experiments include tossing a fair coin, rolling a fair die, picking a card randomly from a deck, picking marbles randomly from a bag and spinning a fair spinner.</p>
	Related Access Point(s)
	<p>MA.7.DP.2.AP.1 Use tree diagrams, frequency tables, organized lists, and/or simulations to collect data from a simple experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.2 Given the probability of a simple chance event written as a fraction, percentage or decimal between 0 and 1, determine how likely is it that an event will occur. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.3 Determine the theoretical probability of a simple chance event. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.4 Conduct a simple experiment to find experimental probabilities. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.2.2	<p>Given the probability of a chance event, interpret the likelihood of it occurring. Compare the probabilities of chance events.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing probability as a fraction, percentage or decimal between 0 and 1 with probabilities close to 1 corresponding to highly likely events and probabilities close to 0 corresponding to highly unlikely events.</p> <p><i>Clarification 2:</i> Instruction includes $P(\text{event})$ notation.</p> <p><i>Clarification 3:</i> Instruction includes representing probability as a fraction, percentage or decimal.</p>
	Related Access Point(s)
	<p>MA.7.DP.2.AP.1 Use tree diagrams, frequency tables, organized lists, and/or simulations to collect data from a simple experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.2 Given the probability of a simple chance event written as a fraction, percentage or decimal between 0 and 1, determine how likely is it that an event will occur. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.3 Determine the theoretical probability of a simple chance event. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.4 Conduct a simple experiment to find experimental probabilities. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.2.3	<p>Find the theoretical probability of an event related to a simple experiment.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing probability as a fraction, percentage or decimal.</p>

	<p><i>Clarification 2:</i> Simple experiments include tossing a fair coin, rolling a fair die, picking a card randomly from a deck, picking marbles randomly from a bag and spinning a fair spinner.</p>
	Related Access Point(s)
	<p>MA.7.DP.2.AP.1 Use tree diagrams, frequency tables, organized lists, and/or simulations to collect data from a simple experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.2 Given the probability of a simple chance event written as a fraction, percentage or decimal between 0 and 1, determine how likely is it that an event will occur. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.3 Determine the theoretical probability of a simple chance event. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.4 Conduct a simple experiment to find experimental probabilities. <u>Date Adopted or Revised:</u> 07/21</p>
MA.7.DP.2.4	<p>Use a simulation of a simple experiment to find experimental probabilities and compare them to theoretical probabilities.</p> <p><u>Examples:</u> Investigate whether a coin is fair by tossing it 1,000 times and comparing the percentage of heads to the theoretical probability 0.5.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing probability as a fraction, percentage or decimal.</p> <p><i>Clarification 2:</i> Instruction includes recognizing that experimental probabilities may differ from theoretical probabilities due to random variation. As the number of repetitions increases experimental probabilities will typically better approximate the theoretical probabilities.</p> <p><i>Clarification 3:</i> Experiments include tossing a fair coin, rolling a fair die, picking a card randomly from a deck, picking marbles randomly from a bag and spinning a fair spinner.</p>
	Related Access Point(s)
	<p>MA.7.DP.2.AP.1 Use tree diagrams, frequency tables, organized lists, and/or simulations to collect data from a simple experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.2 Given the probability of a simple chance event written as a fraction, percentage or decimal between 0 and 1, determine how likely is it that an event will occur. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.7.DP.2.AP.3 Determine the theoretical probability of a simple chance event. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.7.DP.2.AP.4 Conduct a simple experiment to find experimental probabilities. <u>Date Adopted or Revised:</u> 07/21
--	---

GRADE: 8

Strand: NUMBER SENSE AND OPERATIONS

Standard 1: Solve problems involving rational numbers, including numbers in scientific notation, and extend the understanding of rational numbers to irrational numbers.

BENCHMARK CODE	BENCHMARK
MA.8.NSO.1.1	Extend previous understanding of rational numbers to define irrational numbers within the real number system. Locate an approximate value of a numerical expression involving irrational numbers on a number line. <u>Examples:</u> Within the expression $\sqrt{30}$, the irrational number can be estimated to be between 5 and 6 because 30 is between 25 and 36. By considering $\sqrt{25}$ and $\sqrt{36}$, a closer approximation for $\sqrt{30}$ is 5.5. So, the expression is equivalent to about 6.5. <u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of number line and rational number approximations, and recognizing pi (π) as an irrational number. <i>Clarification 2:</i> Within this benchmark, the expectation is to approximate numerical expressions involving one arithmetic operation and estimating square roots or pi (π).
	Related Access Point(s)
	MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <u>Date Adopted or Revised:</u> 07/21
	MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <u>Date Adopted or Revised:</u> 07/21
	MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21
	MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21
	MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21
	MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21

	<p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.NSO.1.2	<p>Plot, order and compare rational and irrational numbers, represented in various forms.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, it is not the expectation to work with the number e.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to plot, order and compare square roots and cube roots.</p> <p><i>Clarification 3:</i> Within this benchmark, the expectation is to use symbols ($<$, $>$ or $=$).</p>
	Related Access Point(s)
	<p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.NSO.1.3	<p>Extend previous understanding of the Laws of Exponents to include integer exponents. Apply the Laws of Exponents to evaluate numerical expressions and generate equivalent numerical expressions, limited to integer exponents and rational number bases, with procedural fluency.</p> <p><u>Examples:</u></p>

	<p>The expression is equivalent to which is equivalent to .</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Refer to the K-12 Formulas (Appendix E) for the Laws of Exponents.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <i>Date Adopted or Revised:</i> 07/21</p>
MA.8.NSO.1.4	<p>Express numbers in scientific notation to represent and approximate very large or very small quantities. Determine how many times larger or smaller one number is compared to a second number.</p> <p><i>Examples:</i> Roderick is comparing two numbers shown in scientific notation on his calculator. The first number was displayed as 2.3147E27 and the second number was displayed as 3.5982E-5. Roderick determines that the first number is about 10^{32} times bigger than the second number.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.NSO.1.5</p>	<p>Add, subtract, multiply and divide numbers expressed in scientific notation with procedural fluency.</p> <p><u>Examples:</u> The sum of</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, for addition and subtraction with numbers expressed in scientific notation, exponents are limited to within 2 of each other.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.NSO.1.6</p>	<p>Solve real-world problems involving operations with numbers expressed in scientific notation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes recognizing the importance of significant digits when physical measurements are involved.</p> <p><i>Clarification 2:</i> Within this benchmark, for addition and subtraction with numbers expressed in scientific notation, exponents are limited to within 2 of each other.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.NSO.1.7</p>	<p>Solve multi-step mathematical and real-world problems involving the order of operations with rational numbers including exponents and radicals.</p> <p><u>Examples:</u> The expression is equivalent to which is equivalent to which is equivalent to .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Multi-step expressions are limited to 6 or fewer steps.</p>

	<p><i>Clarification 2:</i> Within this benchmark, the expectation is to simplify radicals by factoring square roots of perfect squares up to 225 and cube roots of perfect cubes from -125 to 125.</p>
	Related Access Point(s)
	<p>MA.8.NSO.1.AP.1 Locate approximations of irrational numbers on a number line. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.2 Use appropriate tools to plot, order, and compare simple square roots and cube roots for quantities less than 100. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.3 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.4 Multiply a single-digit number by the power of 10 using a calculator. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.5 Perform operations with numbers expressed in scientific notation using a calculator. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.6 Given a real-world problem, perform operations with numbers expressed in scientific notation using a calculator and interpret the answer in context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.NSO.1.AP.7 Use tools to solve multi-step mathematical problems, with four or fewer steps, involving the order of operations with rational numbers including exponents and perfect squares and/or square roots. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: ALGEBRAIC REASONING

Standard 1: Generate equivalent algebraic expressions.

BENCHMARK CODE	BENCHMARK
MA.8.AR.1.1	<p>Apply the Laws of Exponents to generate equivalent algebraic expressions, limited to integer exponents and monomial bases.</p> <p><u>Examples:</u> The expression is equivalent to .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Refer to the K-12 Formulas (Appendix E) for the Laws of Exponents.</p>
	Related Access Point(s)
	<p>MA.8.AR.1.AP.1 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent algebraic expressions limited to positive exponents and monomial bases.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.2 Use the distributive property to multiply a monomial by a binomial linear expression.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.3 Rewrite the sum of two linear algebraic expressions having a common whole number monomial factor as the common factor multiplied by the sum of two linear algebraic expressions.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.1.2	<p>Apply properties of operations to multiply two linear expressions with rational coefficients.</p> <p><u>Examples:</u> The product of $(1.1+x)$ and $(-2.3x)$ can be expressed as $-2.53x-2.3x^2$ or $-2.3x^2-2.53x$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems are limited to products where at least one of the factors is a monomial.</p> <p><i>Clarification 2:</i> Refer to Properties of Operations, Equality and Inequality (Appendix D).</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.1.AP.1 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent algebraic expressions limited to positive exponents and monomial bases. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.2 Use the distributive property to multiply a monomial by a binomial linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.3 Rewrite the sum of two linear algebraic expressions having a common whole number monomial factor as the common factor multiplied by the sum of two linear algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.1.3	<p>Rewrite the sum of two algebraic expressions having a common monomial factor as a common factor multiplied by the sum of two algebraic expressions.</p> <p><u>Examples:</u> The expression $99x-11x^3$ can be rewritten as $11x(9-x^2)$ or as $-11x(-9+x^2)$.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.1.AP.1 Use the properties of integer exponents and product/quotient of powers with like bases to produce equivalent algebraic expressions limited to positive exponents and monomial bases. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.2 Use the distributive property to multiply a monomial by a binomial linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.1.AP.3 Rewrite the sum of two linear algebraic expressions having a common whole number monomial factor as the common factor multiplied by the sum of two linear algebraic</p>

	expressions. <u>Date Adopted or Revised:</u> 07/21
--	--

Standard 2: Solve multi-step one-variable equations and inequalities.

BENCHMARK CODE	BENCHMARK
MA.8.AR.2.1	<p>Solve multi-step linear equations in one variable, with rational number coefficients. Include equations with variables on both sides.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problem types include examples of one-variable linear equations that generate one solution, infinitely many solutions or no solution.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.2.AP.1a Set up multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.2.AP.1b Solve multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.2.AP.2 Select a two-step inequality from a list that represents a real-world situation and use substitution to solve. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.2.AP.3 Given an equation in the form of $ax^2 = c$ and $ax^3 = c$, use tools to determine real solutions where a is a perfect square up to 144 and c is a perfect cube from -125 to 125. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.2.2	<p>Solve two-step linear inequalities in one variable and represent solutions algebraically and graphically.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes inequalities in the forms $px \pm q > r$ and $p(x \pm q) > r$, where p, q and r are specific rational numbers and where any inequality symbol can be represented.</p> <p><i>Clarification 2:</i> Problems include inequalities where the variable may be on either side of the inequality.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.2.AP.1a Set up multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.2.AP.1b Solve multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.2.AP.2 Select a two-step inequality from a list that represents a real-world situation and use</p>

	<p>substitution to solve. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.2.AP.3 Given an equation in the form of $ax^2 = p$ and $ax^3 = q$, use tools to determine real solutions where p is a perfect square up to 144 and q is a perfect cube from -125 to 125. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.2.3	<p>Given an equation in the form of $x^2=p$ and $x^3=q$, where p is a whole number and q is an integer, determine the real solutions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on understanding that when solving $x^2=p$, there is both a positive and negative solution.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to calculate square roots of perfect squares up to 225 and cube roots of perfect cubes from -125 to 125.</p>
	Related Access Point(s)
	<p>MA.8.AR.2.AP.1a Set up multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.2.AP.1b Solve multi-step equations in one variable, with integers coefficients. Include equations with variables on both sides. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.2.AP.2 Select a two-step inequality from a list that represents a real-world situation and use substitution to solve. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.2.AP.3 Given an equation in the form of $ax^2 = p$ and $ax^3 = q$, use tools to determine real solutions where p is a perfect square up to 144 and q is a perfect cube from -125 to 125. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Extend understanding of proportional relationships to two-variable linear equations.

BENCHMARK CODE	BENCHMARK
MA.8.AR.3.1	<p>Determine if a linear relationship is also a proportional relationship.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the understanding that proportional relationships are linear relationships whose graph passes through the origin.</p> <p><i>Clarification 2:</i> Instruction includes the representation of relationships using tables, graphs, equations and written descriptions.</p>
	Related Access Point(s)
	<p>MA.8.AR.3.AP.1 Given a table, a graph, or equation, determine whether two quantities have a proportional relationship.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.2 Given a table or graph of a linear relationship, identify the slope. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.3 Given a table or graph of a linear relationship, identify from a list, the equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.4 Graph a two-variable linear equation from a table or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.5 Given a real-world context, identify the slope and y-intercept of a two-variable linear equation from a table, a graph or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.3.2	<p>Given a table, graph or written description of a linear relationship, determine the slope.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problem types include cases where two points are given to determine the slope.</p> <p><i>Clarification 2:</i> Instruction includes making connections of slope to the constant of proportionality and to similar triangles represented on the coordinate plane.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.3.AP.1 Given a table, a graph, or equation, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.2 Given a table or graph of a linear relationship, identify the slope. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.3 Given a table or graph of a linear relationship, identify from a list, the equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.4 Graph a two-variable linear equation from a table or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.5 Given a real-world context, identify the slope and y-intercept of a two-variable linear equation from a table, a graph or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.3.3	<p>Given a table, graph or written description of a linear relationship, write an equation in slope-intercept form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.3.AP.1 Given a table, a graph, or equation, determine whether two quantities have a</p>

	<p>proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.2 Given a table or graph of a linear relationship, identify the slope. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.3 Given a table or graph of a linear relationship, identify from a list, the equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.4 Graph a two-variable linear equation from a table or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.5 Given a real-world context, identify the slope and y-intercept of a two-variable linear equation from a table, a graph or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.3.4	<p>Given a mathematical or real-world context, graph a two-variable linear equation from a written description, a table or an equation in slope-intercept form.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.AR.3.AP.1 Given a table, a graph, or equation, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.2 Given a table or graph of a linear relationship, identify the slope. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.3 Given a table or graph of a linear relationship, identify from a list, the equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.4 Graph a two-variable linear equation from a table or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.AR.3.AP.5 Given a real-world context, identify the slope and y-intercept of a two-variable linear equation from a table, a graph or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.3.5	<p>Given a real-world context, determine and interpret the slope and y-intercept of a two-variable linear equation from a written description, a table, a graph or an equation in slope-intercept form.</p> <p><u>Examples:</u> Raul bought a palm tree to plant at his house. He records the growth over many months and creates the equation $h=0.21m+4.9$, where h is the height of the palm tree in feet and m is the number of months. Interpret the slope and y-intercept from his equation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include conversions with temperature and equations of lines of fit in scatter plots.</p>

Related Access Point(s)	
	<p>MA.8.AR.3.AP.1 Given a table, a graph, or equation, determine whether two quantities have a proportional relationship. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.2 Given a table or graph of a linear relationship, identify the slope. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.3 Given a table or graph of a linear relationship, identify from a list, the equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.4 Graph a two-variable linear equation from a table or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.3.AP.5 Given a real-world context, identify the slope and y-intercept of a two-variable linear equation from a table, a graph or an equation in slope-intercept form. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 4: Develop an understanding of two-variable systems of equations.

BENCHMARK CODE	BENCHMARK
MA.8.AR.4.1	<p>Given a system of two linear equations and a specified set of possible solutions, determine which ordered pairs satisfy the system of linear equations.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the understanding that a solution to a system of equations satisfies both linear equations simultaneously.</p>
	Related Access Point(s)
	<p>MA.8.AR.4.AP.1a Given a system of two linear equations displayed on a graph, identify the solution of a system as the point where the two lines intersect. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.1b Identify the coordinates of the point of intersection for two linear equations plotted on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.2 Given a system of two linear equations represented graphically on the same coordinate plane, identify whether there is one solution or no solution. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.3 Given two sets of coordinates for two lines, plot the lines on a coordinate plane and describe or select the solution to a system of linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.4.2	<p>Given a system of two linear equations represented graphically on the same coordinate plane, determine whether there is one solution, no solution or infinitely many solutions.</p>
	Related Access Point(s)

	<p>MA.8.AR.4.AP.1a Given a system of two linear equations displayed on a graph, identify the solution of a system as the point where the two lines intersect. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.1b Identify the coordinates of the point of intersection for two linear equations plotted on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.2 Given a system of two linear equations represented graphically on the same coordinate plane, identify whether there is one solution or no solution. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.3 Given two sets of coordinates for two lines, plot the lines on a coordinate plane and describe or select the solution to a system of linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.AR.4.3	<p>Given a mathematical or real-world context, solve systems of two linear equations by graphing.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes approximating non-integer solutions.</p> <p><i>Clarification 2:</i> Within this benchmark, it is the expectation to represent systems of linear equations in slope-intercept form only.</p> <p><i>Clarification 3:</i> Instruction includes recognizing that parallel lines have the same slope.</p>
	Related Access Point(s)
	<p>MA.8.AR.4.AP.1a Given a system of two linear equations displayed on a graph, identify the solution of a system as the point where the two lines intersect. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.1b Identify the coordinates of the point of intersection for two linear equations plotted on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.2 Given a system of two linear equations represented graphically on the same coordinate plane, identify whether there is one solution or no solution. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.AR.4.AP.3 Given two sets of coordinates for two lines, plot the lines on a coordinate plane and describe or select the solution to a system of linear equations. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: FUNCTIONS

Standard 1: Define, evaluate and compare functions.

BENCHMARK CODE	BENCHMARK
----------------	-----------

<p>MA.8.F.1.1</p>	<p>Given a set of ordered pairs, a table, a graph or mapping diagram, determine whether the relationship is a function. Identify the domain and range of the relation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes referring to the input as the independent variable and the output as the dependent variable.</p> <p><i>Clarification 2:</i> Within this benchmark, it is the expectation to represent domain and range as a list of numbers or as an inequality.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.F.1.AP.1a Given a set of ordered pairs, a table or mapping diagram identify whether the relationship is a function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.1b Given a set of ordered pairs, a table or mapping diagram identify the domain and range of the relation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.2 Given a function displayed as a graph or an equation, identify whether the function is a linear function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.3 Given a functional relationship displayed as a graph, identify where the function is increasing, decreasing or constant. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.F.1.2</p>	<p>Given a function defined by a graph or an equation, determine whether the function is a linear function. Given an input-output table, determine whether it could represent a linear function.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes recognizing that a table may not determine a function.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.F.1.AP.1a Given a set of ordered pairs, a table or mapping diagram identify whether the relationship is a function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.1b Given a set of ordered pairs, a table or mapping diagram identify the domain and range of the relation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.2 Given a function displayed as a graph or an equation, identify whether the function is a linear function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.F.1.AP.3 Given a functional relationship displayed as a graph, identify where the function is increasing, decreasing or constant. <u>Date Adopted or Revised:</u> 07/21</p>

MA.8.F.1.3	<p>Analyze a real-world written description or graphical representation of a functional relationship between two quantities and identify where the function is increasing, decreasing or constant.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problem types are limited to continuous functions.</p> <p><i>Clarification 2:</i> Analysis includes writing a description of a graphical representation or sketching a graph from a written description.</p>
Related Access Point(s)	
<p>MA.8.F.1.AP.1a Given a set of ordered pairs, a table or mapping diagram identify whether the relationship is a function. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.8.F.1.AP.1b Given a set of ordered pairs, a table or mapping diagram identify the domain and range of the relation. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.8.F.1.AP.2 Given a function displayed as a graph or an equation, identify whether the function is a linear function. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.8.F.1.AP.3 Given a functional relationship displayed as a graph, identify where the function is increasing, decreasing or constant. <u>Date Adopted or Revised:</u> 07/21</p>	

Strand: GEOMETRIC REASONING

Standard 1: Develop an understanding of the Pythagorean Theorem and angle relationships involving triangles.

BENCHMARK CODE	BENCHMARK
MA.8.GR.1.1	<p>Apply the Pythagorean Theorem to solve mathematical and real-world problems involving unknown side lengths in right triangles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes exploring right triangles with natural-number side lengths to illustrate the Pythagorean Theorem.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to memorize the Pythagorean Theorem.</p> <p><i>Clarification 3:</i> Radicands are limited to whole numbers up to 225.</p>
Related Access Point(s)	
<p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a</p>	

	<p>coordinate system by forming right triangles, with natural number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.GR.1.2	<p>Apply the Pythagorean Theorem to solve mathematical and real-world problems involving the distance between two points in a coordinate plane.</p> <p><u>Examples:</u> The distance between (-2,7) and (0,6) can be found by creating a right triangle with the vertex of the right angle at the point (-2,6). This gives a height of the right triangle as 1 unit and a base of 2 units. Then using the Pythagorean Theorem the distance can be determined from the equation $1^2+2^2=c^2$, which is equivalent to $5=c^2$. So, the distance is units.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes making connections between distance on the coordinate plane and right triangles.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to memorize the Pythagorean Theorem. It is not the expectation to use the distance formula.</p> <p><i>Clarification 3:</i> Radicands are limited to whole numbers up to 225.</p>
	Related Access Point(s)
	<p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a coordinate system by forming right triangles, with natural number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side).</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.GR.1.3	<p>Use the Triangle Inequality Theorem to determine if a triangle can be formed from a given set of sides. Use the converse of the Pythagorean Theorem to determine if a right triangle can be formed from a given set of sides.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a coordinate system by forming right triangles, with natural number side lengths. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.GR.1.4	<p>Solve mathematical problems involving the relationships between supplementary, complementary, vertical or adjacent angles.</p>

	Related Access Point(s)
	<p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a coordinate system by forming right triangles, with natural number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.GR.1.5	<p>Solve problems involving the relationships of interior and exterior angles of a triangle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include using the Triangle Sum Theorem and representing angle measures as algebraic expressions.</p>
	Related Access Point(s)
	<p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a coordinate system by forming right triangles, with natural number side lengths. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <i>Date Adopted or Revised:</i> 07/21</p>
MA.8.GR.1.6	<p>Develop and use formulas for the sums of the interior angles of regular polygons by decomposing them into triangles.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Problems include representing angle measures as algebraic expressions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.1.AP.1 Find the hypotenuse of a two-dimensional right triangle using the Pythagorean Theorem. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.2 Given the Pythagorean Theorem, determine lengths/distances between two points in a coordinate system by forming right triangles, with natural number side lengths. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.3a Measure the sides of triangles to establish facts about the Triangle Inequality Theorem (i.e., the sum of two side lengths is greater than the third side). <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.3b Substitute the side lengths of a given figure into the Pythagorean Theorem to determine if a right triangle can be formed. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.4 Identify supplementary, complementary, vertical or adjacent angle relationships. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.5 Given an image, solve simple problems involving the relationships of interior and exterior angles of a triangle. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.8.GR.1.AP.6 Use tools to calculate the sum of the interior angles of regular polygons when given the formula. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 2: Understand similarity and congruence using models and transformations.

BENCHMARK CODE	BENCHMARK
-----------------------	------------------

<p>MA.8.GR.2.1</p>	<p>Given a preimage and image generated by a single transformation, identify the transformation that describes the relationship.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, transformations are limited to reflections, translations or rotations of images.</p> <p><i>Clarification 2:</i> Instruction focuses on the preservation of congruence so that a figure maps onto a copy of itself.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.2.AP.1 Given two figures on a coordinate plane, identify if the image is translated, rotated or reflected. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.2 Given a preimage and image describe the effect the dilation has on the two figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.3 Dilate common polygons using graph paper and identifying the coordinates of the vertices. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.4 Use tools to solve mathematical problems using proportions between similar triangles. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.GR.2.2</p>	<p>Given a preimage and image generated by a single dilation, identify the scale factor that describes the relationship.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to scale drawings and proportions.</p> <p><i>Clarification 2:</i> Instruction focuses on the preservation of similarity and the lack of preservation of congruence when a figure maps onto a scaled copy of itself, unless the scaling factor is 1.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.2.AP.1 Given two figures on a coordinate plane, identify if the image is translated, rotated or reflected. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.2 Given a preimage and image describe the effect the dilation has on the two figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.3 Dilate common polygons using graph paper and identifying the coordinates of the vertices. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.4 Use tools to solve mathematical problems using proportions between similar triangles. <u>Date Adopted or Revised:</u> 07/21</p>

<p>MA.8.GR.2.3</p>	<p>Describe and apply the effect of a single transformation on two-dimensional figures using coordinates and the coordinate plane.</p> <p><u>Clarifications:</u></p> <p><i>Clarification 1:</i> Within this benchmark, transformations are limited to reflections, translations, rotations or dilations of images.</p> <p><i>Clarification 2:</i> Lines of reflection are limited to the x-axis, y-axis or lines parallel to the axes.</p> <p><i>Clarification 3:</i> Rotations must be about the origin and are limited to 90°, 180°, 270° or 360°.</p> <p><i>Clarification 4:</i> Dilations must be centered at the origin.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.2.AP.1 Given two figures on a coordinate plane, identify if the image is translated, rotated or reflected. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.2 Given a preimage and image describe the effect the dilation has on the two figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.3 Dilate common polygons using graph paper and identifying the coordinates of the vertices. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.4 Use tools to solve mathematical problems using proportions between similar triangles. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.GR.2.4</p>	<p>Solve mathematical and real-world problems involving proportional relationships between similar triangles.</p> <p><u>Examples:</u></p> <p>During a Tampa Bay Lightning game one player, Johnson, passes the puck to his teammate, Stamkos, by bouncing the puck off the wall of the rink. The path of the puck creates two line segments that form hypotenuses for each of two similar right triangles, with the height of each triangle the distance from one of the players to the wall of the rink. If Johnson is 12 feet from the wall and Stamkos is 3 feet from the wall. How far did the puck travel from the wall of the rink to Stamkos if the distance traveled from Johnson to the wall was 16 feet?</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.GR.2.AP.1 Given two figures on a coordinate plane, identify if the image is translated, rotated or reflected. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.2 Given a preimage and image describe the effect the dilation has on the two figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.GR.2.AP.3 Dilate common polygons using graph paper and identifying the coordinates of the vertices. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.8.GR.2.AP.4 Use tools to solve mathematical problems using proportions between similar triangles. <u>Date Adopted or Revised:</u> 07/21
--	---

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Represent and investigate numerical bivariate data.

BENCHMARK CODE	BENCHMARK
MA.8.DP.1.1	<p>Given a set of real-world bivariate numerical data, construct a scatter plot or a line graph as appropriate for the context.</p> <p><u>Examples:</u> <i>Example:</i> Jaylyn is collecting data about the relationship between grades in English and grades in mathematics. He represents the data using a scatter plot because he is interested if there is an association between the two variables without thinking of either one as an independent or dependent variable.</p> <p><i>Example:</i> Samantha is collecting data on her weekly quiz grade in her social studies class. She represents the data using a line graph with time as the independent variable.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes recognizing similarities and differences between scatter plots and line graphs, and on determining which is more appropriate as a representation of the data based on the context.</p> <p><i>Clarification 2:</i> Sets of data are limited to 20 points.</p>
	Related Access Point(s)
	MA.8.DP.1.AP.1 Graph bivariate data using a scatter plot. <u>Date Adopted or Revised:</u> 07/21
	MA.8.DP.1.AP.2 Given a scatter plot, identify whether the patterns of association are no association, positive association, negative association, linear or nonlinear. <u>Date Adopted or Revised:</u> 07/21
	MA.8.DP.1.AP.3 Given a scatter plot with a linear association, use tools to draw or place a line of best fit. <u>Date Adopted or Revised:</u> 07/21
MA.8.DP.1.2	<p>Given a scatter plot within a real-world context, describe patterns of association.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Descriptions include outliers; positive or negative association; linear or nonlinear association; strong or weak association.</p>
	Related Access Point(s)
	MA.8.DP.1.AP.1 Graph bivariate data using a scatter plot. <u>Date Adopted or Revised:</u> 07/21
	MA.8.DP.1.AP.2 Given a scatter plot, identify whether the patterns of association are no association,

	<p>positive association, negative association, linear or nonlinear. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.1.AP.3 Given a scatter plot with a linear association, use tools to draw or place a line of best fit. <u>Date Adopted or Revised:</u> 07/21</p>
MA.8.DP.1.3	<p>Given a scatter plot with a linear association, informally fit a straight line.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection to linear functions.</p> <p><i>Clarification 2:</i> Instruction includes using a variety of tools, including a ruler, to draw a line with approximately the same number of points above and below the line.</p>
	Related Access Point(s)
	<p>MA.8.DP.1.AP.1 Graph bivariate data using a scatter plot. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.1.AP.2 Given a scatter plot, identify whether the patterns of association are no association, positive association, negative association, linear or nonlinear. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.1.AP.3 Given a scatter plot with a linear association, use tools to draw or place a line of best fit. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Represent and find probabilities of repeated experiments.

BENCHMARK CODE	BENCHMARK
MA.8.DP.2.1	<p>Determine the sample space for a repeated experiment.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes recording sample spaces for repeated experiments using organized lists, tables or tree diagrams.</p> <p><i>Clarification 2:</i> Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.</p> <p><i>Clarification 3:</i> Repetition of experiments is limited to two times except for tossing a coin.</p>
	Related Access Point(s)
	<p>MA.8.DP.2.AP.1 Use a tool (table, list or tree diagram) to record results of a repeated experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.2.AP.2 Select the theoretical probability of an event from a list. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.8.DP.2.AP.3 Compare actual results of an experiment with its theoretical probability (e.g., make a statement that describes the relationship between the actual results of an experiment with its theoretical probability [e.g., more, less, same, different, equal]). <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.DP.2.2</p>	<p>Find the theoretical probability of an event related to a repeated experiment.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing probability as a fraction, percentage or decimal.</p> <p><i>Clarification 2:</i> Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.</p> <p><i>Clarification 3:</i> Repetition of experiments is limited to two times except for tossing a coin.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.8.DP.2.AP.1 Use a tool (table, list or tree diagram) to record results of a repeated experiment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.DP.2.AP.2 Select the theoretical probability of an event from a list. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.8.DP.2.AP.3 Compare actual results of an experiment with its theoretical probability (e.g., make a statement that describes the relationship between the actual results of an experiment with its theoretical probability [e.g., more, less, same, different, equal]). <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.8.DP.2.3</p>	<p>Solve real-world problems involving probabilities related to single or repeated experiments, including making predictions based on theoretical probability.</p> <p><u>Examples:</u> <i>Example:</i> If Gabriella rolls a fair die 300 times, she can predict that she will roll a 3 approximately 50 times since the theoretical probability is .</p> <p><i>Example:</i> Sandra performs an experiment where she flips a coin three times. She finds the theoretical probability of landing on exactly one head as . If she performs this experiment 50 times (for a total of 150 flips), predict the number of repetitions of the experiment that will result in exactly one of the three flips landing on heads.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes making connections to proportional relationships and representing probability as a fraction, percentage or decimal.</p> <p><i>Clarification 2:</i> Experiments to be repeated are limited to tossing a fair coin, rolling a fair die, picking a card randomly from a deck with replacement, picking marbles randomly from a bag with replacement and spinning a fair spinner.</p>

	<p><i>Clarification 3:</i> Repetition of experiments is limited to two times except for tossing a coin.</p>
	Related Access Point(s)
	<p>MA.8.DP.2.AP.1 Use a tool (table, list or tree diagram) to record results of a repeated experiment. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.2.AP.2 Select the theoretical probability of an event from a list. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.8.DP.2.AP.3 Compare actual results of an experiment with its theoretical probability (e.g., make a statement that describes the relationship between the actual results of an experiment with its theoretical probability [e.g., more, less, same, different, equal]). <u>Date Adopted or Revised:</u> 07/21</p>

GRADE: 912

Strand: NUMBER SENSE AND OPERATIONS	
Standard 1: Generate equivalent expressions and perform operations with expressions involving exponents, radicals or logarithms.	
BENCHMARK CODE	BENCHMARK
MA.912.NSO.1.1	<p>Extend previous understanding of the Laws of Exponents to include rational exponents. Apply the Laws of Exponents to evaluate numerical expressions and generate equivalent numerical expressions involving rational exponents.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of technology when appropriate.</p> <p><i>Clarification 2:</i> Refer to the K-12 Formulas (Appendix E) for the Laws of Exponents.</p> <p><i>Clarification 3:</i> Instruction includes converting between expressions involving rational exponents and expressions involving radicals.</p> <p><i>Clarification 4:</i> Within the Mathematics for Data and Financial Literacy course, it is not the expectation to generate equivalent numerical expressions.</p>
	Related Access Point(s)
	<p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.NSO.1.2	<p>Generate equivalent algebraic expressions using the properties of exponents.</p> <p><u>Examples:</u> The expression $2^3 \cdot 2^4$ is equivalent to the expression 2^7 which is equivalent to 128.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>

<p>MA.912.NSO.1.3</p>	<p>Generate equivalent algebraic expressions involving radicals or rational exponents using the properties of exponents.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 2 course, radicands are limited to monomial algebraic expressions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.NSO.1.4</p>	<p>Apply previous understanding of operations with rational numbers to add, subtract, multiply and divide numerical radicals.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> The expression is equivalent to which is equivalent to which is equivalent to .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, expressions are limited to a single arithmetic operation involving two square roots or two cube roots.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.NSO.1.5	<p>Add, subtract, multiply and divide algebraic expressions involving radicals.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 2 course, radicands are limited to monomial algebraic expressions.</p>
	Related Access Point(s)
	<p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.NSO.1.6	<p>Given a numerical logarithmic expression, evaluate and generate equivalent numerical expressions using the properties of logarithms or exponents.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Mathematics for Data and Financial Literacy Honors course, problem types focus on money and business.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.3 Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.4 Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.5 Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.6 Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.7 Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.NSO.1.7	<p>Given an algebraic logarithmic expression, generate an equivalent algebraic expression using the properties of logarithms or exponents.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Mathematics for Data and Financial Literacy Honors course, problem types focus on money and business.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.NSO.1.AP.1 Evaluate numerical expressions involving rational exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.NSO.1.AP.2 Identify equivalent algebraic expressions using properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>

MA.912.NSO.1.AP.3	Using properties of exponents, identify equivalent algebraic expressions involving radicals and rational exponents. Radicands are limited to monomial algebraic expression. <u>Date Adopted or Revised:</u> 07/21
MA.912.NSO.1.AP.4	Apply previous understanding of operations with rational numbers to add and subtract numerical radicals that are in radical form. <u>Date Adopted or Revised:</u> 07/21
MA.912.NSO.1.AP.5	Add and subtract algebraic expressions involving radicals. Radicands are limited to monomial algebraic expressions. <u>Date Adopted or Revised:</u> 07/21
MA.912.NSO.1.AP.6	Given a numerical logarithmic expression, identify an equivalent numerical expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21
MA.912.NSO.1.AP.7	Given an algebraic logarithmic expression, identify an equivalent algebraic expression using the properties of logarithms or exponents. <u>Date Adopted or Revised:</u> 07/21

Standard 2: Represent and perform operations with expressions within the complex number system.

BENCHMARK CODE	BENCHMARK
MA.912.NSO.2.1	Extend previous understanding of the real number system to include the complex number system. Add, subtract, multiply and divide complex numbers.
	Related Access Point(s)
	MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <u>Date Adopted or Revised:</u> 07/21
MA.912.NSO.2.2	MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <u>Date Adopted or Revised:</u> 07/21
	Represent addition, subtraction, multiplication and conjugation of complex numbers geometrically on the complex plane.
	Related Access Point(s)
MA.912.NSO.2.3	MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <u>Date Adopted or Revised:</u> 07/21
	MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <u>Date Adopted or Revised:</u> 07/21
	Calculate the distance and midpoint between two numbers on the complex coordinate plane.

	Related Access Point(s)
	<p>MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.NSO.2.4	Solve mathematical and real-world problems involving complex numbers represented algebraically or on the coordinate plane.
	Related Access Point(s)
	<p>MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.NSO.2.5	Represent complex numbers on the complex plane in rectangular and polar forms.
	<p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes explaining why the rectangular and polar forms of a given complex numbers represent the same number.</p>
	Related Access Point(s)
	<p>MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.NSO.2.6	Rewrite complex numbers to trigonometric form. Multiply complex numbers in trigonometric form.
	Related Access Point(s)
	<p>MA.912.NSO.2.AP.1 Extend previous understanding of the real number system to include the complex number system. Add and subtract complex numbers. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.NSO.2.AP.2 Represent addition and subtraction of complex numbers geometrically on the complex plane. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 3: Represent and perform operations with vectors.	
BENCHMARK CODE	BENCHMARK
MA.912.NSO.3.1	Apply appropriate notation and symbols to represent vectors in the plane as directed line segments. Determine the magnitude and direction of a vector in component form.

MA.912.NSO.3.2	Represent vectors in component form, linear form or trigonometric form. Rewrite vectors from one form to another.
MA.912.NSO.3.3	Solve mathematical and real-world problems involving velocity and other quantities that can be represented by vectors.
MA.912.NSO.3.4	Solve mathematical and real-world problems involving vectors in two dimensions using the dot product and vector projections.
MA.912.NSO.3.5	Solve mathematical and real-world problems involving vectors in three dimensions using the dot product and cross product.
MA.912.NSO.3.6	Multiply a vector by a scalar algebraically or graphically.
MA.912.NSO.3.7	Compute the magnitude and direction of a vector scalar multiple.
MA.912.NSO.3.8	Add and subtract vectors algebraically or graphically.
MA.912.NSO.3.9	Given the magnitude and direction of two or more vectors, determine the magnitude and direction of their sum.

Standard 4: Represent and perform operations with matrices.

BENCHMARK CODE	BENCHMARK
MA.912.NSO.4.1	Given a mathematical or real-world context, represent and manipulate data using matrices.
MA.912.NSO.4.2	Given a mathematical or real-world context, represent and solve a system of two- or three-variable linear equations using matrices.
MA.912.NSO.4.3	Solve mathematical and real-world problems involving addition, subtraction and multiplication of matrices. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes identifying and using the additive and multiplicative identities for matrices.
MA.912.NSO.4.4	Solve mathematical and real-world problems using the inverse and determinant of matrices.

Strand: ALGEBRAIC REASONING

Standard 1: Interpret and rewrite algebraic expressions and equations in equivalent forms.

BENCHMARK CODE	BENCHMARK
MA.912.AR.1.1	Identify and interpret parts of an equation or expression that represent a quantity in terms of a mathematical or real-world context, including viewing one or more of its parts as a single entity. <i>Examples:</i> <i>Algebra 1 Example:</i> Derrick is using the formula to make a prediction about the camel population in Australia. He identifies the growth factor as $(1+.1)$, or 1.1 , and states that the camel population will grow at an annual rate of 10% per year. <i>Example:</i> The expression $\frac{1.15t}{12}$ can be rewritten as $\frac{1.15}{12}t$ which is approximately equivalent to $0.0958t$. This latter expression reveals the approximate equivalent monthly interest rate of 1.2% if the annual rate is 15%. <i>Clarifications:</i> <i>Clarification 1:</i> Parts of an expression include factors, terms, constants, coefficients and variables.

	<p><i>Clarification 2:</i> Within the Mathematics for Data and Financial Literacy course, problem types focus on money and business.</p>
	Related Access Point(s)
	<p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.10	<p>Solve mathematical and real-world problems involving addition, subtraction, multiplication or division of rational algebraic expressions.</p>
	Related Access Point(s)
	<p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.11	<p>Apply the Binomial Theorem to create equivalent polynomial expressions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to Pascal's Triangle and to combinations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.2	<p>Rearrange equations or formulas to isolate a quantity of interest.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> The Ideal Gas Law $PV = nRT$ can be rearranged as to isolate temperature as the quantity of interest.</p> <p><i>Example:</i> Given the Compound Interest formula , solve for P.</p> <p><i>Mathematics for Data and Financial Literacy Honors Example:</i> Given the Compound Interest formula , solve for t.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using formulas for temperature, perimeter, area and volume; using equations for linear (standard, slope-intercept and point-slope forms) and quadratic (standard, factored and vertex forms) functions.</p> <p><i>Clarification 2:</i> Within the Mathematics for Data and Financial Literacy course, problem types focus on money and business.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.3	<p>Add, subtract and multiply polynomial expressions with rational number coefficients.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes an understanding that when any of these operations are performed with polynomials the result is also a polynomial. <i>Clarification 2:</i> Within the Algebra 1 course, polynomial expressions are limited to 3 or fewer terms.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.4	<p>Divide a polynomial expression by a monomial expression with rational number coefficients.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, polynomial expressions are limited to 3 or fewer terms.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>

MA.912.AR.1.5	<p>Divide polynomial expressions using long division, synthetic division or algebraic manipulation.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.1.6	<p>Solve mathematical and real-world problems involving addition, subtraction, multiplication or division of polynomials.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.7	<p>Rewrite a polynomial expression as a product of polynomials over the real number system.</p> <p><u>Examples:</u> <i>Example:</i> The expression is equivalent to the factored form . <i>Example:</i> The expression is equivalent to the factored form .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, polynomial expressions are limited to 4 or fewer terms with integer coefficients.</p>
	Related Access Point(s)
	<p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.8	<p>Rewrite a polynomial expression as a product of polynomials over the real or complex number system.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes factoring a sum or difference of squares and a sum or difference of cubes.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.1.9	<p>Apply previous understanding of rational number operations to add, subtract, multiply and divide rational algebraic expressions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to fractions and common denominators.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.1.AP.1 Identify a part(s) of an equation or expression and explain the meaning within the context of a problem. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.2 Rearrange an equation or a formula for a specific variable. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.3 Add, subtract and multiply polynomial expressions with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.4 Divide a polynomial expression by a monomial expression with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.5 Divide polynomial expressions using long division, synthetic division and algebraic manipulation where the denominator is a linear expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.6 Solve mathematical and/or real-world problems involving addition, subtraction, multiplication or division of polynomials with integer coefficients. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.7 Factor a quadratic expression. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.8 Select a polynomial expression as a product of polynomials with integer coefficients over the real or complex number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.1.AP.9 Apply previous understanding of rational number operations with common denominators to add and subtract rational expressions. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 10: Solve problems involving sequences and series.

BENCHMARK CODE	BENCHMARK
MA.912.AR.10.1	<p>Given a mathematical or real-world context, write and solve problems involving arithmetic sequences.</p> <p><i>Examples:</i> Tara is saving money to move out of her parent's house. She opens the account with \$250 and puts \$100 into a savings account every month after that. Write the total amount of money she has in her account after each month as a sequence. In how many months will she have at least \$3,000?</p>
MA.912.AR.10.2	<p>Given a mathematical or real-world context, write and solve problems involving geometric sequences.</p> <p><i>Examples:</i> A bacteria in a Petri dish initially covers 2 square centimeters. The bacteria grows at a rate of 2.6% every day. Determine the geometric sequence that describes the area covered by the bacteria after 0,1,2,3... days. Determine using technology, how many days it would take the bacteria to cover 10 square centimeters.</p>
MA.912.AR.10.3	Recognize and apply the formula for the sum of a finite arithmetic series to solve mathematical and real-world problems.
MA.912.AR.10.4	Recognize and apply the formula for the sum of a finite or an infinite geometric series to solve mathematical and real-world problems.
MA.912.AR.10.5	Given a mathematical or real-world context, write a sequence using function notation, defined explicitly or recursively, to represent relationships between quantities from a written description.
MA.912.AR.10.6	Given a mathematical or real-world context, find the domain of a given sequence defined recursively or explicitly.

Standard 2: Write, solve and graph linear equations, functions and inequalities in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.2.1	Given a real-world context, write and solve one-variable multi-step linear equations.
	Related Access Point(s)
	<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <i>Date Adopted or Revised:</i> 07/21</p>
<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <i>Date Adopted or Revised:</i> 07/21</p>	

	<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.2.2	<p>Write a linear two-variable equation to represent the relationship between two quantities from a graph, a written description or a table of values within a mathematical or real-world context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of standard form, slope-intercept form and point-slope form, and the conversion between these forms.</p> <p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities</p>

	<p>from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.2.3	<p>Write a linear two-variable equation for a line that is parallel or perpendicular to a given line and goes through a given point.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on recognizing that perpendicular lines have slopes that when multiplied result in -1 and that parallel lines have slopes that are the same.</p> <p><i>Clarification 2:</i> Instruction includes representing a line with a pair of points on the coordinate plane or with an equation.</p> <p><i>Clarification 3:</i> Problems include cases where one variable has a coefficient of zero.</p>
	Related Access Point(s)
	<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.2.4	<p>Given a table, equation or written description of a linear function, graph that function, and determine and interpret its key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain, range, intercepts and rate of change. <i>Clarification 2:</i> Instruction includes the use of standard form, slope-intercept form and point-slope form. <i>Clarification 3:</i> Instruction includes cases where one variable has a coefficient of zero. <i>Clarification 4:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation. <i>Clarification 5:</i> Within the Algebra 1 course, notations for domain and range are limited to inequality and set-builder notations.</p>
Related Access Point(s)	
	<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.AR.2.5</p>	<p>Solve and graph mathematical and real-world problems that are modeled with linear functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> Lizzy's mother uses the function $C(p)=450+7.75p$, where $C(p)$ represents the total cost of a rental space and p is the number of people attending, to help budget Lizzy's 16th birthday party. Lizzy's mom wants to spend no more than \$850 for the party. Graph the function in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain, range, intercepts and rate of change. <i>Clarification 2:</i> Instruction includes the use of standard form, slope-intercept form and point-slope form. <i>Clarification 3:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation. <i>Clarification 4:</i> Within the Algebra 1 course, notations for domain, range and constraints are limited to inequality and set-builder. <i>Clarification 5:</i> Within the Mathematics for Data and Financial Literacy course, problem types focus on money and business.</p>
Related Access Point(s)	
<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically.</p>	

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.2.6	<p>Given a mathematical or real-world context, write and solve one-variable linear inequalities, including compound inequalities. Represent solutions algebraically or graphically.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> The compound inequality $2x \leq 5x + 1 < 4$ is equivalent to $-1 \leq 3x$ and $5x < 3$, which is equivalent to .</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope).</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

<p>MA.912.AR.2.7</p>	<p>Write two-variable linear inequalities to represent relationships between quantities from a graph or a written description within a mathematical or real-world context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of standard form, slope-intercept form and point-slope form and any inequality symbol can be represented.</p> <p><i>Clarification 2:</i> Instruction includes cases where one variable has a coefficient of zero.</p>
<p>Related Access Point(s)</p>	
<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution. <u>Date Adopted or Revised:</u> 07/21</p>	
<p>MA.912.AR.2.8</p>	<p>Given a mathematical or real-world context, graph the solution set to a two-variable linear inequality.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of standard form, slope-intercept form and point-slope form and any inequality symbol can be represented.</p> <p><i>Clarification 2:</i> Instruction includes cases where one variable has a coefficient of zero.</p>

Related Access Point(s)	
	<p>MA.912.AR.2.AP.1 Given an equation in a real-world context, solve one-variable multi-step linear equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.2 Select a linear two-variable equation to represent relationships between quantities from a graph, a written description or a table of values within a mathematical or real-world context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.3 Select a linear two-variable equation in slope intercept form for a line that is parallel or perpendicular to a given line and goes through a given point. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.4 Given a table, equation or written description of a linear function, select a graph of that function and determine at least two key features (can include domain, range, y-intercept or slope). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.5 Given a real-world problem select a graph that is modeled by a linear function and determine domain constraints in terms of the context. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.6 Given a mathematical and/or real-world context, select a one-variable linear inequality that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.7 Select a two-variable linear inequality to represent relationships between quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.2.AP.8 Given a two-variable linear inequality, select a graph that represents the solution. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Write, solve and graph quadratic equations, functions and inequalities in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.3.1	<p>Given a mathematical or real-world context, write and solve one-variable quadratic equations over the real number system.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, instruction includes the concept of non-real answers, without determining non-real solutions.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to solve by factoring techniques, taking square roots, the quadratic formula and completing the square.</p>
Related Access Point(s)	

	<p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.10	<p>Given a mathematical or real-world context, graph the solution set to a two-variable quadratic inequality.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of standard form, factored form and vertex form where any inequality symbol can be represented.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.3.2	<p>Given a mathematical or real-world context, write and solve one-variable quadratic equations over the real and complex number systems.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within this benchmark, the expectation is to solve by factoring techniques, taking square roots, the quadratic formula and completing the square.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.3	<p>Given a mathematical or real-world context, write and solve one-variable quadratic inequalities over the real number system. Represent solutions algebraically or graphically.</p>
	Related Access Point(s)
	<p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>												
MA.912.AR.3.4	<p>Write a quadratic function to represent the relationship between two quantities from a graph, a written description or a table of values within a mathematical or real-world context.</p> <p><u>Examples:</u> <i>Algebra I Example:</i> Given the table of values below from a quadratic function, write an equation of that function.</p> <table border="1" data-bbox="505 1283 966 1430"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td></td> <td>2</td> <td>-1</td> <td>-2</td> <td>-1</td> <td>2</td> </tr> </table> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, a graph, written description or table of values must include the vertex and two points that are equidistant from the vertex. <i>Clarification 2:</i> Instruction includes the use of standard form, factored form and vertex form. <i>Clarification 3:</i> Within the Algebra 2 course, one of the given points must be the vertex or an x-intercept.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system.</p>	x	-2	-1	0	1	2		2	-1	-2	-1	2
x	-2	-1	0	1	2								
	2	-1	-2	-1	2								

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.5	<p>Given the x-intercepts and another point on the graph of a quadratic function, write the equation for the function.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.5 Given the x- and y-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.6	<p>Given an expression or equation representing a quadratic function, determine the vertex and zeros and interpret them in terms of a real-world context.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a</p>

	<p>graph. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.3.7	<p>Given a table, equation or written description of a quadratic function, graph that function, and determine and interpret its key features.</p> <p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; vertex; and symmetry.</p> <p><i>Clarification 2:</i> Instruction includes the use of standard form, factored form and vertex form, and sketching a graph using the zeros and vertex.</p> <p><i>Clarification 3:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 4:</i> Within the Algebra 1 course, notations for domain and range are limited to inequality and set-builder.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.8	<p>Solve and graph mathematical and real-world problems that are modeled with quadratic functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> The value of a classic car produced in 1972 can be modeled by the function $f(t) = -0.0001t^2 + 0.002t + 1.5$, where t is the number of years since 1972. In what year does the car's value start to increase?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; vertex; and symmetry. <i>Clarification 2:</i> Instruction includes the use of standard form, factored form and vertex form. <i>Clarification 3:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation. <i>Clarification 4:</i> Within the Algebra 1 course, notations for domain, range and constraints are limited to inequality and set-builder.</p>
	Related Access Point(s)
	<p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context,</p>

	<p>select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.3.9	<p>Given a mathematical or real-world context, write two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of standard form, factored form and vertex form where any inequality symbol can be represented.</p>
	Related Access Point(s)
	<p>MA.912.AR.3.AP.1 Given a one-variable quadratic equation from a mathematical or real-world context, select the solution to the equation over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.3.AP.10 Select the graph of the solution set to a two-variable quadratic inequality.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.2 Solve mathematical one-variable quadratic equations with integer coefficients over the real and complex number systems. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.3 Given a mathematical or real-world context, select a one-variable quadratic inequality over the real number system that represents the solution algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.4 Select a quadratic function to represent the relationship between two quantities from a graph. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.5 Given the x-intercepts and another point on the graph of a quadratic function, select the equation for the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.6 Given an expression or equation representing a quadratic function in vertex form, determine the vertex and zeros. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.7 Given a table, equation or written description of a quadratic function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.8 Solve mathematical problems that are modeled with quadratic functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.3.AP.9 Select two-variable quadratic inequalities to represent relationships between quantities from a graph or a written description. <u>Date Adopted or Revised:</u> 07/21</p>
--	---

Standard 4: Write, solve and graph absolute value equations, functions and inequalities in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.4.1	Given a mathematical or real-world context, write and solve one-variable absolute value equations.
	Related Access Point(s)
	<p>MA.912.AR.4.AP.1 Solve a one variable absolute value equation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.4.AP.2 Solve a one-variable absolute value inequality. Represent solutions algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.4.AP.3 Given a table, equation or written description of an absolute value function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.4.AP.4 Solve mathematical problems that are modeled with absolute value functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.4.2	<p>Given a mathematical or real-world context, write and solve one-variable absolute value inequalities. Represent solutions algebraically or graphically.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.4.AP.1 Solve a one variable absolute value equation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.2 Solve a one-variable absolute value inequality. Represent solutions algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.3 Given a table, equation or written description of an absolute value function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.4 Solve mathematical problems that are modeled with absolute value functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.4.3	<p>Given a table, equation or written description of an absolute value function, graph that function and determine its key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; vertex; end behavior and symmetry.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 3:</i> Within the Algebra 1 course, notations for domain and range are limited to inequality and set-builder.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.4.AP.1 Solve a one variable absolute value equation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.2 Solve a one-variable absolute value inequality. Represent solutions algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.3 Given a table, equation or written description of an absolute value function, select the graph that represents the function.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.4 Solve mathematical problems that are modeled with absolute value functions, using key features and select the graph that represents this function.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.4.4	<p>Solve and graph mathematical and real-world problems that are modeled with absolute value functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; vertex; end behavior and symmetry.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.4.AP.1 Solve a one variable absolute value equation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.2 Solve a one-variable absolute value inequality. Represent solutions algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.3 Given a table, equation or written description of an absolute value function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.4.AP.4 Solve mathematical problems that are modeled with absolute value functions, using key features and select the graph that represents this function. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 5: Write, solve and graph exponential and logarithmic equations and functions in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.5.1	<p>Solve one-variable exponential equations using the properties of exponents.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.5.2	<p>Solve one-variable equations involving logarithms or exponential expressions. Interpret solutions as viable in terms of the context and identify any extraneous solutions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.5.3	<p>Given a mathematical or real-world context, classify an exponential function as representing growth or decay.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within the Algebra 1 course, exponential functions are limited to the forms $y = ab^{cx} + d$, where b is a whole number greater than 1 or a unit fraction, or $y = a + b^x$, where $a > 0$.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.5.4	<p>Write an exponential function to represent a relationship between two quantities from a graph, a written description or a table of values within a mathematical or real-world context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within the Algebra 1 course, exponential functions are limited to the forms $y = ab^{cx} + d$, where b is a whole number greater than 1 or a unit fraction, or $y = a + b^x$, where $a > 0$.</p> <p><i>Clarification 2:</i> Within the Algebra 1 course, tables are limited to having successive nonnegative integer inputs so that the function may be determined by finding ratios between successive outputs.</p>

	Related Access Point(s)
	<p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.5.5	<p>Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. Interpret the constant percent rate of change in terms of a real-world context.</p>
	Related Access Point(s)
	<p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.5.6	<p>Given a table, equation or written description of an exponential function, graph that function and determine its key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; constant percent rate of change; end behavior and asymptotes.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 3:</i> Within the Algebra 1 course, notations for domain and range are limited to inequality and set-builder.</p> <p><i>Clarification 4:</i> Within the Algebra 1 course, exponential functions are limited to the forms $y = ab^{cx+d} + k$, where b is a whole number greater than 1 or a unit fraction or $b = \frac{1}{c}$, where c is a whole number greater than 1.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the</p>

	<p>graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.5.7	<p>Solve and graph mathematical and real-world problems that are modeled with exponential functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Examples:</u></p> <p>The graph of the function can be transformed into the straight line $y=5t+2$ by taking the natural logarithm of the function's outputs.</p> <p><u>Clarifications:</u></p> <p><i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; constant percent rate of change; end behavior and asymptotes.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 3:</i> Instruction includes understanding that when the logarithm of the dependent variable is taken and graphed, the exponential function will be transformed into a linear function.</p> <p><i>Clarification 4:</i> Within the Mathematics for Data and Financial Literacy course, problem types focus on money and business.</p>
	Related Access Point(s)
	<p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the</p>

	<p>constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.5.8	<p>Given a table, equation or written description of a logarithmic function, graph that function and determine its key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and asymptotes. <i>Clarification 2:</i> Instruction includes representing the domain and range inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <i>Date Adopted or Revised:</i> 07/21</p>
<p>MA.912.AR.5.9</p>	<p>Solve and graph mathematical and real-world problems that are modeled with logarithmic functions. Interpret key features and determine constraints in terms of the context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and asymptotes. <i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.5.AP.2 Solve one-variable equations involving logarithms or exponential expressions. Identify any extraneous solutions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.3 Given a real-world context, identify an exponential function as representing growth or decay. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.4 Select an exponential function to represent two quantities from a graph or a table of values. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.5 Given an expression or equation representing an exponential function, reveal the constant percent rate of change per unit interval using the properties of exponents. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.6 Given a table, equation or written description of an exponential function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.7 Solve and select the graph of mathematical exponential functions. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.8 Given an equation of a logarithmic function, select the graph of that function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.5.AP.9 Solve and select the graph of mathematical logarithmic functions. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 6: Solve and graph polynomial equations and functions in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.6.1	<p>Given a mathematical or real-world context, when suitable factorization is possible, solve one-variable polynomial equations of degree 3 or higher over the real and complex number systems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.6.2	<p>Explain and apply the Remainder Theorem to solve mathematical and real-world problems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.6.3	<p>Explain and apply theorems for polynomials to solve mathematical and real-world problems.</p> <p><i>Examples:</i> Write a polynomial function that has the zeroes 5 and $2+i$.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Theorems include the Factor Theorem and the Fundamental Theorem of Algebra.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.6.4	<p>Given a table, equation or written description of a polynomial function of degree 3 or higher, graph that function and determine its key features.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; relative maximums and minimums; symmetry; and end behavior.</p>

	<p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.6.5	<p>Sketch a rough graph of a polynomial function of degree 3 or higher using zeros, multiplicity and knowledge of end behavior.</p>
	Related Access Point(s)
	<p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.6.6	<p>Solve and graph mathematical and real-world problems that are modeled with polynomial functions of degree 3 or higher. Interpret key features and determine constraints in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; relative maximums and minimums; symmetry; and end behavior.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.6.AP.1 Solve one-variable polynomial equations of degree 3 or higher in factored form, over the real number system. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.6.AP.5 Create a rough graph of a polynomial function of degree 3 or higher (in factored form) using zeros, multiplicity and knowledge of end behavior. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 7: Solve and graph radical equations and functions in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.7.1	Solve one-variable radical equations. Interpret solutions as viable in terms of context and identify any extraneous solutions.
	Related Access Point(s)

	<p>MA.912.AR.7.AP.1 Solve one-variable radical equations and identify any extraneous solutions. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.7.AP.2 Given a table, equation or written description of a square root or cube root function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.7.AP.3 Given a mathematical or real-world problem that is modeled with square root or cube root functions, using key features (in terms of the context), select the graph that represents this model. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.7.2	<p>Given a table, equation or written description of a square root or cube root function, graph that function and determine its key features.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and relative maximums and minimums.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.7.AP.1 Solve one-variable radical equations and identify any extraneous solutions. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.7.AP.2 Given a table, equation or written description of a square root or cube root function, select the graph that represents the function. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.AR.7.AP.3 Given a mathematical or real-world problem that is modeled with square root or cube root functions, using key features (in terms of the context), select the graph that represents this model. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.AR.7.3	<p>Solve and graph mathematical and real-world problems that are modeled with square root or cube root functions. Interpret key features and determine constraints in terms of the context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and relative maximums and minimums.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.7.AP.1 Solve one-variable radical equations and identify any extraneous solutions. <i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.912.AR.7.AP.2 Given a table, equation or written description of a square root or cube root function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.7.AP.3 Given a mathematical or real-world problem that is modeled with square root or cube root functions, using key features (in terms of the context), select the graph that represents this model. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.7.4	<p>Solve and graph mathematical and real-world problems that are modeled with radical functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and relative maximums and minimums.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.AR.7.AP.1 Solve one-variable radical equations and identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.7.AP.2 Given a table, equation or written description of a square root or cube root function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.7.AP.3 Given a mathematical or real-world problem that is modeled with square root or cube root functions, using key features (in terms of the context), select the graph that represents this model. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 8: Solve and graph rational equations and functions in one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.AR.8.1	<p>Write and solve one-variable rational equations. Interpret solutions as viable in terms of the context and identify any extraneous solutions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 2 course, numerators and denominators are limited to linear and quadratic expressions.</p>
	Related Access Point(s)
	<p>MA.912.AR.8.AP.1 Solve one-variable rational equations and identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.8.AP.2 Given a table, equation or written description of a rational function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.8.AP.3 Given a mathematical and/or real-world problem that is modeled with rational functions, using key features (in terms of the context), select the graph that represents this model. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.AR.8.2</p>	<p>Given a table, equation or written description of a rational function, graph that function and determine its key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and asymptotes. <i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation. <i>Clarification 3:</i> Within the Algebra 2 course, numerators and denominators are limited to linear and quadratic expressions.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.8.AP.1 Solve one-variable rational equations and identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.8.AP.2 Given a table, equation or written description of a rational function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.8.AP.3 Given a mathematical and/or real-world problem that is modeled with rational functions, using key features (in terms of the context), select the graph that represents this model. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.AR.8.3</p>	<p>Solve and graph mathematical and real-world problems that are modeled with rational functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior; and asymptotes. <i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation. <i>Clarification 3:</i> Instruction includes using rational functions to represent inverse proportional relationships. <i>Clarification 4:</i> Within the Algebra 2 course, numerators and denominators are limited to linear and quadratic expressions.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.8.AP.1 Solve one-variable rational equations and identify any extraneous solutions. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.8.AP.2 Given a table, equation or written description of a rational function, select the graph that represents the function. <u>Date Adopted or Revised:</u> 07/21</p>

	MA.912.AR.8.AP.3 Given a mathematical and/or real-world problem that is modeled with rational functions, using key features (in terms of the context), select the graph that represents this model. <u>Date Adopted or Revised:</u> 07/21
--	--

Standard 9: Write and solve a system of two- and three-variable equations and inequalities that describe quantities or relationships.

BENCHMARK CODE	BENCHMARK
MA.912.AR.9.1	<p>Given a mathematical or real-world context, write and solve a system of two-variable linear equations algebraically or graphically.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within this benchmark, the expectation is to solve systems using elimination, substitution and graphing. <i>Clarification 2:</i> Within the Algebra 1 course, the system is limited to two equations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.10	<p>Solve and graph mathematical and real-world problems that are modeled with piecewise functions. Interpret key features and determine constraints in terms of the context.</p> <p><u>Examples:</u> A mechanic wants to place an ad in his local newspaper. The cost, in dollars, of an ad x</p>

	<p>inches long is given by the following piecewise function. Find the cost of an ad that would be 16 inches long.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain, range, intercepts, asymptotes and end behavior. <i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p>
MA.912.AR.9.2	<p>Given a mathematical or real-world context, solve a system consisting of a two-variable linear equation and a non-linear equation algebraically or graphically.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <i>Date Adopted or Revised:</i> 07/21</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.3	<p>Given a mathematical or real-world context, solve a system consisting of two-variable linear or non-linear equations algebraically or graphically.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 2 course, non-linear equations are limited to quadratic equations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.AR.9.4</p>	<p>Graph the solution set of a system of two-variable linear inequalities.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes cases where one variable has a coefficient of zero. <i>Clarification 2:</i> Within the Algebra 1 course, the system is limited to two inequalities.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.AR.9.5</p>	<p>Graph the solution set of a system of two-variable inequalities.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 2 course, two-variable inequalities are limited to linear and quadratic.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.6	<p>Given a real-world context, represent constraints as systems of linear equations or inequalities. Interpret solutions to problems as viable or non-viable options.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on analyzing a given function that models a real-world situation and writing constraints that are represented as linear equations or linear inequalities.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.7	<p>Given a real-world context, represent constraints as systems of linear and non-linear equations or inequalities. Interpret solutions to problems as viable or non-viable options.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on analyzing a given function that models a real-world situation and writing constraints that are represented as non-linear equations or non-linear inequalities.</p> <p><i>Clarification 2:</i> Within the Algebra 2 course, non-linear equations and inequalities are limited to quadratic.</p>
	Related Access Point(s)
	<p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.8	<p>Solve real-world problems involving linear programming in two variables.</p>
	Related Access Point(s)
	<p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation</p>

	<p>algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.AR.9.9	<p>Given a mathematical or real-world context, solve a system of three-variable linear equations algebraically.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.AR.9.AP.1 Given an algebraic or graphical system of two-variable linear equations, select the solution to the system of equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.2 Solve a system consisting of a two-variable linear equation and a quadratic equation algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.3 Solve a system consisting of two-variable linear or quadratic equations algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.4 Select the graph of the solution set of a system of two-variable linear inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.5 Select the graph of the solution set of a system of two-variable inequalities. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.6 Given a real-world context, as systems of linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.AR.9.AP.7 Given a real-world context, as systems of linear and non-linear equations or inequalities with identified constraints, select a solution as a viable or non-viable option.</p>

Date Adopted or Revised:
07/21

Strand: FUNCTIONS

Standard 1: Understand, compare and analyze properties of functions.

BENCHMARK CODE	BENCHMARK
MA.912.F.1.1	<p>Given an equation or graph that defines a function, determine the function type. Given an input-output table, determine a function type that could represent it.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, functions represented as tables are limited to linear, quadratic and exponential.</p> <p><i>Clarification 2:</i> Within the Algebra 1 course, functions represented as equations or graphs are limited to vertical or horizontal translations or reflections over the x-axis of the following parent functions: and .</p>
	<p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.2	<p>Given a function represented in function notation, evaluate the function for an input in its domain. For a real-world context, interpret the output.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> The function models Alicia's position in miles relative to a water stand x minutes into a marathon. evaluate and interpret for a quarter of an hour into the race.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include simple functions in two-variables, such as $f(x,y)=3x-2y$.</p> <p><i>Clarification 2:</i> Within the Algebra 1 course, functions are limited to one-variable such as $f(x)=3x$.</p>
	Related Access Point(s)
	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.3	<p>Calculate and interpret the average rate of change of a real-world situation represented graphically, algebraically or in a table over a specified interval.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes making the connection to determining the slope of a particular line segment.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.4	<p>Write an algebraic expression that represents the difference quotient of a function. Calculate the numerical value of the difference quotient at a given pair of points.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on making connections between difference quotients and slopes of lines.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.5	<p>Compare key features of linear functions each represented algebraically, graphically, in tables or written descriptions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; slope and end behavior.</p>

Related Access Point(s)	
	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.6	<p>Compare key features of linear and nonlinear functions each represented algebraically, graphically, in tables or written descriptions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior and asymptotes.</p> <p><i>Clarification 2:</i> Within the Algebra 1 course, functions other than linear, quadratic or exponential must be represented graphically.</p>

	<p><i>Clarification 3:</i> Within the Algebra 1 course, instruction includes verifying that a quantity increasing exponentially eventually exceeds a quantity increasing linearly or quadratically.</p>
	Related Access Point(s)
	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.7	<p>Compare key features of two functions each represented algebraically, graphically, in tables or written descriptions.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features include domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior and asymptotes.</p>
	Related Access Point(s)
	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either</p>

	<p>linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.8	<p>Determine whether a linear, quadratic or exponential function best models a given real-world situation.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes recognizing that linear functions model situations in which a quantity changes by a constant amount per unit interval; that quadratic functions model situations in which a quantity increases to a maximum, then begins to decrease or a quantity decreases to a minimum, then begins to increase; and that exponential functions model situations in which a quantity grows or decays by a constant percent per unit interval.</p> <p><i>Clarification 2:</i> Within this benchmark, the expectation is to identify the type of function from a written description or table.</p>
	Related Access Point(s)

	<p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.1.9	<p>Determine whether a function is even, odd or neither when represented algebraically, graphically or in a table.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.1.AP.1a Given an equation or graph that defines a function, identify the function type as either linear or quadratic. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.1b Given an input-output table with an accompanying graph, determine a function type, either linear or quadratic, that could represent it. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.1.AP.2 Given an equation in function notation or table of a function, identify the effect of the</p>

	output of the function as the domain changes. <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.3 Given a real-world situation represented graphically or algebraically, identify the rate of change as positive, negative, zero or undefined. <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.5 Identify key features of linear and quadratic functions each represented in the same way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.6 Identify key features of linear and quadratic functions each represented in a different way algebraically or graphically (key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; end behavior). <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.7 Compare key features of two functions each represented algebraically or graphically. <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.8 Select whether a linear or quadratic function best models a given real-world situation. <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.1.AP.9 Select whether a function is even, odd or neither when represented algebraically. <u>Date Adopted or Revised:</u> 07/21

Standard 2: Identify and describe the effects of transformations on functions. Create new functions given transformations.

BENCHMARK CODE	BENCHMARK
MA.912.F.2.1	Identify the effect on the graph or table of a given function after replacing $f(x)$ by $f(x)+k$, $kf(x)$, $f(kx)$ and $f(x+k)$ for specific values of k . <u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, functions are limited to linear, quadratic and absolute value. <i>Clarification 2:</i> Instruction focuses on including positive and negative values for k .
	Related Access Point(s)
	MA.912.F.2.AP.1 Select the effect (up, down, left, or right) on the graph of a given function after replacing $F(x)$ by $f(x) + k$ and $f(x + k)$ for specific values of k . <u>Date Adopted or Revised:</u> 07/21
	MA.912.F.2.AP.2 Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x - or y -values. <u>Date Adopted or Revised:</u> 07/21

	<p>MA.912.F.2.AP.3 Given the graph of a given function after replacing $f(x)$ by $f(x) + k$ and $f(x + k)$, $kf(x)$, for specific values of k select the type of transformation and find the value of the real number k. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.2.AP.5 Given a table, equation or graph that represents a function, select a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.2.2	<p>Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x- or y- values or multiplying the x- or y- values by a real number.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.2.AP.1 Select the effect (up, down, left, or right) on the graph of a given function after replacing $F(x)$ by $f(x) + k$ and $f(x + k)$ for specific values of k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.2 Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.3 Given the graph of a given function after replacing $f(x)$ by $f(x) + k$ and $f(x + k)$, $kf(x)$, for specific values of k select the type of transformation and find the value of the real number k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.5 Given a table, equation or graph that represents a function, select a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.2.3	<p>Given the graph or table of $f(x)$ and the graph or table of $f(x)+k, kf(x)$, $f(kx)$ and $f(x+k)$, state the type of transformation and find the value of the real number k.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, functions are limited to linear, quadratic and absolute value.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.2.AP.1 Select the effect (up, down, left, or right) on the graph of a given function after replacing $F(x)$ by $f(x) + k$ and $f(x + k)$ for specific values of k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.2 Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.3 Given the graph of a given function after replacing $f(x)$ by $f(x) + k$ and $f(x + k)$, $kf(x)$, for specific values of k select the type of transformation and find the value of the real number k. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.F.2.AP.5 Given a table, equation or graph that represents a function, select a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.F.2.4</p>	<p>Given the graph or table of values of two or more transformations of a function, state the type of transformation and find the values of the real number that defines the transformation.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.2.AP.1 Select the effect (up, down, left, or right) on the graph of a given function after replacing $F(x)$ by $f(x) + k$ and $f(x + k)$ for specific values of k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.2 Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.3 Given the graph of a given function after replacing $f(x)$ by $f(x) + k$ and $f(x + k)$, $kf(x)$, for specific values of k select the type of transformation and find the value of the real number k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.5 Given a table, equation or graph that represents a function, select a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.F.2.5</p>	<p>Given a table, equation or graph that represents a function, create a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values or multiplying the x- or y-values by a real number.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.2.AP.1 Select the effect (up, down, left, or right) on the graph of a given function after replacing $F(x)$ by $f(x) + k$ and $f(x + k)$ for specific values of k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.2 Identify the effect on the graph of a given function of two or more transformations defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.3 Given the graph of a given function after replacing $f(x)$ by $f(x) + k$ and $f(x + k)$, $kf(x)$, for specific values of k select the type of transformation and find the value of the real number k. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.2.AP.5 Given a table, equation or graph that represents a function, select a corresponding table, equation or graph of the transformed function defined by adding a real number to the x- or y-values. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Create new functions from existing functions.

BENCHMARK CODE	BENCHMARK
<p>MA.912.F.3.1</p>	<p>Given a mathematical or real-world context, combine two functions, limited to linear and quadratic, using arithmetic operations. When appropriate, include domain restrictions for the new function.</p> <p><u>Examples:</u> The quotient of the functions and can be expressed as , where the domain of $h(x)$ is and .</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing domain restrictions with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 2:</i> Within the Algebra 1 Honors course, notations for domain and range are limited to inequality and set-builder.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.F.3.2</p>	<p>Given a mathematical or real-world context, combine two or more functions, limited to linear, quadratic, exponential and polynomial, using arithmetic operations. When appropriate, include domain restrictions for the new function.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes representing domain restrictions with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 2:</i> Within the Mathematics for Data and Financial Literacy course, problem types focus on money and business.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the</p>

	<p>domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.3.3	<p>Solve mathematical and real-world problems involving functions that have been combined using arithmetic operations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.3.4	<p>Represent the composition of two functions algebraically or in a table. Determine the domain and range of the composite function.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.3.5	<p>Solve mathematical and real-world problems involving composite functions.</p> <p style="text-align: center;">Related Access Point(s)</p>

	<p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.3.6	<p>Determine whether an inverse function exists by analyzing tables, graphs and equations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.F.3.7	<p>Represent the inverse of a function algebraically, graphically or in a table. Use composition of functions to verify that one function is the inverse of the other.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the understanding that a logarithmic function is the inverse of an exponential function.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.F.3.8	<p>Produce an invertible function from a non-invertible function by restricting the domain.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.F.3.9	<p>Solve mathematical and real-world problems involving inverse functions.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.F.3.AP.2 Given a mathematical and/or real-world context, combine two or more functions, limited to linear, quadratic, and polynomial, using arithmetic operations of addition, subtraction, or multiplication. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.4 Given a composite function within a mathematical or real-world context, identify the domain and range of the composite function. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.6 Determine whether an inverse function exists by analyzing graphs and equations. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.F.3.AP.7 Represent the inverse of a function algebraically. Use composition of functions to verify that one function is the inverse of the other. <i>Date Adopted or Revised:</i> 07/21</p>

Strand: FINANCIAL LITERACY

Standard 1: Build mathematical foundations for financial literacy.

BENCHMARK CODE	BENCHMARK
----------------	-----------

MA.912.FL.1.1	<p>Extend previous knowledge of operations of fractions, percentages and decimals to solve real-world problems involving money and business.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include discounts, markups, simple interest, tax, tips, fees, percent increase, percent decrease and percent error.</p>
MA.912.FL.1.2	<p>Extend previous knowledge of ratios and proportional relationships to solve real-world problems involving money and business.</p> <p><u>Examples:</u> <i>Example:</i> A local grocery store sells trail mix for \$1.75 per pound. If the grocery store spends \$0.82 on each pound of mix, how much will the store gain in gross profit if they sell 6.4 pounds in one day?</p> <p><i>Example:</i> If Juan makes \$25.00 per hour and works 40 hours per week, what is his annual salary?</p>
MA.912.FL.1.3	<p>Solve real-world problems involving weighted averages using spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> Kiko wants to buy a new refrigerator and decides on the following rating system: capacity 50%, water filter life 30% and capability with technology 20%. One refrigerator gets 8 (out of 10) for capacity, 6 for water filter life and 7 for capability with technology. Another refrigerator gets 9 for capacity, 4 for water filter life and 6 for capability with technology. Which refrigerator is best based on the rating system?</p>

Standard 2: Develop an understanding of basic accounting and economic principles.

BENCHMARK CODE	BENCHMARK
MA.912.FL.2.1	<p>Given assets and liabilities, calculate net worth using spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> Jose is trying to prepare a balance sheet for the end of the year based on his profits and losses. Create a spreadsheet showing his liabilities and assets, and compute his net worth.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes net worth for a business and for an individual.</p> <p><i>Clarification 2:</i> Instruction includes understanding the difference between a capital asset and a liquid asset.</p> <p><i>Clarification 3:</i> Instruction includes displaying net worth over time in a table or graph.</p>
MA.912.FL.2.2	<p>Solve real-world problems involving profits, costs and revenues using spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> A travel agency charges \$2400 per person for a week-long trip to London if the group has 16 people or less. For groups larger than 16, the price per person is reduced by \$100 for each additional person. Create an expression describing the revenue as a function of the number of people in the group. Determine the number of people that maximizes the revenue.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to data.</p>

	<p><i>Clarification 2:</i> Instruction includes displaying profits and costs over time in a table or graph and using the graph to predict profits.</p> <p><i>Clarification 3:</i> Problems include maximizing profits, maximizing revenues and minimizing costs.</p>
MA.912.FL.2.3	<p>Explain how consumer price index (CPI), gross domestic product (GDP), stock indices, unemployment rate and trade deficit are calculated. Interpret their value in terms of the context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the understanding that quantities are based on data and may include measurement error.</p>
MA.912.FL.2.4	<p>Given current exchange rates, convert between currencies. Solve real-world problems involving exchange rates.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes taking into account various fees, such as conversion fee, foreign transaction fee and dynamic concurrency conversion fee.</p>
MA.912.FL.2.5	<p>Develop budgets that fit within various incomes using spreadsheets and other technology.</p> <p><i>Examples:</i> <i>Example:</i> Develop a budget spreadsheet for your business that includes typical expenses such as rental space, transportation, utilities, inventory, payroll, and miscellaneous expenses. Add categories for savings toward your own financial goals, and determine the monthly income needed, before taxes, to meet the requirements of your budget.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes budgets for a business and for an individual.</p> <p><i>Clarification 2:</i> Instruction includes taking into account various cash management strategies, such as checking and savings accounts, and how inflation may affect these strategies.</p>
MA.912.FL.2.6	<p>Given a real-world scenario, complete and calculate federal income tax using spreadsheets and other technology.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes understanding the difference between standardized deductions and itemized deductions.</p> <p><i>Clarification 2:</i> Instruction includes the connection to piecewise linear functions with slopes relating to the marginal tax rates.</p>

Standard 3: Describe the advantages and disadvantages of short-term and long-term purchases.

BENCHMARK CODE	BENCHMARK
MA.912.FL.3.1	<p>Compare simple, compound and continuously compounded interest over time.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes taking into consideration the annual percentage rate (APR) when comparing simple and compound interest.</p>
	Related Access Point(s)
	<p>MA.912.FL.3.AP.1 Compare simple and compound interest over time.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.10	<p>Analyze credit scores qualitatively. Explain how short-term and long-term purchases, including deferred payments, may increase or decrease credit scores. Explain how credit scores influence buying power.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes how each of the following categories affects a credit score: past payment history, amount of debt, public records information, length of credit history and the number of recent credit inquiries.</p> <p><i>Clarification 2:</i> Instruction includes how a credit score affects qualification and interest rate for a home mortgage.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.11	<p>Given a real-world scenario, establish a plan to pay off debt.</p> <p><u>Examples:</u> <i>Example:</i> Suppose you currently have a balance of \$4500 on a credit card that charges 18% annual interest. What monthly payment would you have to make in order to pay off the card in 3 years, assuming you do not make any more charges to the card?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the comparison of different plans to pay off the debt.</p> <p><i>Clarification 2:</i> Instruction includes pay off plans for a business and for an individual.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.12	<p>Given fixed costs, per item costs and selling price, determine the break-even point for sales volume.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.2	<p>Solve real-world problems involving simple, compound and continuously compounded interest.</p> <p><u>Examples:</u> <i>Example:</i> Find the amount of money on deposit at the end of 5 years if you started with \$500 and it was compounded quarterly at 6% interest per year.</p> <p><i>Example:</i> Joe won \$25,000 on a lottery scratch-off ticket. How many years will it take at 6% interest compounded yearly for his money to double?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, interest is limited to simple and compound.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.3	<p>Solve real-world problems involving present value and future value of money</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.4	<p>Explain the relationship between simple interest and linear growth. Explain the relationship between compound interest and exponential growth and the relationship between continuously compounded interest and exponential growth.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, exponential growth is limited to compound interest.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.5	<p>Compare the advantages and disadvantages of using cash versus personal financing options.</p> <p><u>Examples:</u> <i>Example:</i> Compare paying for a tank of gasoline in the following ways: cash; credit card and paying over 2 months; credit card and paying balance in full each month.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes advantages and disadvantages for a business and for an individual.</p> <p><i>Clarification 2:</i> Personal financing options include debit cards, credit cards, installment plans and loans.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.6	<p>Calculate the finance charges and total amount due on a bill using various forms of credit using estimation, spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> Calculate the finance charge each month and the total amount paid for 5 months if you charged \$500 on your credit card but you can only afford to pay \$100</p>

	<p>each month. Your credit card has a monthly periodic finance rate of 1.5% and an annual finance rate of 17.99%.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes how annual percentage rate (APR) and periodic rate are calculated per month and the connection between the two percentages.</p>
	Related Access Point(s)
	<p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.7	<p>Compare the advantages and disadvantages of different types of student loans by manipulating a variety of variables and calculating the total cost using spreadsheets and other technology.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes students researching the latest information on different student loan options.</p> <p><i>Clarification 2:</i> Instruction includes comparing subsidized (Stafford), unsubsidized, direct unsubsidized and PLUS loans.</p> <p><i>Clarification 3:</i> Instruction includes considering different repayment plans, including deferred payments and forbearance.</p> <p><i>Clarification 4:</i> Instruction includes how interest on student loans may affect one's income taxes.</p>
	Related Access Point(s)
	<p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.FL.3.8	<p>Calculate using spreadsheets and other technology the total cost of purchasing consumer durables over time given different monthly payments, down payments, financing options and fees.</p> <p><u>Examples:</u> <i>Example:</i> You want to buy a sofa that cost \$899. Company A will let you pay \$100 down and then pay the remaining balance over 3 years at 15.99% interest. Company B will not require a down payment and will defer payments for one year. However, you will accrue interest at a rate of 18.99% interest during that first year. Starting the second</p>

	<p>year you will have to pay the new amount for 2 years at a rate of 26 % interest. Which deal is better and why? Calculate the total amount paid for both deals.</p> <p><i>Example:</i> An electronics company advertises that if you buy a TV over \$450, you will not have to pay interest for one year. If you bought a 65" TV, regularly \$699.99 and on sale for 10% off, on January 1st and only paid \$300 of the balance within the year, how much interest would you have to pay for the remaining balance on the TV? Assume the interest rate is 23.99%. What did the TV really cost you?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes how interest on loans may affect one's income taxes.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.FL.3.9</p>	<p>Compare the advantages and disadvantages of different types of mortgage loans by manipulating a variety of variables and calculating fees and total cost using spreadsheets and other technology.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes understanding various considerations that qualify a buyer for a loan, such as Debt-to-Income ratio.</p> <p><i>Clarification 2:</i> Fees include discount prices, origination fee, maximum brokerage fee on a net or gross loan, documentary stamps and prorated expenses.</p> <p><i>Clarification 3:</i> Instruction includes a cost comparison between a higher interest rate and fewer mortgage points versus a lower interest rate and more mortgage points.</p> <p><i>Clarification 4:</i> Instruction includes a cost comparison between the length of the mortgage loan, such as 30-year versus 15-year. <i>Clarification 5:</i> Instruction includes adjustable rate loans, tax implications and equity for mortgages.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.FL.3.AP.1 Compare simple and compound interest over time. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.2 Solve real-world problems involving simple and compound interest. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.FL.3.AP.4 Identify the relationship between simple interest and linear growth. Identify the relationship between compound interest and exponential growth.</p>

Date Adopted or Revised:
07/21

Standard 4: Describe the advantages and disadvantages of financial and investment plans, including insurances.

BENCHMARK CODE	BENCHMARK
MA.912.FL.4.1	<p>Calculate and compare various options, deductibles and fees for various types of insurance policies using spreadsheets and other technology.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Insurances include medical, car, homeowners, life and rental car.</p> <p><i>Clarification 2:</i> Instruction includes types of insurance for a business and for an individual.</p>
MA.912.FL.4.2	<p>Compare the advantages and disadvantages for adding on a one-time warranty to a purchase using spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> VicTorrious is a graphic designer and needs to buy a new computer every 3 years. For every computer that VicTorrious buys, she does not add on the one-time warranty because she feels that the total cost of the added on warranties will be more than the total cost of all repairs she expects to have.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Warranties include protection plans from stores, car warranty and home protection plans.</p> <p><i>Clarification 2:</i> Instruction includes types of warranties for a business and for an individual.</p> <p><i>Clarification 3:</i> Instruction includes taking into consideration the risk of utilizing or not utilizing a one-time warranty on one or multiple purchases.</p>
MA.912.FL.4.3	<p>Compare the advantages and disadvantages of various retirement savings plans using spreadsheets and other technology.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes weighing options based on salary and retirement plans from different potential employers.</p> <p><i>Clarification 2:</i> Instruction includes understanding the need to build one's own retirement plan when starting a business.</p>
MA.912.FL.4.4	<p>Collect, organize and interpret data to determine an effective retirement savings plan to meet personal financial goals using spreadsheets and other technology.</p> <p><u>Examples:</u> <i>Example:</i> Investigate historical rates of return for stocks, bonds, savings accounts, mutual funds, as well as the relative risks for each type of investment. Organize your results in a table showing the relative returns and risks of each type of investment over short and long terms, and use these data to determine a combination of investments suitable for building a retirement account sufficient to meet anticipated financial needs.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes students researching the latest information on different retirement options.</p>

	<p><i>Clarification 2:</i> Instruction includes the understanding of the relationship between salaries and retirement plans.</p> <p><i>Clarification 3:</i> Instruction includes retirement plans from the perspective of a business and of an individual.</p> <p><i>Clarification 4:</i> Instruction includes the comparison of different types of retirement plans, including IRAs, pensions and annuities.</p>
MA.912.FL.4.5	<p>Compare different ways that portfolios can be diversified in investments.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes diversifying a portfolio with different types of stock and diversifying a portfolio by including both stocks and bonds.</p>
MA.912.FL.4.6	<p>Simulate the purchase of a stock portfolio with a set amount of money, and evaluate its worth over time considering gains, losses and selling, taking into account any associated fees.</p>

Strand: GEOMETRIC REASONING

Standard 1: Prove and apply geometric theorems to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.GR.1.1	<p>Prove relationships and theorems about lines and angles. Solve mathematical and real-world problems involving postulates, relationships and theorems of lines and angles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Postulates, relationships and theorems include vertical angles are congruent; when a transversal crosses parallel lines, the consecutive angles are supplementary and alternate (interior and exterior) angles and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.</p> <p><i>Clarification 2:</i> Instruction includes constructing two-column proofs, pictorial proofs, paragraph and narrative proofs, flow chart proofs or informal proofs.</p> <p><i>Clarification 3:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
	Related Access Point(s)
	<p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or</p>

	<p>real-world problems involving postulates, relationships and theorems of parallelograms. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.GR.1.2	<p>Prove triangle congruence or similarity using Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes constructing two-column proofs, pictorial proofs, paragraph and narrative proofs, flow chart proofs or informal proofs.</p> <p><i>Clarification 2:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
	Related Access Point(s)
	<p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of parallelograms. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.GR.1.3	<p>Prove relationships and theorems about triangles. Solve mathematical and real-world problems involving postulates, relationships and theorems of triangles.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Postulates, relationships and theorems include measures of interior</p>

	<p>angles of a triangle sum to 180°; measures of a set of exterior angles of a triangle sum to 360°; triangle inequality theorem; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.</p> <p><i>Clarification 2:</i> Instruction includes constructing two-column proofs, pictorial proofs, paragraph and narrative proofs, flow chart proofs or informal proofs.</p> <p><i>Clarification 3:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
	Related Access Point(s)
	<p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
	<p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
	<p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
	<p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of parallelograms. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
	<p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
	<p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <u><i>Date Adopted or Revised:</i></u> 07/21</p>
MA.912.GR.1.4	<p>Prove relationships and theorems about parallelograms. Solve mathematical and real-world problems involving postulates, relationships and theorems of parallelograms.</p> <p><u><i>Clarifications:</i></u> <i>Clarification 1:</i> Postulates, relationships and theorems include opposite sides are congruent, consecutive angles are supplementary, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and rectangles are parallelograms with congruent diagonals.</p> <p><i>Clarification 2:</i> Instruction includes constructing two-column proofs, pictorial proofs, paragraph and narrative proofs, flow chart proofs or informal proofs.</p> <p><i>Clarification 3:</i> Instruction focuses on helping a student choose a method they can use reliably.</p>
	Related Access Point(s)

	<p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of parallelograms. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.1.5	<p>Prove relationships and theorems about trapezoids. Solve mathematical and real-world problems involving postulates, relationships and theorems of trapezoids.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Postulates, relationships and theorems include the Trapezoid Midsegment Theorem and for isosceles trapezoids: base angles are congruent, opposite angles are supplementary and diagonals are congruent.</p> <p><i>Clarification 2:</i> Instruction includes constructing two-column proofs, pictorial proofs, paragraph and narrative proofs, flow chart proofs or informal proofs.</p> <p><i>Clarification 3:</i> Instruction focuses on helping a student choose a method they can use reliably.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of parallelograms. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.1.6	<p>Solve mathematical and real-world problems involving congruence or similarity in two-dimensional figures.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes demonstrating that two-dimensional figures are congruent or similar based on given information.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.1.AP.1 Use the relationships and theorems about lines and angles to solve mathematical or real-world problems involving postulates, relationships and theorems of lines and angles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.2 Identify the triangle congruence or similarity criteria; Side-Side-Side, Side-Angle-Side, Angle-Side-Angle, Angle-Angle-Side, Angle-Angle and Hypotenuse-Leg. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.3 Use the relationships and theorems about triangles. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of triangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.4 Use the relationships and theorems about parallelograms. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of parallelograms. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.5 Use the relationships and theorems about trapezoids. Solve mathematical and/or real-world problems involving postulates, relationships and theorems of trapezoids. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.1.AP.6 Use the definitions of congruent or similar figures to solve mathematical and/or real-world problems involving two-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Apply properties of transformations to describe congruence or similarity.

BENCHMARK CODE	BENCHMARK
-----------------------	------------------

<p>MA.912.GR.2.1</p>	<p>Given a preimage and image, describe the transformation and represent the transformation algebraically using coordinates.</p> <p><u>Examples:</u> <i>Example:</i> Given a triangle whose vertices have the coordinates (-3,4), (2,1.7) and (-0.4,-3). If this triangle is reflected across the y-axis the transformation can be described using coordinates as $(x,y) \rightarrow (-x,y)$ resulting in the image whose vertices have the coordinates (3,4), (-2,1.7) and (0.4,-3).</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection of transformations to functions that take points in the plane as inputs and give other points in the plane as outputs.</p> <p><i>Clarification 2:</i> Transformations include translations, dilations, rotations and reflections described using words or using coordinates.</p> <p><i>Clarification 3:</i> Within the Geometry course, rotations are limited to 90°, 180° and 270° counterclockwise or clockwise about the center of rotation, and the centers of rotations and dilations are limited to the origin or a point on the figure.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.2.2</p>	<p>Identify transformations that do or do not preserve distance.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Transformations include translations, dilations, rotations and reflections described using words or using coordinates.</p>

	<p><i>Clarification 2:</i> Instruction includes recognizing that these transformations preserve angle measure.</p>
	Related Access Point(s)
	<p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.GR.2.3	<p>Identify a sequence of transformations that will map a given figure onto itself or onto another congruent or similar figure.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Transformations include translations, dilations, rotations and reflections described using words or using coordinates.</p> <p><i>Clarification 2:</i> Within the Geometry course, figures are limited to triangles and quadrilaterals and rotations are limited to 90°, 180° and 270° counterclockwise or clockwise about the center of rotation.</p> <p><i>Clarification 3:</i> Instruction includes the understanding that when a figure is mapped onto itself using a reflection, it occurs over a line of symmetry.</p>
	Related Access Point(s)
	<p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.4	<p>Determine symmetries of reflection, symmetries of rotation and symmetries of translation of a geometric figure.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes determining the order of each symmetry.</p> <p><i>Clarification 2:</i> Instruction includes the connection between tessellations of the plane and symmetries of translations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure</p>

	<p>onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.5	<p>Given a geometric figure and a sequence of transformations, draw the transformed figure on a coordinate plane.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Transformations include translations, dilations, rotations and reflections described using words or using coordinates.</p> <p><i>Clarification 2:</i> Instruction includes two or more transformations.</p>
	Related Access Point(s)
	<p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.6	<p>Apply rigid transformations to map one figure onto another to justify that the two figures are congruent.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes showing that the corresponding sides and the corresponding angles are congruent.</p>
	Related Access Point(s)
	<p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.7	<p>Justify the criteria for triangle congruence using the definition of congruence in terms of rigid transformations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.8	<p>Apply an appropriate transformation to map one figure onto another to justify that the two figures are similar.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes showing that the corresponding sides are proportional, and the corresponding angles are congruent.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.2.9	<p>Justify the criteria for triangle similarity using the definition of similarity in terms of non-rigid transformations.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.2.AP.1a Given a preimage and image, identify the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.1b Select the algebraic coordinates that represent the transformation. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.2.AP.2 Select a transformation that preserves distance. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.GR.2.AP.3 Identify a given sequence of transformations, that includes translations or reflections, that will map a given figure onto itself or onto another congruent figure. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.5 Given a geometric figure and a sequence of transformations, select the transformed figure on a coordinate plane. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.6 Use rigid transformations that includes translations or reflections to map one figure onto another to show that the two figures are congruent. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.2.AP.8 Identify an appropriate transformation to map one figure onto another to show that the two figures are similar. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Use coordinate geometry to solve problems or prove relationships.	
BENCHMARK CODE	BENCHMARK
MA.912.GR.3.1	<p>Determine the weighted average of two or more points on a line.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using a number line and determining how changing the weights moves the weighted average of points on the number line.</p>
	Related Access Point(s)
	<p>MA.912.GR.3.AP.1 Select the weighted average of two or more points on a line. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.3.AP.2 Use coordinate geometry to classify definitions, properties and theorems involving circles, triangles, or quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.3.AP.3 Use coordinate geometry to solve mathematical geometric problems involving lines, triangles and quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.3.AP.4 Solve mathematical and/or real-world problems on the coordinate plane involving perimeter or area of a three- or four-sided polygon. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.3.2	<p>Given a mathematical context, use coordinate geometry to classify or justify definitions, properties and theorems involving circles, triangles or quadrilaterals.</p> <p><u>Examples:</u> <i>Example:</i> Given Triangle ABC has vertices located at (-2,2), (3,3) and (1,-3), respectively, classify the type of triangle ABC is.</p>

	<p><i>Example:</i> If a square has a diagonal with vertices (-1,1) and (-4,-3), find the coordinate values of the vertices of the other diagonal and show that the two diagonals are perpendicular.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using the distance or midpoint formulas and knowledge of slope to classify or justify definitions, properties and theorems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.3.AP.1 Select the weighted average of two or more points on a line. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.2 Use coordinate geometry to classify definitions, properties and theorems involving circles, triangles, or quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.3 Use coordinate geometry to solve mathematical geometric problems involving lines, triangles and quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.4 Solve mathematical and/or real-world problems on the coordinate plane involving perimeter or area of a three- or four-sided polygon. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.3.3</p>	<p>Use coordinate geometry to solve mathematical and real-world geometric problems involving lines, circles, triangles and quadrilaterals.</p> <p><u>Examples:</u> <i>Example:</i> The line $x+2y=10$ is tangent to a circle whose center is located at (2,-1). Find the tangent point and a second tangent point of a line with the same slope as the given line.</p> <p><i>Example:</i> Given $M(-4,7)$ and $N(12,-1)$, find the coordinates of point P on so that P partitions in the ratio 2:3.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems involving lines include the coordinates of a point on a line segment including the midpoint.</p> <p><i>Clarification 2:</i> Problems involving circles include determining points on a given circle and finding tangent lines.</p> <p><i>Clarification 3:</i> Problems involving triangles include median and centroid.</p> <p><i>Clarification 4:</i> Problems involving quadrilaterals include using parallel and perpendicular slope criteria.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.3.AP.1 Select the weighted average of two or more points on a line.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.2 Use coordinate geometry to classify definitions, properties and theorems involving circles, triangles, or quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.3 Use coordinate geometry to solve mathematical geometric problems involving lines, triangles and quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.4 Solve mathematical and/or real-world problems on the coordinate plane involving perimeter or area of a three- or four-sided polygon. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.3.4	<p>Use coordinate geometry to solve mathematical and real-world problems on the coordinate plane involving perimeter or area of polygons.</p> <p><u>Examples:</u> <i>Example:</i> A new community garden has four corners. Starting at the first corner and working counterclockwise, the second corner is 200 feet east, the third corner is 150 feet north of the second corner and the fourth corner is 100 feet west of the third corner. Represent the garden in the coordinate plane, and determine how much fence is needed for the perimeter of the garden and determine the total area of the garden.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.3.AP.1 Select the weighted average of two or more points on a line. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.2 Use coordinate geometry to classify definitions, properties and theorems involving circles, triangles, or quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.3 Use coordinate geometry to solve mathematical geometric problems involving lines, triangles and quadrilaterals. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.3.AP.4 Solve mathematical and/or real-world problems on the coordinate plane involving perimeter or area of a three- or four-sided polygon. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 4: Use geometric measurement and dimensions to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.GR.4.1	<p>Identify the shapes of two-dimensional cross-sections of three-dimensional figures.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the use of manipulatives and models to visualize cross-sections.</p> <p><i>Clarification 2:</i> Instruction focuses on cross-sections of right cylinders, right prisms, right pyramids and right cones that are parallel or perpendicular to the base.</p>

	<p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.4.AP.1 Identify the shape of a two-dimensional cross section of a three-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2 Identify a three-dimensional object generated by the rotation of a two-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3 Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4 Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5 Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.6 Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.4.2	<p>Identify three-dimensional objects generated by rotations of two-dimensional figures.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> The axis of rotation must be within the same plane but outside of the given two-dimensional figure.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.4.AP.1 Identify the shape of a two-dimensional cross section of a three-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2 Identify a three-dimensional object generated by the rotation of a two-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3 Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4 Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5 Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.GR.4.AP.6 Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.4.3	<p>Extend previous understanding of scale drawings and scale factors to determine how dilations affect the area of two-dimensional figures and the surface area or volume of three-dimensional figures.</p> <p><u>Examples:</u> <i>Example:</i> Mike is having a graduation party and wants to make sure he has enough pizza. Which option would provide more pizza for his guests: one 12-inch pizza or three 6-inch pizzas?</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.4.AP.1 Identify the shape of a two-dimensional cross section of a three-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2 Identify a three-dimensional object generated by the rotation of a two-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3 Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4 Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5 Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.6 Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.4.4	<p>Solve mathematical and real-world problems involving the area of two-dimensional figures.</p> <p><u>Examples:</u> <i>Example:</i> A town has 23 city blocks, each of which has dimensions of 1 quarter mile by 1 quarter mile, and there are 4500 people in the town. What is the population density of the town?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes concepts of population density based on area.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.4.AP.1 Identify the shape of a two-dimensional cross section of a three-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2 Identify a three-dimensional object generated by the rotation of a two-dimensional figure.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3 Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4 Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5 Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.6 Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.4.5	<p>Solve mathematical and real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, cones and spheres.</p> <p><u>Examples:</u> <i>Example:</i> A cylindrical swimming pool is filled with water and has a diameter of 10 feet and height of 4 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank to the nearest pound?</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes concepts of density based on volume.</p> <p><i>Clarification 2:</i> Instruction includes using Cavalieri's Principle to give informal arguments about the formulas for the volumes of right and non-right cylinders, pyramids, prisms and cones.</p>
	Related Access Point(s)
	<p>MA.912.GR.4.AP.1 Identify the shape of a two-dimensional cross section of a three-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2 Identify a three-dimensional object generated by the rotation of a two-dimensional figure. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3 Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4 Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5 Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.6</p> <p>Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.4.6	<p>Solve mathematical and real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, cones and spheres.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.4.AP.1</p> <p>Identify the shape of a two-dimensional cross section of a three-dimensional figure.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.2</p> <p>Identify a three-dimensional object generated by the rotation of a two-dimensional figure.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.3</p> <p>Select the effect of a dilation on the area of two-dimensional figures and/or surface area or volume of three-dimensional figures.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.4</p> <p>Solve mathematical and/or real-world problems involving the area of triangles, squares, circles or rectangles.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.5</p> <p>Solve mathematical or real-world problems involving the volume of three-dimensional figures limited to cylinders, pyramids, prisms, or cones.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.4.AP.6</p> <p>Solve mathematical or real-world problems involving the surface area of three-dimensional figures limited to cylinders, pyramids, prisms, and cones.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>

Standard 5: Make formal geometric constructions with a variety of tools and methods.

BENCHMARK CODE	BENCHMARK
MA.912.GR.5.1	<p>Construct a copy of a segment or an angle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using compass and straightedge, string, reflective devices, paper folding or dynamic geometric software.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.5.AP.1</p> <p>Construct a copy of a segment.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.2</p> <p>Construct the bisector of a segment, including the perpendicular bisector of a line segment.</p> <p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.3</p> <p>Select the inscribed and circumscribed circles of a triangle.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.5.2	<p>Construct the bisector of a segment or an angle, including the perpendicular bisector of a line segment.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using compass and straightedge, string, reflective devices, paper folding or dynamic geometric software.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.5.AP.1 Construct a copy of a segment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.2 Construct the bisector of a segment, including the perpendicular bisector of a line segment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.3 Select the inscribed and circumscribed circles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.5.3	<p>Construct the inscribed and circumscribed circles of a triangle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using compass and straightedge, string, reflective devices, paper folding or dynamic geometric software.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.5.AP.1 Construct a copy of a segment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.2 Construct the bisector of a segment, including the perpendicular bisector of a line segment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.3 Select the inscribed and circumscribed circles of a triangle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.5.4	<p>Construct a regular polygon inscribed in a circle. Regular polygons are limited to triangles, quadrilaterals and hexagons.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> When given a circle, the center must be provided.</p> <p><i>Clarification 2:</i> Instruction includes using compass and straightedge, string, reflective devices, paper folding or dynamic geometric software.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.5.AP.1 Construct a copy of a segment. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.5.AP.2 Construct the bisector of a segment, including the perpendicular bisector of a line segment. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.GR.5.AP.3 Select the inscribed and circumscribed circles of a triangle. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.GR.5.5	<p>Given a point outside a circle, construct a line tangent to the circle that passes through the given point.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> When given a circle, the center must be provided.</p> <p><i>Clarification 2:</i> Instruction includes using compass and straightedge, string, reflective devices, paper folding or dynamic geometric software.</p>
	Related Access Point(s)
	<p>MA.912.GR.5.AP.1 Construct a copy of a segment. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.5.AP.2 Construct the bisector of a segment, including the perpendicular bisector of a line segment. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.5.AP.3 Select the inscribed and circumscribed circles of a triangle. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 6: Use properties and theorems related to circles.

BENCHMARK CODE	BENCHMARK
MA.912.GR.6.1	<p>Solve mathematical and real-world problems involving the length of a secant, tangent, segment or chord in a given circle.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Problems include relationships between two chords; two secants; a secant and a tangent; and the length of the tangent from a point to a circle.</p>
	Related Access Point(s)
	<p>MA.912.GR.6.AP.1 Identify and describe the relationship involving the length of a secant, tangent, segment or chord in a given circle. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.6.AP.2 Identify the relationship involving the measures of arcs and related angles, limited to central, inscribed and intersections of a chord, secants or tangents. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.6.AP.3 Identify and describe the relationship involving triangles and quadrilaterals inscribed in a circle. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.GR.6.AP.4 Identify and describe the relationship involving the arc length and area of a sector in a given circle. <i>Date Adopted or Revised:</i> 07/21</p>

<p>MA.912.GR.6.2</p>	<p>Solve mathematical and real-world problems involving the measures of arcs and related angles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Geometry course, problems are limited to relationships between inscribed angles; central angles; and angles formed by the following intersections: a tangent and a secant through the center, two tangents, and a chord and its perpendicular bisector.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.6.AP.1 Identify and describe the relationship involving the length of a secant, tangent, segment or chord in a given circle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.2 Identify the relationship involving the measures of arcs and related angles, limited to central, inscribed and intersections of a chord, secants or tangents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.3 Identify and describe the relationship involving triangles and quadrilaterals inscribed in a circle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.4 Identify and describe the relationship involving the arc length and area of a sector in a given circle. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.6.3</p>	<p>Solve mathematical problems involving triangles and quadrilaterals inscribed in a circle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes cases in which a triangle inscribed in a circle has a side that is the diameter.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.6.AP.1 Identify and describe the relationship involving the length of a secant, tangent, segment or chord in a given circle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.2 Identify the relationship involving the measures of arcs and related angles, limited to central, inscribed and intersections of a chord, secants or tangents. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.3 Identify and describe the relationship involving triangles and quadrilaterals inscribed in a circle. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.6.AP.4 Identify and describe the relationship involving the arc length and area of a sector in a given circle. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.6.4</p>	<p>Solve mathematical and real-world problems involving the arc length and area of a sector in a given circle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the conceptual understanding that for a given</p>

	<p>angle measure the length of the intercepted arc is proportional to the radius, and for a given radius the length of the intercepted arc is proportional is the angle measure.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.6.AP.1 Identify and describe the relationship involving the length of a secant, tangent, segment or chord in a given circle. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.2 Identify the relationship involving the measures of arcs and related angles, limited to central, inscribed and intersections of a chord, secants or tangents. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.3 Identify and describe the relationship involving triangles and quadrilaterals inscribed in a circle. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.4 Identify and describe the relationship involving the arc length and area of a sector in a given circle. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.GR.6.5	<p>Apply transformations to prove that all circles are similar.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.6.AP.1 Identify and describe the relationship involving the length of a secant, tangent, segment or chord in a given circle. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.2 Identify the relationship involving the measures of arcs and related angles, limited to central, inscribed and intersections of a chord, secants or tangents. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.3 Identify and describe the relationship involving triangles and quadrilaterals inscribed in a circle. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.6.AP.4 Identify and describe the relationship involving the arc length and area of a sector in a given circle. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 7: Apply geometric and algebraic representations of conic sections.

BENCHMARK CODE	BENCHMARK
MA.912.GR.7.1	Given a conic section, describe how it can result from the slicing of two cones.
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <i>Date Adopted or Revised:</i> 07/21</p>

<p>MA.912.GR.7.2</p>	<p>Given a mathematical or real-world context, derive and create the equation of a circle using key features.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using the Pythagorean Theorem and completing the square.</p> <p><i>Clarification 2:</i> Within the Geometry course, key features are limited to the radius, diameter and the center.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.7.3</p>	<p>Graph and solve mathematical and real-world problems that are modeled with an equation of a circle. Determine and interpret key features in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain, range, eccentricity, center and radius.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 3:</i> Within the Geometry course, notations for domain and range are limited to inequality and set-builder.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.7.4</p>	<p>Given a mathematical or real-world context, derive and create the equation of a parabola using key features.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
<p>MA.912.GR.7.5</p>	<p>Graph and solve mathematical and real-world problems that are modeled with an equation of a parabola. Determine and interpret key features in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain, range, eccentricity, intercepts, focus, focal width (latus rectum), vertex and directrix.</p>

	<p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.7.6	<p>Given a mathematical or real-world context, derive and create the equation of an ellipse using key features.</p>
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.7.7	<p>Graph and solve mathematical and real-world problems that are modeled with an equation of an ellipse. Determine and interpret key features in terms of the context.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Key features are limited to domain, range, eccentricity, center, foci, major axis, minor axis and vertices.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.7.8	<p>Given a mathematical or real-world context, derive and create the equation of a hyperbola using key features.</p>
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.GR.7.9	<p>Graph and solve mathematical and real-world problems that are modeled with an equation of a hyperbola. Determine and interpret key features in terms of the context.</p> <p><u>Clarifications:</u></p>

	<p><i>Clarification 1:</i> Key features are limited to domain, range, eccentricity, center, vertices, foci, transverse axis, conjugate axis, asymptotes and directrices.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.</p>
	Related Access Point(s)
	<p>MA.912.GR.7.AP.2 Create the equation of a circle when given the center and radius. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.GR.7.AP.3 Given an equation of a circle, identify center and radius, and graph the circle. <u>Date Adopted or Revised:</u> 07/21</p>

Strand: TRIGONOMETRY

Standard 1: Define and use trigonometric ratios, identities or functions to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.T.1.1	<p>Define trigonometric ratios for acute angles in right triangles.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using the Pythagorean Theorem and using similar triangles to demonstrate that trigonometric ratios stay the same for similar right triangles.</p> <p><i>Clarification 2:</i> Within the Geometry course, instruction includes using the coordinate plane to make connections to the unit circle.</p> <p><i>Clarification 3:</i> Within the Geometry course, trigonometric ratios are limited to sine, cosine and tangent.</p>
	Related Access Point(s)
	<p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.2	<p>Solve mathematical and real-world problems involving right triangles using trigonometric ratios and the Pythagorean Theorem.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes procedural fluency with the relationships of side lengths in special right triangles having angle measures of 30°-60°-90° and 45°-45°-90°.</p>
	Related Access Point(s)
	<p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a</p>

	<p>corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.3	<p>Apply the Law of Sines and the Law of Cosines to solve mathematical and real-world problems involving triangles.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.4	<p>Solve mathematical problems involving finding the area of a triangle given two sides and the included angle.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include right triangles, heights inside of a triangle and heights outside of a triangle.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.5	<p>Prove Pythagorean Identities. Apply Pythagorean Identities to calculate trigonometric ratios and to solve problems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.6	<p>Prove the Double-Angle, Half-Angle, Angle Sum and Difference formulas for sine, cosine, and tangent. Apply these formulas to solve problems.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.T.1.7	<p>Simplify expressions using trigonometric identities.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Identities are limited to Double-Angle, Half-Angle, Angle Sum and Difference, Pythagorean Identities, Sum Identities and Product Identities.</p>

	Related Access Point(s)
	MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <i>Date Adopted or Revised:</i> 07/21
	MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <i>Date Adopted or Revised:</i> 07/21
MA.912.T.1.8	Solve mathematical and real-world problems involving one-variable trigonometric ratios. Related Access Point(s) MA.912.T.1.AP.1 Select a trigonometric ratio for acute angles in right triangles limited to sine or cosine. <i>Date Adopted or Revised:</i> 07/21 MA.912.T.1.AP.2 Given a mathematical and/or real-world problem involving right triangles, select a corresponding trigonometric ratio. <i>Date Adopted or Revised:</i> 07/21

Standard 2: Extend trigonometric functions to the unit circle.

BENCHMARK CODE	BENCHMARK
MA.912.T.2.1	Given any positive or negative angle measure in degrees or radians, identify its corresponding angle measure between 0° and 360° or between 0 and 2π . Convert between degrees and radians.
MA.912.T.2.2	Define the six basic trigonometric functions for all real numbers by identifying corresponding angle measures and using right triangles drawn in the unit circle.
MA.912.T.2.3	Determine the values of the six basic trigonometric functions for 0,, and and their multiples using special triangles.
MA.912.T.2.4	Use the unit circle to express the values of sine, cosine and tangent for $\pi-x$, $\pi+x$, and $2\pi-x$ in terms of their values for x , where x is any real number.
MA.912.T.2.5	Given angles measured in radians or degrees, calculate the values of the six basic trigonometric functions using the unit circle, trigonometric identities or technology.

Standard 3: Graph and apply trigonometric relations and functions.

BENCHMARK CODE	BENCHMARK
MA.912.T.3.1	Given a mathematical or real-world context, choose sine, cosine or tangent trigonometric functions to model periodic phenomena with specified amplitude, frequency, horizontal shift and midline.
MA.912.T.3.2	Given a table, equation or written description of a trigonometric function, graph that function and determine key features. <i>Clarifications:</i> <i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; relative maximums and minimums; symmetry; end behavior; periodicity; midline; amplitude; shift(s) and asymptotes. <i>Clarification 2:</i> Instruction includes representing the domain and range with inequality notation, interval notation or set-builder notation.
MA.912.T.3.3	Solve and graph mathematical and real-world problems that are modeled with trigonometric functions. Interpret key features and determine constraints in terms of the context.

	<p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Key features are limited to domain; range; intercepts; intervals where the function is increasing, decreasing, positive or negative; relative maximums and minimums; symmetry; end behavior; periodicity; midline; amplitude; shift(s) and asymptotes.</p> <p><i>Clarification 2:</i> Instruction includes representing the domain, range and constraints with inequality notation, interval notation or set-builder notation.</p> <p><i>Clarification 3:</i> Instruction includes using technology when appropriate.</p>
--	--

Standard 4: Extend rectangular coordinates and equations to polar and parametric forms.

BENCHMARK CODE	BENCHMARK
MA.912.T.4.1	Define and plot polar coordinates. Convert between polar coordinates and rectangular coordinates with and without the use of technology.
MA.912.T.4.2	Represent equations given in rectangular coordinates in terms of polar coordinates. Represent equations given in polar coordinates in terms of rectangular coordinates.
MA.912.T.4.3	Graph equations in the polar coordinate plane with and without the use of graphing technology.
MA.912.T.4.4	Identify and graph special polar equations, including circles, cardioids, limacons, rose curves and lemniscates.
MA.912.T.4.5	Sketch the graph of a curve in the plane represented parametrically, indicating the direction of motion.
MA.912.T.4.6	Convert from a parametric representation of a plane curve to a rectangular equation, and convert from a rectangular equation to a parametric representation of a plane curve.
MA.912.T.4.7	Apply parametric equations to model applications involving motion in the plane.

Strand: DATA ANALYSIS AND PROBABILITY

Standard 1: Summarize, represent and interpret categorical and numerical data with one and two variables.

BENCHMARK CODE	BENCHMARK
MA.912.DP.1.1	<p>Given a set of data, select an appropriate method to represent the data, depending on whether it is numerical or categorical data and on whether it is univariate or bivariate.</p> <p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Instruction includes discussions regarding the strengths and weaknesses of each data display.</p> <p><i>Clarification 2:</i> Numerical univariate includes histograms, stem-and-leaf plots, box plots and line plots; numerical bivariate includes scatter plots and line graphs; categorical univariate includes bar charts, circle graphs, line plots, frequency tables and relative frequency tables; and categorical bivariate includes segmented bar charts, joint frequency tables and joint relative frequency tables.</p> <p><i>Clarification 3:</i> Instruction includes the use of appropriate units and labels and, where appropriate, using technology to create data displays.</p>
	Related Access Point(s)
	<p>MA.912.DP.1.AP.1a Given a set of data, select an appropriate table or graph to represent categorical data and whether it is univariate or bivariate.</p> <p><i>Date Adopted or Revised:</i> 07/21</p>

	<p>MA.912.DP.1.AP.1b Given a set of data, select an appropriate table or graph to represent numerical data and whether it is univariate or bivariate. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.2 Given a univariate or bivariate data distribution (numerical or categorical), identify the different components and quantities in the display. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.3 Identify whether the data is explained by correlation or causation in the contexts of both numerical and categorical data. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.4 Given the mean or percentage and the margin of error from a sample survey, identify a population total. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.DP.1.2	<p>Interpret data distributions represented in various ways. State whether the data is numerical or categorical, whether it is univariate or bivariate and interpret the different components and quantities in the display.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within the Probability and Statistics course, instruction includes the use of spreadsheets and technology.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.1.AP.1a Given a set of data, select an appropriate table or graph to represent categorical data and whether it is univariate or bivariate. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.1b Given a set of data, select an appropriate table or graph to represent numerical data and whether it is univariate or bivariate. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.2 Given a univariate or bivariate data distribution (numerical or categorical), identify the different components and quantities in the display. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.3 Identify whether the data is explained by correlation or causation in the contexts of both numerical and categorical data. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.1.AP.4 Given the mean or percentage and the margin of error from a sample survey, identify a population total. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.DP.1.3	<p>Explain the difference between correlation and causation in the contexts of both numerical and categorical data.</p> <p><i>Examples:</i> <i>Algebra 1 Example:</i> There is a strong positive correlation between the number of Nobel prizes won by country and the per capita chocolate consumption by country. Does this mean that increased chocolate consumption in America will increase the United States of America's chances of a Nobel prize winner?</p>

	Related Access Point(s)
	<p>MA.912.DP.1.AP.1a Given a set of data, select an appropriate table or graph to represent categorical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.1b Given a set of data, select an appropriate table or graph to represent numerical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.2 Given a univariate or bivariate data distribution (numerical or categorical), identify the different components and quantities in the display. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.3 Identify whether the data is explained by correlation or causation in the contexts of both numerical and categorical data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.4 Given the mean or percentage and the margin of error from a sample survey, identify a population total. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.1.4	<p>Estimate a population total, mean or percentage using data from a sample survey; develop a margin of error through the use of simulation.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> Based on a survey of 100 households in Twin Lakes, the newspaper reports that the average number of televisions per household is 3.5 with a margin of error of ± 0.6. The actual population mean can be estimated to be between 2.9 and 4.1 television per household. Since there are 5,500 households in Twin Lakes the estimated number of televisions is between 15,950 and 22,550.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Within the Algebra 1 course, the margin of error will be given.</p>
	Related Access Point(s)
	<p>MA.912.DP.1.AP.1a Given a set of data, select an appropriate table or graph to represent categorical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.1b Given a set of data, select an appropriate table or graph to represent numerical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.2 Given a univariate or bivariate data distribution (numerical or categorical), identify the different components and quantities in the display. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.3 Identify whether the data is explained by correlation or causation in the contexts of both numerical and categorical data. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.1.AP.4 Given the mean or percentage and the margin of error from a sample survey, identify a</p>

	<p>population total. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.1.5	<p>Interpret the margin of error of a mean or percentage from a data set. Interpret the confidence level corresponding to the margin of error.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.1.AP.1a Given a set of data, select an appropriate table or graph to represent categorical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.1.AP.1b Given a set of data, select an appropriate table or graph to represent numerical data and whether it is univariate or bivariate. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.1.AP.2 Given a univariate or bivariate data distribution (numerical or categorical), identify the different components and quantities in the display. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.1.AP.3 Identify whether the data is explained by correlation or causation in the contexts of both numerical and categorical data. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.1.AP.4 Given the mean or percentage and the margin of error from a sample survey, identify a population total. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 2: Solve problems involving univariate and bivariate numerical data.

BENCHMARK CODE	BENCHMARK
MA.912.DP.2.1	<p>For two or more sets of numerical univariate data, calculate and compare the appropriate measures of center and measures of variability, accounting for possible effects of outliers. Interpret any notable features of the shape of the data distribution.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> The measure of center is limited to mean and median. The measure of variation is limited to range, interquartile range, and standard deviation.</p> <p><i>Clarification 2:</i> Shape features include symmetry or skewness and clustering.</p> <p><i>Clarification 3:</i> Within the Probability and Statistics course, instruction includes the use of spreadsheets and technology.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p>

	<p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.2	<p>Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes the connection to the binomial distribution and surveys.</p> <p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.3	<p>Estimate population percentages from data that has been fit to the normal distribution.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes using technology, empirical rules or tables to estimate areas under the normal curve.</p> <p style="text-align: center;">Related Access Point(s)</p>
	<p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
	<p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.4	<p>Fit a linear function to bivariate numerical data that suggests a linear association and interpret the slope and y-intercept of the model. Use the model to solve real-world</p>

	<p>problems in terms of the context of the data.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes fitting a linear function both informally and formally with the use of technology.</p> <p><i>Clarification 2:</i> Problems include making a prediction or extrapolation, inside and outside the range of the data, based on the equation of the line of fit.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.DP.2.5	<p>Given a scatter plot that represents bivariate numerical data, assess the fit of a given linear function by plotting and analyzing residuals.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Within the Algebra 1 course, instruction includes determining the number of positive and negative residuals; the largest and smallest residuals; and the connection between outliers in the data set and the corresponding residuals.</p> <hr/> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <i>Date Adopted or Revised:</i> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.DP.2.6	<p>Given a scatter plot with a line of fit and residuals, determine the strength and direction of the correlation. Interpret strength and direction within a real-world context.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on determining the direction by analyzing the slope and informally determining the strength by analyzing the residuals.</p>

	<p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.7	<p>Compute the correlation coefficient of a linear model using technology. Interpret the strength and direction of the correlation coefficient.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.8	<p>Fit a quadratic function to bivariate numerical data that suggests a quadratic association and interpret any intercepts or the vertex of the model. Use the model to solve real-world problems in terms of the context of the data.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Problems include making a prediction or extrapolation, inside and outside the range of the data, based on the equation of the line of fit.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best.</p>

	<p><u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best.</p> <p><u>Date Adopted or Revised:</u> 07/21</p>
MA.912.DP.2.9	<p>Fit an exponential function to bivariate numerical data that suggests an exponential association. Use the model to solve real-world problems in terms of the context of the data.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on determining whether an exponential model is appropriate by taking the logarithm of the dependent variable using spreadsheets and other technology.</p> <p><i>Clarification 2:</i> Instruction includes determining whether the transformed scatterplot has an appropriate line of best fit, and interpreting the y-intercept and slope of the line of best fit.</p> <p><i>Clarification 3:</i> Problems include making a prediction or extrapolation, inside and outside the range of the data, based on the equation of the line of fit.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.2.AP.4 Fit a linear function to a scatter plot that suggests a linear association. Identify the slope and y-intercept of the model. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.6 Given a scatter plot with a line of fit, residuals, and correlation identify the strength and direction of the linear fit. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.8 Given a scatter plot, select a quadratic function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p> <p>MA.912.DP.2.AP.9 Given a scatter plot, select an exponential function that fits the data the best. <u>Date Adopted or Revised:</u> 07/21</p>

Standard 3: Solve problems involving categorical data.

BENCHMARK CODE	BENCHMARK								
MA.912.DP.3.1	<p>Construct a two-way frequency table summarizing bivariate categorical data. Interpret joint and marginal frequencies and determine possible associations in terms of a real-world context.</p> <p><u>Examples:</u> <i>Algebra 1 Example:</i> Complete the frequency table below.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;"></th> <th style="width: 20%;">Has an A in math</th> <th style="width: 20%;">Doesn't have an A in math</th> <th style="width: 20%;">Total</th> </tr> </thead> <tbody> <tr> <td>Plays an instrument</td> <td style="text-align: center;">20</td> <td></td> <td style="text-align: center;">90</td> </tr> </tbody> </table>		Has an A in math	Doesn't have an A in math	Total	Plays an instrument	20		90
	Has an A in math	Doesn't have an A in math	Total						
Plays an instrument	20		90						

	Doesn't play an instrument	20														
	Total			350												
	<p>Using the information in the table, it is possible to determine that the second column contains the numbers 70 and 240. This means that there are 70 students who play an instrument but do not have an A in math and the total number of students who play an instrument is 90. The ratio of the joint frequencies in the first column is 1 to 1 and the ratio in the second column is 7 to 24, indicating a strong positive association between playing an instrument and getting an A in math.</p>															
	Related Access Point(s)															
	MA.912.DP.3.AP.1 When given a two-way frequency table summarizing bivariate categorical data, identify joint and marginal frequencies. <i>Date Adopted or Revised:</i> 07/21															
MA.912.DP.3.2	<p>Given marginal and conditional relative frequencies, construct a two-way relative frequency table summarizing categorical bivariate data.</p> <p><i>Examples:</i> <i>Algebra 1 Example:</i> A study shows that 9% of the population have diabetes and 91% do not. The study also shows that 95% of the people who do not have diabetes, test negative on a diabetes test while 80% who do have diabetes, test positive. Based on the given information, the following relative frequency table can be constructed.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>Positive</th> <th>Negative</th> <th>Total</th> </tr> </thead> <tbody> <tr> <th>Has diabetes</th> <td>7.2%</td> <td>1.8%</td> <td>9%</td> </tr> <tr> <th>Doesn't have diabetes</th> <td>4.55%</td> <td>86.45%</td> <td>91%</td> </tr> </tbody> </table> <p><i>Clarifications:</i> <i>Clarification 1:</i> Construction includes cases where not all frequencies are given but enough are provided to be able to construct a two-way relative frequency table. <i>Clarification 2:</i> Instruction includes the use of a tree diagram when calculating relative frequencies to construct tables.</p>					Positive	Negative	Total	Has diabetes	7.2%	1.8%	9%	Doesn't have diabetes	4.55%	86.45%	91%
	Positive	Negative	Total													
Has diabetes	7.2%	1.8%	9%													
Doesn't have diabetes	4.55%	86.45%	91%													
	Related Access Point(s)															
	MA.912.DP.3.AP.1 When given a two-way frequency table summarizing bivariate categorical data, identify joint and marginal frequencies. <i>Date Adopted or Revised:</i> 07/21															
MA.912.DP.3.3	<p>Given a two-way relative frequency table or segmented bar graph summarizing categorical bivariate data, interpret joint, marginal and conditional relative frequencies in terms of a real-world context.</p> <p><i>Examples:</i></p>															

	<p><i>Algebra 1 Example:</i> Given the relative frequency table below, the ratio of true positives to false positives can be determined as 7.2 to 4.55, which is about 3 to 2, meaning that a randomly selected person who tests positive for diabetes is about 50% more likely to have diabetes than not have it.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>Positive</th> <th>Negative</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>Has diabetes</td> <td>7.2%</td> <td>1.8%</td> <td>9%</td> </tr> <tr> <td>Doesn't have diabetes</td> <td>4.55%</td> <td>86.45%</td> <td>91%</td> </tr> </tbody> </table> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction includes problems involving false positive and false negatives.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.3.AP.1 When given a two-way frequency table summarizing bivariate categorical data, identify joint and marginal frequencies. <u>Date Adopted or Revised:</u> 07/21</p>		Positive	Negative	Total	Has diabetes	7.2%	1.8%	9%	Doesn't have diabetes	4.55%	86.45%	91%
	Positive	Negative	Total										
Has diabetes	7.2%	1.8%	9%										
Doesn't have diabetes	4.55%	86.45%	91%										
MA.912.DP.3.4	<p>Given a relative frequency table, construct and interpret a segmented bar graph.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.3.AP.1 When given a two-way frequency table summarizing bivariate categorical data, identify joint and marginal frequencies. <u>Date Adopted or Revised:</u> 07/21</p>												
MA.912.DP.3.5	<p>Solve real-world problems involving univariate and bivariate categorical data.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the connection to probability.</p> <p><i>Clarification 2:</i> Instruction includes calculating joint relative frequencies or conditional relative frequencies using tree diagrams. <i>Clarification 3:</i> Graphical representations include frequency tables, relative frequency tables, circle graphs and segmented bar graphs.</p> <p style="text-align: center;">Related Access Point(s)</p> <p>MA.912.DP.3.AP.1 When given a two-way frequency table summarizing bivariate categorical data, identify joint and marginal frequencies. <u>Date Adopted or Revised:</u> 07/21</p>												

Standard 4: Use and interpret independence and probability.	
BENCHMARK CODE	BENCHMARK
MA.912.DP.4.1	Describe events as subsets of a sample space using characteristics, or categories, of the outcomes, or as unions, intersections or complements of other events.
MA.912.DP.4.10	Given a mathematical or real-world situation, calculate the appropriate permutation or combination.

MA.912.DP.4.2	Determine if events A and B are independent by calculating the product of their probabilities.
MA.912.DP.4.3	Calculate the conditional probability of two events and interpret the result in terms of its context.
MA.912.DP.4.4	Interpret the independence of two events using conditional probability.
MA.912.DP.4.5	<p>Given a two-way table containing data from a population, interpret the joint and marginal relative frequencies as empirical probabilities and the conditional relative frequencies as empirical conditional probabilities. Use those probabilities to determine whether characteristics in the population are approximately independent.</p> <p><i>Examples:</i> <i>Example:</i> A company has a commercial for their new grill. A population of people are surveyed to determine whether or not they have seen the commercial and whether or not they have purchased the product. Using this data, calculate the empirical conditional probabilities that a person who has seen the commercial did or did not purchase the grill.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the connection between mathematical probability and applied statistics.</p>
MA.912.DP.4.6	Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations.
MA.912.DP.4.7	Apply the addition rule for probability, taking into consideration whether the events are mutually exclusive, and interpret the result in terms of the model and its context.
MA.912.DP.4.8	Apply the general multiplication rule for probability, taking into consideration whether the events are independent, and interpret the result in terms of the context.
MA.912.DP.4.9	Apply the addition and multiplication rules for counting to solve mathematical and real-world problems, including problems involving probability.

Standard 5: Determine methods of data collection and make inferences from collected data.

BENCHMARK CODE	BENCHMARK
MA.912.DP.5.1	Distinguish between a population parameter and a sample statistic.
MA.912.DP.5.10	Determine whether differences between parameters are significant using simulations.
MA.912.DP.5.11	<p>Evaluate reports based on data from diverse media, print and digital resources by interpreting graphs and tables; evaluating data-based arguments; determining whether a valid sampling method was used; or interpreting provided statistics.</p> <p><i>Examples:</i> <i>Example:</i> A local news station changes the y-axis on a data display from 0 to 10,000 to include data only within the range 7,000 to 10,000. Depending on the purpose, this could emphasize differences in data values in a misleading way.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes determining whether or not data displays could be misleading.</p>
MA.912.DP.5.2	Explain how random sampling produces data that is representative of a population.
MA.912.DP.5.3	<p>Compare and contrast sampling methods.</p> <p><i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes understanding the connection between probability and sampling methods.</p> <p><i>Clarification 2:</i> Sampling methods include simple random, stratified, cluster, systematic, judgement, quota and convenience.</p>
MA.912.DP.5.4	Generate multiple samples or simulated samples of the same size to measure the variation in estimates or predictions.
MA.912.DP.5.5	Determine if a specific model is consistent within a given process by analyzing the data distribution from a data-generating process.

MA.912.DP.5.6	Determine the appropriate design, survey, experiment or observational study, based on the purpose. Articulate the types of questions appropriate for each type of design.
MA.912.DP.5.7	Compare and contrast surveys, experiments and observational studies. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes understanding how randomization relates to sample surveys, experiments and observational studies.
MA.912.DP.5.8	Draw inferences about two populations using data and statistical analysis from two random samples.
MA.912.DP.5.9	Compare two treatments using data from an experiment in which the treatments are assigned randomly. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the understanding that if one wants to validate a causal relationship, then randomized assignment of treatment groups must occur.

Standard 6: Use probability distributions to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.DP.6.1	Define a random variable for a quantity of interest by assigning a numerical value to each individual outcome in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions.
MA.912.DP.6.2	Develop a probability distribution for a discrete random variable using theoretical probabilities. Find the expected value and interpret it as the mean of the discrete distribution.
MA.912.DP.6.3	Develop a probability distribution for a discrete random variable using empirical probabilities. Find the expected value and interpret it as the mean of the discrete distribution.
MA.912.DP.6.4	Given a binomial distribution, calculate and interpret the expected value. Solve real-world problems involving binomial distributions. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection between binomial distributions and coin tossing and the connection to one-question surveys in which the question has two possible responses.
MA.912.DP.6.5	Solve real-world problems involving geometric distributions. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection between geometric distributions and tossing a coin until the first heads appears and the connection to making repeated attempts at a task until it is successfully completed.
MA.912.DP.6.6	Solve real-world problems involving Poisson distributions. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction focuses on the connection between Poisson distributions and tossing a coin a large number of times for which the probability of heads is very small and the connection to the number of accidents occurring among a large number of people.
MA.912.DP.6.7	Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values and standard deviations. Evaluate and compare strategies on the basis of the calculated expected values and standard deviations. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the relationship between expected values and standard deviations on one hand and the rewards and risks on the other hand. <i>Clarification 2:</i> Instruction includes reducing risk through diversification.
MA.912.DP.6.8	Apply probabilities to make fair decisions, such as drawing from lots or using a random number generator.

Strand: LOGIC AND DISCRETE THEORY

Standard 1: Apply recursive methods to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.LT.1.1	Apply recursive and iterative thinking to solve problems.
MA.912.LT.1.2	Solve problems involving recurrence relations. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes finding explicit or recursive equations for recursively defined sequences. <i>Clarification 2:</i> Problems include fractals, the Fibonacci sequence, growth models and finite difference.
MA.912.LT.1.3	Apply mathematical induction in a variety of applications.

Standard 2: Apply optimization and techniques from Graph Theory to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.LT.2.1	Define and explain the basic concepts of Graph Theory. <i>Clarifications:</i> <i>Clarification 1:</i> Basic concepts include vertex, edge, directed edge, undirected edge, path, vertex degree, directed graph, undirected graph, tree, bipartite graph, circuit, connectedness and planarity.
MA.912.LT.2.2	Solve problems involving paths in graphs. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes simple paths and circuits; Hamiltonian paths and circuits; and Eulerian paths and circuits.
MA.912.LT.2.3	Solve scheduling problems using critical path analysis and Gantt charts. Create a schedule using critical path analysis.
MA.912.LT.2.4	Apply graph coloring techniques to solve problems. <i>Clarifications:</i> <i>Clarification 1:</i> Problems include map coloring and committee assignments.
MA.912.LT.2.5	Apply spanning trees, rooted trees, binary trees and decision trees to solve problems. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the use of technology to determine the number of possible solutions and generating solutions when a feasible number of possible solutions exists.
MA.912.LT.2.6	Solve problems concerning optimizing resource usage using bin-packing techniques.
MA.912.LT.2.7	Solve problems involving optimal strategies in Game Theory. <i>Clarifications:</i> <i>Clarification 1:</i> Problems include zero-sum games, such as Paper-Scissors-Rock, and nonzero-sum games, such as Prisoner's Dilemma. <i>Clarification 2:</i> Instruction includes pure and mixed strategies and game equilibria.

Standard 3: Apply techniques from Election Theory and Fair Division Theory to solve problems.

BENCHMARK CODE	BENCHMARK
----------------	-----------

MA.912.LT.3.1	Define and explain the basic concepts of Election Theory and voting. <i>Clarifications:</i> <i>Clarification 1:</i> Basic concepts include approval and preference voting, plurality, majority, runoff, sequential runoff, Borda count, Condorcet and other fairness criteria, dummy voters and coalition.
MA.912.LT.3.2	Analyze election data using election theory techniques. Explain how Arrow's Impossibility Theorem may be related to the fairness of the outcome of the election.
MA.912.LT.3.3	Decide voting power within a group using weighted voting techniques. Provide real-world examples of weighted voting and its pros and cons.
MA.912.LT.3.4	Solve problems using fair division and apportionment techniques. <i>Clarifications:</i> <i>Clarification 1:</i> Problems include fair division among people with different preferences, fairly dividing an inheritance that includes indivisible goods, salary caps in sports and allocation of representatives to Congress.

Standard 4: Develop an understanding of the fundamentals of propositional logic, arguments and methods of proof.

BENCHMARK CODE	BENCHMARK
MA.912.LT.4.1	Translate propositional statements into logical arguments using propositional variables and logical connectives. Related Access Point(s) MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21 MA.912.LT.4.AP.3 Identify and accurately interpret "if...then," "if and only if," "all" or "not" statements. <i>Date Adopted or Revised:</i> 07/21
MA.912.LT.4.10	Judge the validity of arguments and give counterexamples to disprove statements. <i>Clarifications:</i> <i>Clarification 1:</i> Within the Geometry course, instruction focuses on the connection to proofs within the course. Related Access Point(s) MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21 MA.912.LT.4.AP.3 Identify and accurately interpret "if...then," "if and only if," "all" or "not" statements. <i>Date Adopted or Revised:</i> 07/21
MA.912.LT.4.2	Determine truth values of simple and compound statements using truth tables. Related Access Point(s) MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21 MA.912.LT.4.AP.3 Identify and accurately interpret "if...then," "if and only if," "all" or "not" statements. <i>Date Adopted or Revised:</i> 07/21
MA.912.LT.4.3	Identify and accurately interpret "if...then," "if and only if," "all" and "not" statements. Find the converse, inverse and contrapositive of a statement.

	<p><i>Clarifications:</i></p> <p><i>Clarification 1:</i> Instruction focuses on recognizing the relationships between an “if...then” statement and the converse, inverse and contrapositive of that statement.</p> <p><i>Clarification 2:</i> Within the Geometry course, instruction focuses on the connection to proofs within the course.</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.LT.4.4	<p>Represent logic operations, such as AND, OR, NOT, NOR, and XOR, using logical symbolism to solve problems.</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.LT.4.5	<p>Determine whether two propositions are logically equivalent.</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.LT.4.6	<p>Apply methods of direct and indirect proof and determine whether a logical argument is valid.</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.LT.4.7	<p>Identify and give examples of undefined terms; axioms; theorems; proofs, including proofs using mathematical induction; and inductive and deductive reasoning.</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>

MA.912.LT.4.8	Construct proofs, including proofs by contradiction.
	<p><i>Clarifications:</i> <i>Clarification 1:</i> Within the Geometry course, proofs are limited to geometric statements within the course.</p>
	Related Access Point(s)
MA.912.LT.4.9	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
	Related Access Point(s)
MA.912.LT.4.9	Construct logical arguments using laws of detachment, syllogism, tautology, contradiction and Euler Diagrams.
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>
MA.912.LT.4.9	<p>MA.912.LT.4.AP.3 Identify and accurately interpret “if...then,” “if and only if,” “all” or “not” statements. <i>Date Adopted or Revised:</i> 07/21</p>
	Related Access Point(s)
	<p>MA.912.LT.4.AP.10 Select the validity of an argument or give counterexamples to disprove statements. <i>Date Adopted or Revised:</i> 07/21</p>

Standard 5: Apply properties from Set Theory to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.LT.5.1	Given two sets, determine whether the two sets are equivalent and whether one set is a subset of another. Given one set, determine its power set.
MA.912.LT.5.2	Given a relation on two sets, determine whether the relation is a function, determine the inverse of the relation if it exists and identify if the relation is bijective.
MA.912.LT.5.3	Partition a set into disjoint subsets and determine an equivalence class given the equivalence relation on a set.
MA.912.LT.5.4	Perform the set operations of taking the complement of a set and the union, intersection, difference and product of two sets. <i>Clarifications:</i> <i>Clarification 1:</i> Instruction includes the connection to probability and the words AND, OR and NOT.
MA.912.LT.5.5	Explore relationships and patterns and make arguments about relationships between sets using Venn Diagrams.
MA.912.LT.5.6	Prove set relations, including DeMorgan’s Laws and equivalence relations.

Strand: CALCULUS

Standard 1: Develop an understanding for limits and continuity. Determine limits and continuity.

BENCHMARK CODE	BENCHMARK
MA.912.C.1.1	<p>Demonstrate understanding of the concept of a limit and estimate limits from graphs and tables of values.</p> <p><i>Examples:</i> Example: For , estimate by calculating the function’s values for $x=2.1, 2.01, 2.001$ and for $x=1.9, 1.99, 1.999$. explain your answer.</p>
MA.912.C.1.10	Given the graph of a function, identify whether a function is continuous at a point. If not, identify the type of discontinuity for the given function.

MA.912.C.1.11	<p>Apply the Intermediate Value Theorem and the Extreme Value Theorem.</p> <p><i>Examples:</i> <i>Example:</i> Use the Intermediate Value Theorem to show that $f(x) = \sin(x)$ has a zero between $x=0$ and $x=3$.</p> <p><i>Example:</i> Use the Extreme Value Theorem to decide whether $f(x)=\tan(x)$ has a minimum and maximum on the interval $(0, \frac{\pi}{2})$. What about on the interval $(\frac{\pi}{2}, \pi)$?</p>
MA.912.C.1.2	<p>Determine the value of a limit if it exists algebraically using limits of sums, differences, products, quotients and compositions of continuous functions.</p> <p><i>Examples:</i> <i>Example:</i> Find $\lim_{x \rightarrow 2} (x^2 + 3x - 5)$.</p>
MA.912.C.1.3	<p>Find limits of rational functions that are undefined at a point.</p> <p><i>Examples:</i> The magnitude of the force between two positive charges, q_1 and q_2, can be described by the following function: $F(r) = \frac{kq_1q_2}{r^2}$, where k is Coulomb's constant and r is the distance between the two charges. Find the limit as r approaches 0 of the function $F(r)$. Interpret the answer in terms of the context.</p>
MA.912.C.1.4	<p>Find one-sided limits.</p> <p><i>Examples:</i> <i>Example:</i> Find $\lim_{x \rightarrow 0^+} \sqrt{x}$.</p>
MA.912.C.1.5	<p>Find limits at infinity.</p> <p><i>Examples:</i> <i>Example:</i> Find $\lim_{x \rightarrow \infty} \frac{1}{x}$.</p>
MA.912.C.1.6	<p>Decide when a limit is infinite and use limits involving infinity to describe asymptotic behavior.</p> <p><i>Examples:</i> <i>Example:</i> Where does the function, $f(x) = \frac{1}{x-2}$, have asymptote(s)?</p>
MA.912.C.1.7	<p>Find special limits by using the Squeeze Theorem or algebraic manipulation.</p> <p><i>Examples:</i> <i>Example:</i> Find $\lim_{x \rightarrow 0} x \cos\left(\frac{1}{x}\right)$.</p>
MA.912.C.1.8	<p>Find limits of indeterminate forms using L'Hôpital's Rule.</p>
MA.912.C.1.9	<p>Define continuity in terms of limits.</p> <p><i>Examples:</i> <i>Example:</i> Given that the limit of $g(x)$ as x approaches to 5 exists, is the statement "$g(x)$ is continuous at $x=5$" necessarily true? Provide example functions to support your conclusion.</p>

Standard 2: Develop an understanding for and determine derivatives.

BENCHMARK CODE	BENCHMARK
MA.912.C.2.1	<p>State, understand and apply the definition of derivative. Apply and interpret derivatives geometrically and numerically.</p> <p><i>Examples:</i> <i>Example:</i> Find $f'(x)$ for $f(x) = x^2 + 3x - 5$. What does the result tell you? Use the limit to determine the derivative function for $f(x) = \sin(x)$.</p>
MA.912.C.2.10	<p>Apply the Mean Value Theorem.</p> <p><i>Examples:</i> <i>Example:</i> At a car race, two cars join the race at the same point at the same time. They finish the race in a tie. Prove that sometime during the race, the two cars had exactly the same instantaneous velocity.</p>

	the same speed. (Hint: Define $f(t)$, $g(t)$, and $h(t)$, where $f(t)$ is the distance that Car A has traveled at time t , $g(t)$ is the distance that Car B has travelled at time t , and $h(t)=f(t)-g(t)$.)
MA.912.C.2.2	Interpret the derivative as an instantaneous rate of change or as the slope of the tangent line.
MA.912.C.2.3	Prove the rules for finding derivatives of constants, sums, products, quotients and the Chain Rule. <i>Clarifications:</i> <i>Clarification 1:</i> Special cases of rules include a constant multiple of a function and the power of a function.
MA.912.C.2.4	Apply the rules for finding derivatives of constants, sums, products, quotients and the Chain Rule to solve problems with functions limited to algebraic, trigonometric, inverse trigonometric, logarithmic and exponential. <i>Examples:</i> <i>Example:</i> Find for the function $y=\ln x$. <i>Example:</i> Show that the derivative of $f(x)=\tan x$ is using the quotient rule for derivatives. <i>Example:</i> Find. <i>Clarifications:</i> <i>Clarification 1:</i> Special cases of rules include a constant multiple of a function and the power of a function.
MA.912.C.2.5	Find the derivatives of implicitly defined functions. <i>Examples:</i> <i>Example:</i> For the equation , find at the point (2,3).
MA.912.C.2.6	Find derivatives of inverse functions. <i>Examples:</i> <i>Example:</i> Let , find .
MA.912.C.2.7	Find second derivatives and derivatives of higher order. <i>Examples:</i> <i>Example:</i> Let , find $f''(x)$ and $f'''(x)$.
MA.912.C.2.8	Find derivatives using logarithmic differentiation. <i>Examples:</i> <i>Example:</i> Find the derivative of .
MA.912.C.2.9	Demonstrate and use the relationship between differentiability and continuity. <i>Examples:</i> <i>Example:</i> Is $f(x)= x $ continuous at $x=0$? Is $f(x)$ differentiable at $x=0$? Explain your answers.

Standard 3: Apply derivatives to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.C.3.1	Find the slope of a curve at a point, including points at which there are vertical tangent lines. <i>Examples:</i> <i>Example:</i> Find the slope of the line tangent to the graph of at $x = 1$.

MA.912.C.3.10	<p>Model and solve problems involving rates of change, including related rates.</p> <p><u>Examples:</u> <i>Example:</i> One boat is heading due south at 10 mph. Another boat is heading due west at 15 mph. Both boats are heading toward the same point. If the boats maintain their speeds and directions, they will meet in two hours. Find the rate, in miles per hour, that the distance between them is decreasing exactly one hour before they meet.</p>
MA.912.C.3.2	<p>Find an equation for the tangent line to a curve at a point and use it to make local linear approximation.</p> <p><u>Examples:</u> <i>Example:</i> Use a local linear approximation to estimate the value of $f(x)=x^x$ at $x=2.1$.</p>
MA.912.C.3.3	<p>Determine where a function is decreasing and increasing using its derivative.</p> <p><u>Examples:</u> <i>Example:</i> For what values of x is the function decreasing?</p>
MA.912.C.3.4	<p>Find local and absolute maximum and minimum points of a function.</p> <p><u>Examples:</u> <i>Example:</i> For the graph of the function $f(x)=x^3-3x$, find the local maximum and local minimum points of $f(x)$ on $[-2,3]$.</p>
MA.912.C.3.5	<p>Determine the concavity and points of inflection of a function using its second derivative.</p> <p><u>Examples:</u> <i>Example:</i> For the graph of the function $f(x)=x^3-3x$, find the points of inflection of $f(x)$ and determine where $f(x)$ is concave upward and concave downward.</p>
MA.912.C.3.6	<p>Sketch graphs by using first and second derivatives. Compare the corresponding characteristics of the graphs of f, f' and f''.</p> <p><u>Examples:</u> <i>Example:</i> Sketch the graph of $f(x)=x^4+3x^2-2x+1$ using information from the first and second derivatives.</p>
MA.912.C.3.7	<p>Solve optimization problems using derivatives.</p> <p><u>Examples:</u> <i>Example:</i> Find the shortest length of fencing you can use to enclose a rectangular field with an area of 5000 m^2.</p> <p><i>Example:</i> Find the dimensions of an equilateral triangle and a square that will produce the least area if the sum of their perimeters is 20 centimeters.</p>
MA.912.C.3.8	<p>Find average and instantaneous rates of change. Explain the instantaneous rate of change as the limit of the average rate of change. Interpret a derivative as a rate of change in applications, including velocity, speed and acceleration.</p> <p><u>Examples:</u> <i>Example:</i> The vertical distance traveled by an object within the earth's gravitational field, neglecting air resistance, is given by the equation $x=0.5gt^2 + v_0t + x_0$, where g is the force on the object due to earth's gravity, v_0 is the initial velocity, x_0 is the initial height above the ground, t is the time in seconds and down is the negative vertical direction. Determine the instantaneous speed and the average speed for an object, initially at rest, 3 seconds after it is dropped from a 100 m. tall cliff. Describe the object 5 seconds after it is dropped from the same height. Use .</p>
MA.912.C.3.9	<p>Find the velocity and acceleration of a particle moving in a straight line.</p> <p><u>Examples:</u> <i>Example:</i> A bead on a wire moves so that, after t seconds, its distance s cm. from the midpoint of the wire is given by . find its maximum velocity and where along the wire this occurs.</p>

Standard 4: Develop an understanding for and determine integrals.

BENCHMARK CODE	BENCHMARK
MA.912.C.4.1	<p>Interpret a definite integral as a limit of Riemann sums. Calculate the values of Riemann sums over equal subdivisions using left, right and midpoint evaluation points.</p> <p><u>Examples:</u> <i>Example:</i> Find the values of the Riemann sums over the interval $[0,1]$ using 12 and 24 subintervals of equal width for $f(x)=e^x$ evaluated at the midpoint of each subinterval. Write an expression for the Riemann sums using n intervals of equal width. Find the limit of this Riemann Sums as n goes to infinity.</p> <p><i>Example:</i> Estimate $\int \sin x \, dx$ using a Riemann midpoint sum with 4 subintervals.</p> <p><i>Example:</i> Find an approximate value for $\int_0^3 x^2 \, dx$ using 6 rectangles of equal width under the graph of $f(x)=x^2$ between $x=0$ and $x=3$. How did you form your rectangles? Compute this approximation three times using at least three different methods to form the rectangles.</p>
MA.912.C.4.2	<p>Apply Riemann sums, the Trapezoidal Rule and technology to approximate definite integrals of functions represented algebraically, geometrically and by tables of values.</p> <p><u>Examples:</u> <i>Example:</i> Approximate the value of $\int_0^3 x^2 \, dx$ using the Trapezoidal Rule with 6 subintervals over $[0,3]$ for $f(x) = x^2$.</p> <p><i>Example:</i> Find an approximation to $\int_0^1 \sin x \, dx$.</p>
MA.912.C.4.3	<p>Interpret a definite integral of the rate of change of a quantity over an interval as the change of the quantity over the interval.</p> <p><u>Examples:</u> <i>Example:</i> Explain why $\int_a^b f(x) \, dx = F(b) - F(a)$.</p> <p><u>Clarifications:</u> <i>Clarification 1:</i> Instruction focuses on the relationship which is the fundamental theorem of calculus.</p>
MA.912.C.4.4	<p>Evaluate definite integrals by using the Fundamental Theorem of Calculus.</p> <p><u>Examples:</u> <i>Example:</i> Evaluate $\int_0^1 x^2 \, dx$.</p>
MA.912.C.4.5	<p>Analyze function graphs by using derivative graphs and the Fundamental Theorem of Calculus.</p>
MA.912.C.4.6	<p>Evaluate or solve problems using the properties of definite integrals. Properties are limited to the following:</p>
MA.912.C.4.7	<p>Evaluate definite and indefinite integrals by using integration by substitution.</p> <p><u>Examples:</u> <i>Example:</i> Find $\int \sin x \, dx$.</p>

Standard 5: Apply integrals to solve problems.

BENCHMARK CODE	BENCHMARK
MA.912.C.5.1	<p>Find specific antiderivatives using initial conditions, including finding velocity functions from acceleration functions, finding position functions from velocity functions and</p>

	<p>solving applications related to motion along a line.</p> <p><i>Examples:</i> <i>Example:</i> A bead on a wire moves so that its velocity, in cm/s, after t seconds, is given by $v(t)=3 \cos^2 3t$. Given that it starts 2 cm to the left of the midpoint of the wire, find its position after 5 seconds.</p>
MA.912.C.5.2	<p>Solve separable differential equations.</p> <p><i>Examples:</i> <i>Example:</i> A certain amount of money, P, is earning interest continually at a rate of r. Write a separable differential equation to model the rate of change of the amount of money with respect to time.</p>
MA.912.C.5.3	<p>Solve differential equations of the form as applied to growth and decay problems.</p> <p><i>Examples:</i> <i>Example:</i> The amount of a certain radioactive material was 10 kg a year ago. The amount is now 9 kg. When will it be reduced to 1 kg? Explain your answer.</p>
MA.912.C.5.4	<p>Display a graphic representation of the solution to a differential equation by using slope fields, and locate particular solutions to the equation.</p> <p><i>Examples:</i> <i>Example:</i> Draw a slope field for and graph the particular solution that passes through the point (2,4).</p>
MA.912.C.5.5	<p>Find the area between a curve and the x-axis or between two curves by using definite integrals.</p> <p><i>Examples:</i> <i>Example:</i> Find the area bounded by , $y=0$ and $x=2$.</p>
MA.912.C.5.6	<p>Find the average value of a function over a closed interval by using definite integrals.</p> <p><i>Examples:</i> <i>Example:</i> The daytime temperature, in degrees Fahrenheit, in a certain city t hours after 8 AM can be modeled by the function . what is the average temperature in this city during the time period from 8 am to 8 pm?</p>
MA.912.C.5.7	<p>Find the volume of a figure with known cross-sectional area, including figures of revolution, by using definite integrals.</p> <p><i>Examples:</i> <i>Example:</i> A cone with its vertex at the origin lies symmetrically along the x-axis. The base of the cone is at $x=5$ and the base radius is 7. Use integration to find the volume of the cone.</p> <p><i>Example:</i> What is the volume of the solid created when the area between the curves $f(x)=x$ and $g(x)=x^2$ for $0 \leq x \leq 1$ is revolved around the y-axis?</p>

GRADE: K12

Strand: MATHEMATICAL THINKING AND REASONING	
Standard 1: Actively participate in effortful learning both individually and collectively.	
BENCHMARK CODE	BENCHMARK
MA.K12.MTR.1.1	<p>Mathematicians who participate in effortful learning both individually and with others:</p> <ul style="list-style-type: none"> • Analyze the problem in a way that makes sense given the task. • Ask questions that will help with solving the task.

	<ul style="list-style-type: none"> • Build perseverance by modifying methods as needed while solving a challenging task. • Stay engaged and maintain a positive mindset when working to solve tasks. • Help and support each other when attempting a new method or approach. <p><u>Clarifications:</u> Teachers who encourage students to participate actively in effortful learning both individually and with others:</p> <ul style="list-style-type: none"> • Cultivate a community of growth mindset learners. • Foster perseverance in students by choosing tasks that are challenging. • Develop students' ability to analyze and problem solve. • Recognize students' effort when solving challenging problems.
--	---

Standard 2: Demonstrate understanding by representing problems in multiple ways.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.2.1	<p>Demonstrate understanding by representing problems in multiple ways.</p> <p>Mathematicians who demonstrate understanding by representing problems in multiple ways:</p> <ul style="list-style-type: none"> • Build understanding through modeling and using manipulatives. • Represent solutions to problems in multiple ways using objects, drawings, tables, graphs and equations. • Progress from modeling problems with objects and drawings to using algorithms and equations. • Express connections between concepts and representations. • Choose a representation based on the given context or purpose. <p><u>Clarifications:</u> Teachers who encourage students to demonstrate understanding by representing problems in multiple ways:</p> <ul style="list-style-type: none"> • Help students make connections between concepts and representations. • Provide opportunities for students to use manipulatives when investigating concepts. • Guide students from concrete to pictorial to abstract representations as understanding progresses. • Show students that various representations can have different purposes and can be useful in different situations.

Standard 3: Complete tasks with mathematical fluency.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.3.1	Complete tasks with mathematical fluency.

	<p>Mathematicians who complete tasks with mathematical fluency:</p> <ul style="list-style-type: none"> • Select efficient and appropriate methods for solving problems within the given context. • Maintain flexibility and accuracy while performing procedures and mental calculations. • Complete tasks accurately and with confidence. • Adapt procedures to apply them to a new context. • Use feedback to improve efficiency when performing calculations. <p><u>Clarifications:</u> Teachers who encourage students to complete tasks with mathematical fluency:</p> <ul style="list-style-type: none"> • Provide students with the flexibility to solve problems by selecting a procedure that allows them to solve efficiently and accurately. • Offer multiple opportunities for students to practice efficient and generalizable methods. • Provide opportunities for students to reflect on the method they used and determine if a more efficient method could have been used.
--	---

Standard 4: Engage in discussions that reflect on the mathematical thinking of self and others.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.4.1	<p>Engage in discussions that reflect on the mathematical thinking of self and others.</p> <p>Mathematicians who engage in discussions that reflect on the mathematical thinking of self and others:</p> <ul style="list-style-type: none"> • Communicate mathematical ideas, vocabulary and methods effectively. • Analyze the mathematical thinking of others. • Compare the efficiency of a method to those expressed by others. • Recognize errors and suggest how to correctly solve the task. • Justify results by explaining methods and processes. • Construct possible arguments based on evidence. <p><u>Clarifications:</u> Teachers who encourage students to engage in discussions that reflect on the mathematical thinking of self and others:</p> <ul style="list-style-type: none"> • Establish a culture in which students ask questions of the teacher and their peers, and error is an opportunity for learning. • Create opportunities for students to discuss their thinking with peers. • Select, sequence and present student work to advance and deepen understanding of correct and increasingly efficient methods. • Develop students' ability to justify methods and compare their responses to the responses of their peers.

Standard 5: Use patterns and structure to help understand and connect mathematical concepts.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.5.1	<p>Use patterns and structure to help understand and connect mathematical concepts.</p> <p>Mathematicians who use patterns and structure to help understand and connect mathematical concepts:</p> <ul style="list-style-type: none"> • Focus on relevant details within a problem. • Create plans and procedures to logically order events, steps or ideas to solve problems. • Decompose a complex problem into manageable parts. • Relate previously learned concepts to new concepts. • Look for similarities among problems. • Connect solutions of problems to more complicated large-scale situations. <p><i>Clarifications:</i></p> <p>Teachers who encourage students to use patterns and structure to help understand and connect mathematical concepts:</p> <ul style="list-style-type: none"> • Help students recognize the patterns in the world around them and connect these patterns to mathematical concepts. • Support students to develop generalizations based on the similarities found among problems. • Provide opportunities for students to create plans and procedures to solve problems. • Develop students' ability to construct relationships between their current understanding and more sophisticated ways of thinking.

Standard 6: Assess the reasonableness of solutions.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.6.1	<p>Assess the reasonableness of solutions.</p> <p>Mathematicians who assess the reasonableness of solutions:</p> <ul style="list-style-type: none"> • Estimate to discover possible solutions. • Use benchmark quantities to determine if a solution makes sense. • Check calculations when solving problems. • Verify possible solutions by explaining the methods used. • Evaluate results based on the given context. <p><i>Clarifications:</i></p> <p>Teachers who encourage students to assess the reasonableness of solutions:</p> <ul style="list-style-type: none"> • Have students estimate or predict solutions prior to solving. • Prompt students to continually ask, "Does this solution make sense? How do you know?"

	<ul style="list-style-type: none"> • Reinforce that students check their work as they progress within and after a task. • Strengthen students' ability to verify solutions through justifications.
--	--

Standard 7: Apply mathematics to real-world contexts.

BENCHMARK CODE	BENCHMARK
MA.K12.MTR.7.1	<p>Apply mathematics to real-world contexts.</p> <p>Mathematicians who apply mathematics to real-world contexts:</p> <ul style="list-style-type: none"> • Connect mathematical concepts to everyday experiences. • Use models and methods to understand, represent and solve problems. • Perform investigations to gather data or determine if a method is appropriate. • Redesign models and methods to improve accuracy or efficiency. <p><u>Clarifications:</u> Teachers who encourage students to apply mathematics to real-world contexts:</p> <ul style="list-style-type: none"> • Provide opportunities for students to create models, both concrete and abstract, and perform investigations. • Challenge students to question the accuracy of their models and methods. • Support students as they validate conclusions by comparing them to the given situation. • Indicate how various concepts can be applied to other disciplines.