1. District Number, Reporting District must be numeric, in the range 01-70 or 72-76 and must be correct for the district submitting the data. -record rejected-

EXAMPLE

If district 01 is submitting records, District Number, Reporting District must be 01 for all records. In the records listed below, the first two records would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the District Number, Reporting District is 02 rather than 01 (the number of the district submitting the record). The fourth record would be rejected because the District Number, Reporting District is not in the valid range of numbers.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	A0000001
01	0271	A0000002
* 02	0271	D0000003
* 99	0271	AA000004

DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the District Number, Reporting District and resubmit the records.

2. School Number, Where Incident Occurred must be numeric in the range 0001 - 9899. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the School Number, Where Incident Occurred is not in the appropriate numerical range. The fourth record would be rejected because the School Number, Where Incident Occurred is not numeric.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	AA000001
01	0271	BB000002
* 01	9999	CC000003
* 01	C901	DD000004

DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the School Number, Where Incident Occurred and resubmit the records.

3. School Number, Where Incident Occurred must exist on the Master School Identification File as a valid school in the District Number, Reporting District. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the School Number, Where Incident Occurred is not a valid school number for this reporting district.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	00000C61
01	0271	00000AA2
* 01	0062	00000C24

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the School Number, Where Incident Occurred and resubmit the record.

4. Survey Period Code must be 5 and must be correct for the submission specified by the district. -record rejected-

The survey period as specified in the transmission JCL or in statements for tape transmission is identified as Survey Period "5". However, records on the transmission have a Survey Period Code "2". All updates, adds or deletes with this inconsistency will be rejected.

DISTRICT RESPONSIBILITY

The district must correct the Survey Period Code either on the records coming in or the transmission JCL and all records must be resubmitted.

5. School Year must be correct for the submission submitted by the District. -record rejected-

EXAMPLE

The School Year as specified in the transmission JCL or in statements for tape transmission is identified as "9900". However, records on the transmission have School Year coded as "9899". All updates, adds or deletes with this inconsistency will be rejected.

DISTRICT RESPONSIBILITY

The district must correct the School Year either on the records coming in or the transmission JCL and all records must be resubmitted.

6. Incident, Identifier must be alphanumeric, may not be zero, and must not contain blanks. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident Identifier contains a blank.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	00000062
01	0271	00000016
* 01	0271	000 C013

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct Incident, Identifier and resubmit the record.

7. Incident, Date must be numeric, must be a valid date, and in the range of 07/01/1999 to 08/31/2000. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident, Date is not a valid date.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Date
01	0271	A0000001	12111999
01	0271	B0000002	01182000
* 01	0271	S0000003	02301999

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Date and resubmit the record.

8. Incident, Location must be 1, 2 or 3. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident, Location is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Location
48	0931	W000001	1
48	0931	A0000002	2
* 48	0931	S0000003	5

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Location and resubmit the record.

9. Incident, Type must be a valid code as listed in Appendix P of the <u>DOE Information Data Base Requirements: Volume 1--Automated Student Information System</u> Manual. (ZZZ is a local use only code, and is not valid for reporting to the state.) -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident, Type is not a valid code.

District Number, Reporting	School Number Where Incident	Incident , Identifier	Incident, Type	Incident, Date
District	Occurred			
13	6071	C0000001	ALC	12111999
13	6071	A0000002	ARS	10051999
* 13	6071	S0000003	FRM	10241999

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Type and resubmit the record.

10. Incident, Involvement Type code must be S, N, B, or U. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Involvement Type is not a valid code.

School Number,		Incident,
Where Incident	Incident,	Involvement
Occurred	Identifier	Type
0271	H0000001	S
0271	S0000002	N
0271	W0000003	Z
	Where Incident Occurred 0271 0271	Where Incident Occurred Incident, Identifier 0271 H0000001 0271 S0000002

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Involvement Type code and resubmit the record.

11. Incident, Reported to Law Enforcement code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Reported to Law Enforcement code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Reported to Law Enforcement
01	0271	VT000001	Υ
01	0271	AR000002	N
* 01	0271	BE000003	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Reported to Law Enforcement code and resubmit the record.

12. Incident, Gang-Related code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Gang-Related code is not a valid code.

School Number,		Incident,
Where Incident	Incident,	Gang-
Occurred	Identifier	Related
0271	AR000001	Υ
0271	FA000002	Ν
0271	SH000003	Z
	Where Incident Occurred 0271 0271	Where Incident Occurred Incident, Identifier 0271 AR000001 0271 FA000002

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Gang-Related code and resubmit the record.

13. Incident, Alcohol-Related code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Alcohol-Related code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Alcohol- Related
01	0271	00000AS1	Y
01	0271	00000FA2	N
* 01	0271	00000WP3	7

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Alcohol-Related code and resubmit the record.

14. Incident, Drug-Related code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Drug-Related code is not a valid code.

District Number,	School Number, Where Incident	Incident,	Incident, Drug-
Reporting District	Occurred	Identifier	Related
01	0271	00000\$61	Υ
01	0271	0000SA42	N
* 01	0271	00000BA3	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Drug-Related code and resubmit the record.

15. Incident, Hate Crime-Related code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Hate Crime-Related code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Hate Crime- Related
01	0271	DO000001	Y
01	0271	SB000002	N
* 01	0271	WP000003	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Hate Crime-Related code and resubmit the record.

16. Incident, Weapon-Related code must be Y or N. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Weapon-Related code is not a valid code.

	School Number,		Incident,
District Number,	Where Incident	Incident,	Weapon-
Reporting District	Occurred	Identifier	Related
01	0271	FA000001	Υ
01	0271	DC000002	N
* 01	0271	DC000003	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Weapon-Related code and resubmit the record.

17. Weapon, Description code must be F, H, K, O, R, U, or Z. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Weapon, Description code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Weapon, Description
01	0271	00000AR1	F
01	0271	00000BT2	Z
* 01	0271	00000SB3	G

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Weapon, Description code and resubmit the record.

18. Incident, Context code must be 1, 2 or 3. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Context code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Context
01	0271	VT000001	2
01	0271	VA000002	1
* 01	0271	BE000003	V

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Context code and resubmit the record.

19. If Incident, Weapon-Related code is Y, then Weapon, Description code must be F, H, K, O, R, or U. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Weapon-Related code is Y and Weapon, Description is not one of the codes F, H, K, O, R or U.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Weapon- Related	Weapon, Description
01	0271	AS000001	Υ	F
01	0271	DO000002	Υ	K
* 01	0271	SH000003	Υ	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Weapon-Related code and Weapon, Description and resubmit the record.

20. The Transaction Code must be A, C or D. For the original transmission, only A is valid. For subsequent batch/update submissions, if A is specified then the record must not already exist on the data base; if C or D is specified then the record must exist on the data base. -record rejected-

EXAMPLE

For all original transmissions, the Transaction Code must be "A". An original transaction is the first submission of a record during a survey period. After original transmission of records, changes to the record for elements other than the key elements must be done with a "C" as the Transaction Code. To delete a record, the Transaction Code must be a "D". To change key elements in a batch transaction, the records must FIRST be deleted with a "D" and then added with an "A". Records with an incorrect Transaction Code would be rejected.

DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the Transaction Code and resubmit the records.

21. Each School Environmental Safety Incident Report record must be unique based on District Number, Reporting District; School Number, Where Incident Occurred; Survey Period Code; School Year; and Incident, Identifier. -first record accepted, all other duplicate records rejected-

EXAMPLE

The first, second, third and fourth records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The fifth record would be rejected because it is a duplicate of the second record.

District Number, Reporting District	School Number, Where Incident Occurred	Survey Period Code	School Year	Incident, Identifier
29	2841	5	9900	00000001
29	2841	5	9900	00000002
29	2841	5	9900	00000003
29	2841	5	9900	00000004
* 29	2841	5	9900	00000002

DISTRICT RESPONSIBILITY

If the record that was accepted and loaded to the data base is the correct one, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must delete any invalid records, correct the rejected record if necessary, and resubmit the corrected record.

22. If Incident, Type code is WPO, then Weapon, Description code must be F, H, K, O, R, or U. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is WPO and Weapon, Description is not one of the codes F, H, K, O, R, or U.

District Number,	School Number,			
Reporting	Where Incident	Incident,	Incident,	Weapon,
District	Occurred	Identifier	Type	Description
01	0271	AS000001	WPO	F
01	0271	DO000001	BAT	7
	v =			_
* 01	0271	SH000003	WPO	Z

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Weapon, Description and resubmit the record.

23. If Incident, Type code is WPO, then Incident, Weapon-Related code must be Y. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is WPO and Incident, Weapon-Related is not coded Y.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Incident, Weapon- Related
01	0271	AS000001	WPO	Υ
01	0271	DO000002	WPO	Υ
* 01	0271	SH000003	WPO	N

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Weapon-Related and resubmit the record.

24. If Incident, Type code is ALC, then Incident, Alcohol-Related code must be Y. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is ALC and Incident, Alcohol-Related is not coded Y.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Incident, Alcohol- Related
01	0271	AS000001	ALC	Υ
01	0271	DO000002	ALC	Υ
* 01	0271	SH000003	ALC	N

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Alcohol-Related and resubmit the record.

25. If Incident, Type code is DRG, then Incident, Drug-Related code must be Y. -record rejected-

EXAMPLE

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is DRG and Incident, Drug-Related is not coded Y.

District	School			
Number,	Number,			Incident,
Reporting	Where Incident	Incident,	Incident,	Drug-
District	Occurred	Identifier	Type	Related
01	0271	AS000001	DRG	Υ
01	0271	DO000002	DRG	Υ
* 01	0271	SH000003	DRG	Ν

DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Drug-Related and resubmit the record.