# 1. District Number, Current Enrollment must be numeric, in the range 01-76 **—** and must be correct for the district submitting the data. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected since the District Number, Current Enrollment is not in the appropriate range. The fourth record would be rejected if district 01 submitted the record.

District Number, Current Enrollment	School Number, Where Tested	Student Number Identifier, Florida
01	0021	012345677X
01	0021	012345678X
* 00	0021	012345679X
* 02	0021	012345676X

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the District Number, Current Enrollment and resubmit the records.

# 2. School Number, Where Tested must be numeric in the range 0001 to 9899. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected because the School Number, Where Tested is not in the appropriate numerical range. The fourth record would be rejected because the School Number, Where Tested is not numeric.

District Number,	School Number,	Student Number
Current Enrollment	Where Tested	Identifier, Florida
01	0021	012345676X
01	0021	012345677X
* 01	9999	012345678X
* 01	C901	012345679X

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the School Number, Where Tested and resubmit the records.

3. The first nine positions of Student Number Identifier, Florida must be numeric. The tenth position of Student Number Identifier, Florida must either be an "X" or numeric. If the tenth position of Student Number Identifier, Florida is numeric, the first two digits must be a valid district number in the range 01-76. If the tenth position of the Student Number Identifier, Florida is an "X", the first three positions may not all be zeroes. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected because the tenth position of the Student Number Identifier, Florida must be numeric or an "X". The fourth record would be rejected because the Student Number Identifier, Florida contains blanks. The fifth record would be rejected because the first two digits are not a valid district number. The sixth record would be rejected because the tenth position contains an "X", and the first three positions are all zeroes.

District Number, Current Enrollment	School Number, Where Tested	Student Number Identifier, Florida
01	0151	1234567891
01	0151	123456789X
* 01	0151	123456789C
* 01	0151	123456789
* 01	0151	0023456791
* 01	0151	000123456X

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Student Number Identifier, Florida and resubmit the records.

# 4. Survey Period Code must be 5 and must be correct for the submission specified by the district. -record rejected-

# EXAMPLE

The Survey Period Code as specified in the transmission Job Control Language (JCL) or in statements for tape transmission is identified as Survey Period "5". However, if records on the transmission have a Survey Period Code "2", all records updated, added or deleted with this inconsistency would be rejected.

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the Survey Period Code should be corrected and all records should be resubmitted.

# 5. School Year must be correct for the submission specified by the district. -record rejected-

#### EXAMPLE

The School Year as specified in the transmission JCL or in statements for tape transmission is identified as the valid year for data submission. However, if records on the transmission have the previous Fiscal Year coded, all records updated, added or deleted with this inconsistency would be rejected.

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the School Year either on the records coming in or the transmission JCL and resubmit all records.

6. The Transaction Code must be A, C or D. For the original transmission, only A is valid. For subsequent batch/update submissions, if A is specified then the record must not already exist on the database; if C or D is specified then the record must exist on the database. -record rejected-

## EXAMPLE

For all original transmissions, the Transaction Code must be "A". An original transaction is the first submission of a record during a survey period. After original transmission of records, changes to the record for elements other than the key elements must be done with a "C" as the Transaction Code. To delete a record, the Transaction Code must be a "D". To change key elements in a batch transaction, the record must FIRST be deleted with a "D" and then added with an "A". Records with an incorrect Transaction Code would be rejected.

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Transaction Code and resubmit the records.

# 7. Test Date (Exit Assessment - Reading) must be numeric and a valid date unless zero filled. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected because the Test Date is invalid.

Student Number	Test	Test
Identifier, Florida	Name	Date
123456789X	GRT	0118****
223456789X	ZZZ	00000000
* 323456789X	GOR	0431****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date and resubmit the record.

8. Test Name (Exit Assessment - Reading) must be a valid code as specified in the Department of Juvenile Justice Student Assessment Test Table or it may be ZZZ. – record rejected -

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is invalid.

Test	Test
Date	Name
0117****	CTB
0117****	FCP
	Date 0117****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name and resubmit the record.

9. Test Subject Content (Exit Assessment - Reading) must be a valid code for the Test Name (Exit Assessment – Reading) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Subject Content is invalid. The third record would be rejected because the Test Subject Content is blank.

Student Number	Test	Test Subject
Identifier, Florida	Name	Content
123456789X	СТВ	20
* 223456789X	СТВ	34
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Subject Content code and resubmit the records.

10. Test Form (Exit Assessment - Reading) must be a valid code for the Test Name (Exit Assessment – Reading) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Form is invalid. The third record would be rejected because the Test Form is blank.

Student Number	Test	Test
Identifier, Florida	Name	Form
123456789X	СТВ	А
* 223456789X	СТВ	D
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Form and resubmit the records.

11. Test Level (Exit Assessment - Reading) must be a valid code for the Test Name (Exit Assessment – Reading) as specified in the Department of Juvenile Justice Student Assessment Test Table. The code must be left justified. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Level is invalid. The third record would be rejected because the Test Level is right justified rather than left justified.

Student Number	Test	Test
Identifier, Florida	Name	Level
123456789X	CTB	16
* 223456789X	СТВ	20
* 323456789X	MAT	9

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Level and resubmit the records.

12. Test Use (Exit Assessment - Reading) must be O, F, or Z. Code F is valid only for tests specified on the Department of Juvenile Justice Student Assessment Test Table as allowing this use. Code Z is valid only when Test Name (Exit Assessment – Reading) is ZZZ. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Use code is invalid. The third record would be rejected because the Test Use field is blank.

Student Number	Test	Test
Identifier, Florida	Name	Use
123456789X	СТВ	0
* 223456789X	СТВ	G
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Use and resubmit the records.

13. Test Score Type (Exit Assessment - Reading) must be a valid code for the Test Name (Exit Assessment – Reading) as specified in the Department of Juvenile Justice Student Assessment Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Score Type is invalid.

		Test
Test	Test	Score
Date	Name	Туре
0.4.4.0.4.4.4.4	075	~~~
0119****	CIB	SS
0119****	CTB	ST
	Date 0119****	Date Name 0119**** CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Score Type and resubmit the record.

# 14. Test Score (Exit Assessment - Reading) must be numeric and right justified with leading zeros. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because Test Score contains alphabetic characters. The third record would be rejected because Test Score does not have leading zeros.

Student Number			Test	
Identifier,	Test	Test	Score	Test
Florida	Date	Name	Туре	Score
123456789X	0119****	СТВ	SS	0071
* 301741234X	0119****	CTB	SS	AA71
* 242424321X	0119****	CTB	SS	71

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Score and resubmit the records.

15. If Test Name (Exit Assessment - Reading) is ZZZ then Test Date (Exit Assessment – Reading) and Test Score (Exit Assessment – Reading) must be zero-filled. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Date and Test Score are not zero-filled when the Test Name is ZZZ.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	ZZZ	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name, Test Date and/or Test Score and resubmit the record.

16. If Test Date (Exit Assessment - Reading) is 00000000 then Test Name (Exit Assessment – Reading) must be ZZZ and Test Score (Exit Assessment – Reading) must be 0000. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Score is not 0000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	00000000	CTB	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

# 17. If Test Score (Exit Assessment - Reading) is 0000 then Test Name (Exit Assessment – Reading) must be ZZZ and Test Date (Exit Assessment – Reading) must be 00000000. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Date is not 00000000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	CTB	0000

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

# 18. Test Date (Exit Assessment - Mathematics) must be numeric and a valid date unless zero filled. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected because the Test Date is invalid.

Student Number	Test	Test
Identifier, Florida	Name	Date
123456789X	СТВ	0118****
223456789X	ZZZ	00000000
* 323456789X	GOR	0431****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date and resubmit the record.

19. Test Name (Exit Assessment - Mathematics) must be a valid code as specified in the Department of Juvenile Justice Student Assessment Test Table or it may be ZZZ. – record rejected -

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is invalid.

Student Number	Test	Test
Identifier, Florida	Date	Name
123456789X	0117****	CTB
* 223456789X	0117****	FCP

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name and resubmit the record.

20. Test Subject Content (Exit Assessment - Mathematics) must be a valid code for the Test Name (Exit Assessment – Mathematics) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Subject Content is invalid. The third record would be rejected because the Test Subject Content is blank.

Student Number	Test	Test Subject
Identifier, Florida	Name	Content
123456789X	СТВ	20
* 223456789X	СТВ	34
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Subject Content code and resubmit the records.

21. Test Form (Exit Assessment - Mathematics) must be a valid code for the Test Name (Exit Assessment – Mathematics) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Form is invalid. The third record would be rejected because the Test Form is blank.

Student Number	Test	Test
Identifier, Florida	Name	Form
123456789X	СТВ	А
* 223456789X	СТВ	D
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Form and resubmit the records.

22. Test Level (Exit Assessment - Mathematics) must be a valid code for the Test Name (Exit Assessment – Mathematics) as specified in the Department of Juvenile Justice Student Assessment Test Table. The code must be left justified. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Level is invalid. The third record would be rejected because the Test Level is right justified rather than left justified.

Student Number	Test	Test
Identifier, Florida	Name	Level
123456789X	CTB	16
* 223456789X	СТВ	20
* 323456789X	MAT	9

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Level and resubmit the records.

23. Test Use (Exit Assessment - Mathematics) must be O, F, or Z. Code F is valid only for tests specified on the Department of Juvenile Justice Student Assessment Test Table as allowing this use. Code Z is valid only when Test Name (Exit Assessment – Mathematics) is ZZZ. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Use code is invalid. The third record would be rejected because the Test Use field is blank.

Student Number	Test	Test
Identifier, Florida	Name	Use
123456789X	СТВ	0
* 223456789X	СТВ	G
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Use and resubmit the records.

24. Test Score Type (Exit Assessment - Mathematics) must be a valid code for the Test Name (Exit Assessment – Mathematics) as specified in the Department of Juvenile Justice Student Assessment Table. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Score Type is invalid.

		Test
Test	Test	Score
Date	Name	Туре
0.4.4.0.4.4.4.4	075	~~~
0119****	CIB	SS
0119****	CTB	ST
	Date 0119****	Date Name 0119**** CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Score Type and resubmit the record.

# 25. Test Score (Exit Assessment - Mathematics) must be numeric and right justified with leading zeros. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because Test Score contains alphabetic characters. The third record would be rejected because Test Score does not have leading zeros.

Student Number			Test	
Identifier,	Test	Test	Score	Test
Florida	Date	Name	Туре	Score
123456789X	0119****	СТВ	SS	0071
* 301741234X	0119****	CTB	SS	AA71
* 242424321X	0119****	CTB	SS	71

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Score and resubmit the records.

26. If Test Name (Exit Assessment - Mathematics) is ZZZ then Test Date (Exit Assessment – Reading) and Test Score (Exit Assessment – Mathematics) must be zero-filled. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Date and Test Score are not zero-filled when the Test Name is ZZZ.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	ZZZ	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name, Test Date and/or Test Score and resubmit the record.

# 27. If Test Date (Exit Assessment - Mathematics) is 00000000 then Test Name (Exit Assessment – Mathematics) must be ZZZ and Test Score (Exit Assessment – Mathematics) must be 0000. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Score is not 0000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	00000000	CTB	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

28. If Test Score (Exit Assessment - Mathematics) is 0000 then Test Name (Exit Assessment – Mathematics) must be ZZZ and Test Date (Exit Assessment – Mathematics) must be 00000000. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Date is not 00000000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	CTB	0000

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

# 29. Test Date (Exit Assessment - Writing) must be numeric and a valid date unless zero filled. -record rejected-

# EXAMPLE

The first two records listed below would be loaded to the database assuming no other reject rule would cause their rejection. The third record would be rejected because the Test Date is invalid.

Student Number	Test	Test
Identifier, Florida	Name	Date
123456789X	СТВ	0118****
223456789X	ZZZ	00000000
* 323456789X	GOR	0431****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date and resubmit the record.

# 30. Test Name (Exit Assessment - Writing) must be a valid code as specified in the Department of Juvenile Justice Student Assessment Test Table or it may be ZZZ. – record rejected -

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is invalid.

Student Number	Test	Test
Identifier, Florida	Date	Name
123456789X	0117****	CTB
* 223456789X	0117****	FCP

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name and resubmit the record.

31. Test Subject Content (Exit Assessment - Writing) must be a valid code for the Test Name (Exit Assessment – Writing) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Subject Content is invalid. The third record would be rejected because the Test Subject Content is blank.

Student Number	Test	Test Subject
Identifier, Florida	Name	Content
123456789X	СТВ	36
* 223456789X	СТВ	21
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Subject Content code and resubmit the records.

32. Test Form (Exit Assessment - Writing) must be a valid code for the Test Name (Exit Assessment – Writing) as specified in the Department of Juvenile Justice Student Assessment Test Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Form is invalid. The third record would be rejected because the Test Form is blank.

Student Number	Test	Test
Identifier, Florida	Name	Form
123456789X	СТВ	А
* 223456789X	СТВ	D
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Form and resubmit the records.

33. Test Level (Exit Assessment - Writing) must be a valid code for the Test Name (Exit Assessment – Writing) as specified in the Department of Juvenile Justice Student Assessment Test Table. The code must be left justified. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Level is invalid. The third record would be rejected because the Test Level is right justified rather than left justified.

Student Number	Test	Test
Identifier, Florida	Name	Level
123456789X	CTB	16
* 223456789X	СТВ	20
* 323456789X	MAT	9

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Level and resubmit the records.

34. Test Use (Exit Assessment - Writing) must be O, F, or Z. Code F is valid only for tests specified on the Department of Juvenile Justice Student Assessment Test Table as allowing this use. Code Z is valid only when Test Name (Exit Assessment – Writing) is ZZZ. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Use code is invalid. The third record would be rejected because the Test Use field is blank.

Student Number	Test	Test
Identifier, Florida	Name	Use
123456789X	СТВ	0
* 223456789X	СТВ	G
* 323456789X	СТВ	

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Use and resubmit the records.

35. Test Score Type (Exit Assessment - Writing) must be a valid code for the Test Name (Exit Assessment – Writing) as specified in the Department of Juvenile Justice Student Assessment Table. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Score Type is invalid.

		Test
Test	Test	Score
Date	Name	Туре
0119****	CTB	SS
0119****	CTB	ST
	Date 0119****	Date Name 0119**** CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Score Type and resubmit the record.

# 36. Test Score (Exit Assessment - Writing) must be numeric and right justified with leading zeros. -record rejected-

# EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because Test Score contains alphabetic characters. The third record would be rejected because Test Score does not have leading zeros.

Student Number			Test	
Identifier,	Test	Test	Score	Test
Florida	Date	Name	Туре	Score
123456789X	0119****	СТВ	SS	0071
* 301741234X	0119****	CTB	SS	AA71
* 242424321X	0119****	CTB	SS	71

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the Test Score and resubmit the records.

37. If Test Name (Exit Assessment - Writing) is ZZZ then Test Date (Exit Assessment – Writing) and Test Score (Exit Assessment – Writing) must be zero-filled. -record rejected-

## EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Date and Test Score are not zero-filled when the Test Name is ZZZ.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	ZZZ	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Name, Test Date and/or Test Score and resubmit the record.

38. If Test Date (Exit Assessment - Writing) is 00000000 then Test Name (Exit Assessment – Writing) must be ZZZ and Test Score (Exit Assessment – Writing) must be 0000. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Score is not 0000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	00000000	CTB	0071

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

39. If Test Score (Exit Assessment - Writing) is 0000 then Test Name (Exit Assessment – Writing) must be ZZZ and Test Date (Exit Assessment – Writing) must be 00000000. -record rejected-

#### EXAMPLE

The first record listed below would be loaded to the database assuming no other reject rule would cause its rejection. The second record would be rejected because the Test Name is not ZZZ and the Test Date is not 00000000.

Student Number	Test	Test	Test
Identifier, Florida	Date	Name	Score
123456789X	00000000	ZZZ	0000
*223456789X	01222099	CTB	0000

# DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the database, the district must correct the Test Date, Test Name and/or Test Score and resubmit the record.

# 40. The School Number, Where Tested must exist on the Master School Identification File as a valid school in the district of enrollment. -record rejected-

# EXAMPLE

The fourth and fifth records listed below would be loaded to the database assuming no other reject rule would cause their rejection. Records one, two and three would be rejected because the School Number, Where Tested does not exist on the Master School Identification File as a valid school number for the District Number, Where Tested.

District Number,	School Number,
Current Enrollment	Where Tested
* 09	8131
* 13	0021
* 15	C999
57	0051
63	0031

## DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the database, the district must correct the School Number, Where Tested and resubmit the records.

41. Each Department of Juvenile Justice Student Exit Assessment record must be unique based on the keys of District Number, Current Enrollment; School Number, Where Tested; Student Number Identifier, Florida; Survey Period Code; and School Year. -first record accepted, all other duplicate records rejected-

## EXAMPLE

The first, third and fourth records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The second and fifth records would be rejected since they are duplicates (same Student Number Identifier, Florida) of the first and fourth records, respectively.

District Number, Current	School Number, Where	Student Number Identifier,	Survey Period	School
Enrollment	Tested	Florida	Code	Year
01	0021	012345678X	5	****
* 01	0021	012345678X	5	****
01	0021	012345676X	5	****
01	0021	012345679X	5	****
* 01	0021	012345679X	5	****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

If the records loaded to the database are correct, no action is necessary. However, if the district wishes the rejected records to be loaded to the data base, the district must delete any invalid records, correct any rejected records if necessary, and resubmit the corrected records.

60. Each Department of Juvenile Justice Student Exit Assessment record must have a matching Student Demographic record based on District Number, Current Enrollment; Student Number Identifier, Florida; Survey Period Code and School Year. -state validation 3-

## \*\*ALLOWABLE for Batch/update\*\*

# EXAMPLE

The Department of Juvenile Justice Student Exit Assessment record listed below marked with an asterisk would cause a message to be generated because it does not have a matching Student Demographic record.

Department of Juvenile Justice Student Exit Assessment records

District Number, Current Enrollment	Student Number Identifier, Florida	Survey Period Code	School Year
* 01	012345678X	5	****
01	019876545X	5	****
01	429876546X	5	****

Student Demographic records

District	Student		
Number,	Number	Survey	
Current	Identifier,	Period	School
Enrollment	Florida	Code	Year
01	019876545X	5	****
01	429876546X	5	****

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

The district must delete the Department of Juvenile Justice Student Exit Assessment record or add a Student Demographic record to match the above key fields.

80. The School Number, Where Tested must be exist as a valid Department of Juvenile Justice school number (school type = 10) in the district of enrollment on the Master School Identification File. –exception report-

#### EXAMPLE

The last two records listed below would pass the edit. The first record would cause an edit message to be generated because the School Number, Where Tested does not exist on the Master School Identification File as a valid Department of Juvenile Justice school number for the District Number, Current Enrollment.

District Number,	School Number,		
Current Enrollment	Where Tested		
* 05	0051		
05	1001		
03	0604		

# DISTRICT RESPONSIBILITY

The district should review the School Number, Where Tested to be sure that it is a valid Department of Juvenile Justice school number on the Master School Identification file. If the school number is incorrect the district must correct the School Number, Where Tested on the record. If the school number is correct, the district must contact the Department of Education and request that the Master School Identification file be revised to reflect the current type associated with the school.

# 81. Test Date (Exit Assessment - Reading) must be between 7/1/\*\*\*\* and 6/30/\*\*\*\* unless zero filled. –exception report-

# EXAMPLE

The first two records listed below would pass this edit. The third record would cause an error message to be generated because the Test Date is prior to  $7/1/^{****}$ .

Test	Test
Name	Date
GRT	0118****
СТВ	1015****
CTB	04161999
	Name GRT CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

The district should check the Test Date for accuracy and correct the date if it is in error.

# 82. Test Date (Exit Assessment - Writing) must be between 7/1/\*\*\*\* and 6/30/\*\*\*\* unless zero filled. –exception report-

# EXAMPLE

The first two records listed below would pass this edit. The third record would cause an error message to be generated because the Test Date is prior to  $7/1/^{****}$ .

Test	Test
Name	Date
СТВ	0118****
СТВ	1015****
CTB	04161999
	Name CTB CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

The district should check the Test Date for accuracy and correct the date if it is in error.

# 83. Test Date (Exit Assessment - Mathematics) must be between 7/1/\*\*\*\* and 6/30/\*\*\*\* unless zero filled. –exception report-

# EXAMPLE

The first two records listed below would pass this edit. The third record would cause an error message to be generated because the Test Date is prior to 7/1/01.

Test	Test
Name	Date
CTB	0118****
CTB	1015****
CTB	04161999
	Name CTB CTB

\*\*\*\* = Valid fiscal year for data submission.

# DISTRICT RESPONSIBILITY

The district should check the Test Date for accuracy and correct the date if it is in error.